

EXPERT ADVICE AND TIPS FOR EVERY AMIGA ENTHUSIAST

AMIGA

WIN!
FIVE FINAL COPY IIS

From the makers of **AMIGA**
FORMAT

ISSUE 27 • JULY 1993 • £2.50
YOUR **DEFINITIVE** AMIGA GUIDE

SHOPPER

Transform your Amiga

I N S I D E

• RETINA DISPLAY CARD

16 million colours - a sight for sore eyes?

Hardware reviews: page 98

• MAKE SOME NOISE

Your guide to the cover disk sound tracker

Music: page 94

• THE AMIGA EXPOSED

Your machine's inner workings explained

Amiga Exposed: page 57

NO DISK?
NO PROBLEM!
ASK YOUR NEWSAGENT
FOR ANOTHER ONE

Make it faster,
smarter and
more colourful
with our step-
by-step guide

AMIGA ANSWERS

Every month, our experts bring their
incomparable intellect to bear on your Amiga
problems. The result? Amiga Answers!

Future
PUBLISHING
Your guarantee
of value





*The BBC Radio 1's
TV and Radio presenter*




STOP PRESS

Latest news on the Amiga 4000-030 shows demand outstripping supply world wide. If you are having problems getting stock or perhaps feel disappointed that you opted for the A1200 before you knew about the new machine all is not lost. Check out the table on the right showing the A1200 fitted with the new M1230XA Microbotics accelerator available from Indi from

ONLY £299.99

Performance Comparison



INDI DIRECT MAIL Proudly Presents THE JAKKI BRAMBLES COLUMN

Hi,

It certainly doesn't seem a month ago that I last wrote for Indi and what a month it has been.

With immaculate timing Commodore announced their superb Amiga CD, are Sega and Nintendo worried?

Interesting question, 32 bit technology, 16.8 million colours and the amazing AA chip set: what do you think?

But, more to the point, what does it mean to you if you currently own or were thinking of buying an Amiga 600 or 1200. First of all let's be clear, you cannot use the Amiga CD as a computer until there is a keyboard and drive option (promised for 1994). So if you want to do any more than run CD software remember you will not have access to the vast range of floppy based software on Amiga nor the processing power that makes the Amiga so rewarding if you want to do more than games play.

*So what does this mean to the current Amigas? To make it simple, the **Amiga 600** is a cheap entry level system perfect for the first time user or those working to a budget. The **Amiga 1200** is the elite system for the dedicated user who wants to access the speed and performance of this mid range system; you can upgrade later via an external CD solution promised to be hot on the heels of the Amiga CD.*

The Amiga CD should be available to dedicated games players in August. Phone INDI to check for pricing and availability; and don't be confused, both the Amiga 600 and 1200 are around for some time. In fact Indi have already finalised their plans for Christmas!

Mail order purchasing can be worrying, sending your hard earned cash to a company that may be hundreds of miles away, will your dream machine arrive as promised and what do you do if it doesn't?

Indi is part of a very large company with their own in-house experts and systems and yet it still sometimes goes wrong. At Indi they have a Customer Care department who do nothing else but problem solve. So if Securicor couldn't find your house but will re-deliver tomorrow, or you cannot load a disk, they are there to help.

But what if the problem needs a fresh pair of eyes, perhaps you feel that you have been unsympathetically or unfairly treated?

I was delighted to learn that Indi take their responsibilities so seriously that they have joined the DMA.

The Direct Marketing Association is a very serious organisation (recognised by the Advertising Standards Association and other such official bodies). Getting accepted is difficult, staying in required Indi to set and achieve real customer satisfaction and solve problems quickly if they occur.

I sincerely hope that all Mail Order Companies will follow Indi and display the DMA symbol on their advertising. If they don't you should ask them why not.

Regards,

AMIGA SHOPPER

AT A GLANCE GUIDE

To help you find what you want quickly and easily, here is a cross-referenced list of all the products and subjects covered in this month's *Amiga Shopper*. You'll find a detailed index to the many subjects dealt with in the problem-solving *Amiga Answers* section given on page 39. The page numbers given are for the first page of the article in which the subject is mentioned.

Accelerators	28
Advertisers' Index	120
Amiga Exposed	57
AmigaDOS	61
AMOS	68
Answers	39
Back Issues	116
Bulletin Boards	88
C Programming	76
CD-ROM	56
Chaos	64
Chip RAM	20
Code Clinic	49
Communications	88
Competition	122
Desktop Publishing	53
DICE	76
Disk instructions	16
Display Cards	98
Display Enhancers	20
Fatter Agnuses	20
Fractal Animation	64
ImageFX	84
Interface	68
Julia Sets	64
Letters	92
Listings	81
Logic	57
MegAChip	84
Music	94
News	10
OctaMED	94
Pest	61
Product Locator	117
Public Domain	103, 117
Reader Ads	87
Reader Survey	69
Requesters	49, 68
Retina	98
Super Denises	20
Upgrading	20
US News	14
User Groups	101
Video	84
3D Objects	81

Are there any products or subjects you'd like us to take a look at? Well, just drop a line to:

Amiga Shopper,
30 Monmouth Street,
Bath, Avon BA1 2BW.

WELCOME

Although the release of new machines by Commodore can only be viewed as a "good thing", the fact that the company fails to supply an adequate upgrade path for owners of older machines has created some dissatisfaction. That's where we step in. Our main feature this month describes how you can bestow A1200-like powers on your old A500 or A500 Plus. Some of the modifications are also applicable to the A1500 and A2000.

We tell you how to increase your Chip RAM for increased graphics and audio power, how to upgrade to the latest versions of Workbench and Kickstart for greater ease-of-use, and how to change over to the Super Denise chip, which offers extra screen modes. What we can't show you, unfortunately, is how to gain the new AGA screen modes of the A1200; instead we've discussed two low-cost display enhancers for the A500 that will provide similar facilities.

Probably the most important advantage the A1200 has over its predecessors is its faster processor. We've taken care of this, too. Starting on page 28 you'll find a comparison of all the

latest processor accelerators from GVP and Progressive Peripherals. These are designed for a whole range of Amigas; some of them will give your A500 more power than Commodore's top-of-the-range A4000. All of them offer vast speed increases when it comes to maths, desktop publishing, graphics rendering and many other applications.

There's a great deal of exciting stuff in this month's issue, not least the second part of our Amiga Exposed feature and a close look at *Retina*, a low-cost display card with some unique features.

Read and enjoy.



Cliff Parsham

PUBLIC DOMAIN WORLD

TERM OF ENDEARMENT

Did you know there are thousands of Amiga programs which are available for little more than the price of a disk, and many more that you can try out before you buy? In Public Domain World we take a look at the best of these programs and show you how easy it is to get hold of them.

This month we take a good look at perhaps the most fully-featured comms program available, *Term 3.1*, as well as a barrel-load of Fish programs, including a Pascal compiler.

It's a fishy business

as we call it this month, starts on page 103

AMIGA ANSWERS

Where can you find seven pages devoted to solving your Amiga problems?

Our panel, comprising experts from each of the major fields of Amiga computing, supplies the answer. Every month it solves more genuine reader problems than any other Amiga magazine. And in the Code Clinic we look at how faulty programs sent in by you can be made to work.

We answer questions every month on Workbench • The CLI • Comms • Programming • DTP • Video • Business software • And more!

THE ANSWERS START ON PAGE 39

FOR A FULL LIST OF CONTENTS, TURN THE PAGE

Your guarantee of value

This magazine comes from Future Publishing, a company founded just eight years ago but now selling more computer magazines than any other publisher in Britain. We offer:

Better advice. Our titles are packed with tips, suggestions and explanatory features, written by the best in the business.

Stronger reviews. We have a cast-iron policy of editorial independence, and our reviews give clear buying recommendations.

Clearer design. You need solid information, and you need it fast. So our designers highlight key elements in the articles by using charts,

diagrams, summary boxes, annotated photographs and so on.

Greater relevance. At Future, editors operate under two golden rules:

- Understand your readers' needs.
- Satisfy them.

More reader interaction. We draw strongly on readers' contributions, resulting in the liveliest letters pages and the best reader tips. Buying one of our magazines (especially this one, of course) is like joining a nationwide user group.

Better value for money. More pages, better quality: magazines you can trust.

future
PUBLISHING

The home of Britain's finest computer magazines:

Amiga Shopper • Amiga Format
• Amiga Power • Commodore Format
• PCW Plus • PC Plus

ST Format • Your Sinclair • Sega Power
Amstrad Action • PC Answers • PC Format
Total! • Super Play • Mega • GamesMaster,
MacFormat, Future Music, and some secret
project they won't even tell us about yet...

WICKED TOYS FOR WICKED BOYS

COMPLETE AMIGA A1200 PACKAGE
AS SUPPLIED COMMODORE **£369**

AVAILABLE WITH THE FOLLOWING HARD DRIVES

60Mb	£169
85Mb	£199
120Mb	£269
170Mb	£299
250Mb	£399

COMPLETE A4000/030 PACKAGE WITH 170Mb HD £899

We can also pick up your A1200 by courier, fit it, guarantee for 12 months and return it by courier for the measly price of £29.

ALL HARD DRIVES ARE SUPPLIED PREPARED AND FORMATTED AND INCLUDE HD PREP V1.2, SOFTWARE TO RE-PARTITION YOUR HARD DRIVE AND INSTALL WORKBENCH 3.0.

MBX1200 available with clock

85 Mb Drive
TRANSFER RATE MORE THAN
900K/SECOND



85 Mb

240 Mb Drive
TRANSFER RATE MORE THAN
1.8M/SECOND



240Mb

THE FASTEST AMIGA HARD DRIVES AVAILABLE

For a wide range of hardware and software please visit our shop at 38/40 Queens Chambers, Queens Street, Penzance, Cornwall or just visit our game zone and have a go at all the latest games.



ORDER HOTLINE (0736) 331039



**PLEASE MAKE ALL CHEQUES PAYABLE TO SOFTWARE DEMON LTD
OR INCLUDE YOUR CREDIT CARD NO. AND EXPIRY DATE**

All prices subject to change without notice. E&OE. All trademarks acknowledged. All cables and processes Pat. pending.

INSIDE THIS ISSUE

AMIGA SHOPPER

Issue 27 - July 1993

Editor: Cliff Ramshaw
Art Editor: Mark Nottley
Production Editor: Alex Soboslay
Staff Writer: Gus Chandler

Consultant Editors: Jeff Walker,
Mark Smiddy, Ian Wrigley

Contributors: Jason Holborn,
Paul Overaa, Gary Whiteley, Dave
Winder, Ian Wrigley, Toby Simpson,
Wilf Rees, Jolyon Ralph

Cover illustration: Henri Bulko of
Alternative Image
Guest Artist: James Joyce

Ad Manager: Margaret Clarke
Ad Production Manager:
Richard Gingell

Ad Design: Lisa Withey
Production Technicians:
Mark Gover, Heath Parsons, Simon
Windsor, Chris Stocker, Jon Moore

Publisher: Stuart Anderton
Group Publishing Director:
Greg Ingham

ABC Member of the Audit
Bureau of Circulations
Audited circulation
July - December 1992: 43,290

Printed by Southernprint Ltd,
Poole, Dorset

ISSN 0961-7302 Printed in the UK

Circulation Manager: Jon Bickley
News Trade Distribution -
UK: Future Publishing 0225 442244
Worldwide: MMC Ltd 0483 211678

Copyright © 1993 Future Publishing Ltd.
No part of this magazine may be
reproduced without written permission.
We welcome contributions for publi-
cation but regret that we cannot return
any submissions. Any correspondence
will be considered for publication unless
you specifically state otherwise.

Editorial

30 Monmouth Street, Bath,
Avon BA1 2BW
Tel: 0225 442244 Fax: 0225 446019
E-mail: amshopper@cix.compulink

Advertising

Rayner House, 23 Higher Hillgate,
Stockport SK1 3ER
Tel: 061-474 7333 Fax: 061-476 3002

Subscriptions

Future Publishing, Somerton,
Somerset TA11 6TB
Tel: 0458 74011

Once again it's your chance to win yourself 12
free issues of Britain's best-selling serious
Amiga magazine. Tell us the name of the first
aircraft to break the sound barrier, put your
answer on a postcard and send it to: "A
screaming comes across the sky", *Amiga
Shopper*, 30 Monmouth Street, Bath BA1
2BW. First correct answer out of the bag wins.
No one as yet has sent in the correct answer
to last month's poser, so get your thinking
caps on - we thought it was an easy one!

News


Including a report from the Amiga Format Live Show

10

Disk Pages

Instructions on how to get the most from your cover disk


16



Transform your Amiga

20

Turn your aging A500 into a state-of-the-art machine
with our step-by-step guide to replacing the custom
chips, adding better graphics and updating Kickstart.



Accelerators

28

We review and compare eight boards from Great Valley
Products and Progressive Peripherals that can increase
your Amiga's processing power by up to 350 times

Amiga Answers

39

Our expert panel deals with more of your problems

Subscriptions

41

Guarantee your copies before the price goes up

Code Clinic

49

We rescue an errant assembly language routine

Desktop Publishing

53

Gold Disk's *Professional Page 4* is laid bare

CD-ROM

56

A package that brings CD technology to all Amigas

The Amiga Exposed

57

Our series explaining the inner workings of the Amiga
deals with subtraction and memory addressing

AmigaDOS

61

An exposé of *Pest 3*, the calendar/reminder utility
supplied on this month's cover disk

Chaos

64

Animate your fractals (source code supplied on disk)

AMOS

68

Write a file requester in AMOS Pro (source code on disk)

Reader Survey

69

Tell us what you think about *Amiga Shopper*

C Programming

76

How to set up and use DICE, an integrated development
system that will ease your development cycle

Listings

81

This month we present a reader's 3D shape manipulator

Video

84

Reviews of GVP's *ImageFX* image processing package
and DKB's *Agnus* enhancer, *MegAChip*

Reader Ads

87

The place to buy and sell used Amiga kit

Communications

88

A look at a bulletin board PLUS tips on saving money

Letters

92

Join in the debate on the hottest topics in Amiga-land

Music

94

A tutorial for *OctaMED*, which is on the cover disk

Retina


98

The new low-cost 16.7 million colour frame buffer with
Workbench emulation is put through its paces

User Groups

101

Get in touch with other Amiga fans



Public Domain World

103

Among this month's crop of low-cost and no-cost
software is *Term*, a superb comms program.

Product Locator

117

Your at a glance guide to the best in PD software

Competition

122

Just answer the three easy questions and you could win
one of five *Final Copy II* packages that are up for grabs

DEFERRED CREDIT ON ALL ORDERS OVER £200.
***PAY 10% NOW AND NOTHING MORE FOR 3 MONTHS.**

CUSTOMER CHARTER

INDI Direct Mail is original and very exciting. Before you buy mail order you must first be confident that you will receive the product you've ordered and that the supplier will still be there in the future, should you need them.

A mail order purchase from INDI is a safe and secure decision, and here's why.

INDI is a wholly owned subsidiary of a public company now in its tenth year of trading and specialising in the supply of computer products.

With a turnover approaching £30 million per annum, we have the resources and the purchasing power to offer you the best deals, deliver them next day nationwide and always be around when you need us.

SALES AND SUPPORT

The INDI sales team have been trained to take your order with the utmost care and efficiency. All stock offered for sale is held in stock, centrally at our group warehouse complex and is available for next day delivery, direct to your home or business. If at any time we are out of stock your money will not be banked until the product is available (a point worth checking should you feel tempted to purchase elsewhere).

General information regarding product is available from our sales team, however technical support is always at hand should you need assistance.

All prices quoted are inclusive of VAT.

INDI TELESales

Tel 0543 419999 Fax 0543 418079

CREDIT FACILITIES

INDI are now able to offer competitive credit facilities on all orders over £200.00. All credit facilities are subject to status and applicants must be over the age of 18. If you would like a quote simply call our sales line where acceptance can normally be notified within the hour. We are also able to offer Credit Insurance to cover repayments in the event of sickness or unemployment.

AMOUNT*	12 MONTHS		24 MONTHS		36 MONTHS	
OF CREDIT	MTLHY PMTS	TOTAL PAYABLE	MTLHY PMTS	TOTAL PAYABLE	MTLHY PMTS	TOTAL PAYABLE
200	£22.00	£264.00	£12.43	£298.32	£9.31	£335.16
500	£54.99	£659.98	£31.06	£745.44	£23.27	£897.72
1000	£109.98	£1319.76	£62.13	£1491.12	£46.54	£1675.44

APR 29.8% WRITTEN QUOTATIONS AVAILABLE ON REQUEST

*After deposit paid

AMIGA A1200

ALL NEW 32-BIT AMIGA



COMIC RELIEF PACK.

The event may be over but the fund raising still goes on. If you're looking for the latest Amiga technology then this is the starter pack for you. Based around the outstanding A1200, this pack also gives you sleepwalker, a most addictive platform game from our software. You'll be pleased to know that every one of these packs purchased raises another £10 for Comic Relief.

A1200 STANDARD FEATURES.

● 68020 Processor ● PCMCIA slot ● 2MB ChipRAM ● 3.5" Intern Drive ● AA Chipset ● Built in TV modulator ● Alpha numeric keypad ● 12 Months at home maintenance

INDI PRICE

£379.99 or from **£14.47*** per month

(*Credit price based on 36 monthly payments APR 29.8%. Total repayment £520.92 and 90 day deferred payments.)

A1200 60 MEG HD INDI PRICE £539.99

A1200 80 MEG HD INDI PRICE £599.99

A1200 120 MEG HD INDI PRICE £679.99

INDI A1200 ACCESSORY PACK

Pack Contains:

● 3 Superb Games ● International Games Challenge ● The Cool Cr ● Paradroid 90 ● Zapsac and Zappo T-shirt

INDI PRICE £19.99

60/80 Hard Disk upgrades available on any A1200. Upgrade includes full Wang warranty on A1200 and Hard disks. Phone for a quote.

AMIGA A4000



It's here - The new Amiga 4000/030

The NEW Amiga 4000/030 features a EC68030 processor running at an incredible 25Mhz, and upgradable at a later date to a faster processor. The 4000/030 has a powerful 4Mb of 32-bit RAM (2Mb chip & 2Mb fast) expandable to 18Mb using industry standard 32-bit Simms module. In line with the Amiga flagship 4000/040 the 4000/030 features the new AGA graphics chipset, giving you a massive pallet of 16.8 million colours. A range of hard drive options are available from 80 - 240Mb and includes a SCSI option.

4000/030 80 Mb HD INDI PRICE £939.99

Other Drive Options

4000/030 120 Mb HD INDI PRICE £1039.99

4000/030 240 Mb HD (exclusive to INDI)

Phone for price

4000/030 120 Mb SCSI HD (exclusive to INDI)

Phone for price

A full range of approved upgrades are available for the 4000 030, including additional memory modules, hard drives, PC bridge boards, FPU's (68881 & 68882) and the 24-bit Opal vision graphics and video system.

NEW MONITOR RANGE

THE NEW DUAL SYNC 1940/1942 Monitors have been specially designed for the New Amiga 1200 and 4000 computers. Both monitors feature built-in stereo speakers.

INDI PRICE

1940 Monitor £279.99

14 inch screen size - 0.39 mm dot matrix.

INDI PRICE

1942 Monitor £379.99

14 inch screen size - 0.28 mm dot matrix.



Parnet Adaptor for CDTV

Connect a CDTV Player to any Amiga, and access the world of CD-ROM software.

The Parnet interface and software will allow the CDTV to be used as a CD-ROM drive with any Amiga and will give any Amiga owner access to the range of CDTV software currently available.

The CDTV player offers excellent value for money when compared with a standard CD-ROM drive interface. Most CD-ROM drives will set you back £400 while CDTV will cost you less than £300 and play audio CD's in addition to CD-ROM / CDTV software. The Parnet adaptor includes the software driver for your Amiga, interface cable and PD disk with software for your CDTV player.

INDI PRICE £39.99

A4000/030 PLUS CDTV + 1960 MONITOR.

INDI PRICE £1599.99

CDTV + PARNET.

INDI PRICE £329.99

AMIGA A600 PRICE CRASH

A600-SD A single drive Amiga for those of you requiring a basic A600 at a very competitive price.

PACK INCLUDES: A600 single drive, built in TV modulator, 1Mb memory. 12 Months at home service.

INDI VALUE ADDED FREE

● Kick Off 2 ● Pipemania ● Space Ace ● Populous ● Microswitched joystick

INDI PRICE

£239.99

£189.99

A600 EPIC PACK (40 Mb HD) PACK INCLUDES:

A600 Hard Disks (20Mb) ● 1Mb Memory ● Epic ● Rome ● Myth

● Trivial Pursuit ● Amiga Text ● Deluxe Paint III ● 12 Months at

home service. **PLUS INDI ACCESSORIES PACK AS LISTED. COMES WITH**

AN EXTRA 512K RAM EXPANSION FREE.

INDI PRICE

£395.99

£339.99

INDI A600 ACCESSORY PACK (Featured with WWW)

● Micro Switched Joystick ● Lockable Disk Box ● Disk Wallet

● 10 Blank Disks ● Kick Off 2 ● Pipemania ● Space Ace

● Populous ● Zapsac Carry Case ● Zappo T-Shirt

INDI PRICE

£26.99



THE WILD, THE WEIRD AND THE WICKED A600 is an ideal starter pack containing a considered mix of software, making the most of the Amigas amazing capabilities.

PACK CONTAINS:

- A600 Single Drive
- Built in TV Modulator
- 1 Mb Memory
- Pushover: Grandprix
- Silly Putty: Deluxe Paint III
- Mouse and Manuals

NEW LOW LOW PRICES

~~£289.99~~

INDI PRICE

£215.99

WANT THE BEST IN PROFESSIONAL AMIGA. WHY NOT TAKE ADVANTAGE OF THE CREDIT DEALS AVAILABLE (SUBJECT TO STATUS). CREDIT AVAILABLE ON 6, 12, 18, 24, 36 MONTHS. WHY NOT RING NOW FOR A QUOTE. SAME DAY RESPONSE.

AMIGA RECOMMENDED PERIPHERALS & ACCESSORIES

New from Microbotics for the A1200!!! M1230XA Accelerator launch!!

Microbotics beats the competition on price, performance, features and configurations. INDI is very pleased to announce the availability of the new 68030 accelerator product for the A1200: the Microbotics M1230 XA (call it the "XA" for short) 50 MHz speed is standard! Memory management is standard! Huge 128 MB memory design is standard (the biggest memory space on any 1200 peripheral) Just look at these specifications and prices!

M1230 XA W/40 MHZ EC 030 0MB **INDI PRICE £299.99**
M1230 XA W/40 MHZ EC 030 4MB **INDI PRICE £399.99**
M1230 XA W/50 MHZ MMU 030 0MB **INDI PRICE £399.99**
M1230 XA W/50 MHZ MMU 030 4MB **INDI PRICE £499.99**



MBX1200.

The original and the best floating point unit and memory upgrade for the Amiga A1200. Available with 0, 4 or 8 MB OF 32 BIT FAST RAM and a choice of floating point units. Now complete with real time clock (RTC)

MBX1200Z 68881 14 MHZ 0MB **INDI PRICE £129.99**
MBX1200Z 68881 14MHZ 4MB **INDI PRICE £249.99**
MBX1200Z 68881 14 MHZ 8MB **INDI PRICE £349.99**
MBX1200Z 68882 25 MHZ 0MB **INDI PRICE £189.99**
MBX1200Z 68882 25 MHZ 4MB **INDI PRICE £339.99**
MBX1200Z 68882 25 MHZ 8MB **INDI PRICE £409.99**
MBX1200Z 68882 50 MHZ 0 MB **INDI PRICE £339.99**
MBX1200Z 68882 50 MHZ 4MB **INDI PRICE £419.99**
MBX1200Z 68882 50 MHZ 8MB **INDI PRICE £539.99**

MEMORY UPGRADES AND ACCESSORIES

M501 The original 0.5MB battery backed upgrade for the A500.

INDI PRICE £29.99

M502 The original 1 MB battery backed upgrade for the A500.

INDI PRICE £49.99

8 Up memory board. Again designed for the A1500/A200. Memory upgradable to 2/ 4 or 8MB

INDI PRICE £69.99

Hard frame suitable for A1500/A2000. Allows for the interface of a SCSI hard drive.

INDI PRICE £110.99

AMIGA PERIPHERALS.

2MB SMARTCARD. The original and still the only fully PCMCIA compatible memory card for A600/A1200. Comes with lifetime guarantee. Beware of cheap imitations
INDI PRICE £129.99
4MB SMARTCARD. Same as above but maximum 4 MB **INDI PRICE £199.99**

ZAPPO 601. Trapdoor upgrade for the A600. 1MB with RTC

INDI PRICE £49.99

ZAPPO 601NC. As above only 512K no clock **INDI PRICE £29.99**

MULTISTART ROMSHARER

with kickstart V3 **INDI PRICE £44.99**

MULTISTART ROMSHARER.


with kickstart V2.04 **INDI PRICE £49.99**



AUDIO VISUAL


MEGAMIX. Low cost, hi spec digital effects cartridge plugs into printer port of Amiga. Allows stereo sampling from almost any musical source.

INDI PRICE £29.99



VIDI AMIGA 12. THE ultimate low cost colour digitiser for the Amiga. "The best value full colour digitiser on the market" AMIGA FORMAT.

INDI PRICE £75.99



TAKE 2. Animation package is a must for computer artists and enthusiasts of all ages. As used in Rolf Harris Cartoon Club.

INDI PRICE. £37.99



ROCTEC ROGGEN.

Entry level Genlock for all Amigas. Record stunning Amiga Graphics onto Standard video or overlay text and graphics onto a video signal.

INDI PRICE £69.99

ROCTEC ROGGEN PLUS.

As above but with extra features such as tinting and signal inversion. Allows for real time editing of graphics. Compatible with all Amigas.

INDI PRICE £133.99

ROCTEC ROCKEY.

The ultimate accessory for Amiga / video fans. Separate RGB controls to chroma key on any colour

INDI PRICE £249.99

PYRAMID SCANNER.

A total hand held scanning package for all Amigas complete with interface and software (mono)

INDI PRICE £99.99.

DISK DRIVES.



ZAPPO EXTERNAL FLOPPY.

You've seen all the reviews on this popular and affordable second Amiga drive. Compatible with all Amigas. **INDI PRICE £59.99**

"Quality: 9 out of 10." Exceptional value for money.
AMIGA COMPUTING JAN 93

MONITORS.



1084ST MONITOR.

Commodore's original and best selling colour stereo monitor. Now includes swivel and tilt stand for total ease of use. **INDI PRICE £189.99**

(£179.99 If purchased with A600/A1200/A1500)

PRINTERS

COMMODORE MPS 1230 A high quality 9-pin Dot Matrix Printer with paper and tractor feed and is fully compatible with Epson FX80 and IBM Industry standards. High speed 120 CPS draft mode and an NLQ mode of 25 CPS.

INDI VALUE ADDED FREE

D-PRINT - Design greetings cards, letters and posters.

AMIGA LOGO - Educational and programming language.

AMIGA VISION - Multimedia Authoring system for video, animation, sound, speech, graphics and text.

INDI PRICE £134.99



COMMODORE MPS 1270A INK JET PRINTER.

Whisper quiet yet prints at an amazing 160 CPS.

Possibly the best value printer on the market.

INDI PRICE £94.99

1270A - REPLACEMENT INK JET CARTRIDGE.
INDI PRICE £12.99

THE NEW CD AMIGA

Just prior to finalising this advertisement Commodore have confirmed that the new CD Amiga has been **delayed until August.**

If there is any change then the INDI Sales Desk will be able to take your order.

However, Commodore are confident that circumstances will not change.

**TERMS AVAILABLE OVER 6, 12, 18, 24 & 36 MONTHS SUBJECT TO STATUS.
WHY NOT RING FOR A QUOTE. SAMEDAY RESPONSE. (SEE EXAMPLE)**

Panasonic Quiet Colour Printing



We researched the colour printer market at great depth to find a colour printer good enough to cope with Amiga's powerful graphic output, yet at an affordable price. We found the perfect printer in the KX-P2180 + KX-P2123 quiet printers.

We then considered that if you were going to buy a Panasonic printer you would probably need a quality word processing package to use with it. We found that too, with 'Wordworth', yet at a retail price of £129.99 we thought that might be a little too expensive on top of your printer purchase! So together with Panasonic we decided to give a copy of 'Wordworth' free with every Panasonic printer. How's that for added value?

Panasonic

KX-P2180



***WORDWORTH COMPLETELY FREE! WITH PANASONIC QUIET PRINTERS** The writers choice. The ultimate word processor for AMIGA computers. Wordworth is undoubtedly the ultimate word/ document processor for the full range of AMIGA computers. The graphical nature of WORDWORTH makes producing documents faster and easier, with the enhanced printing fonts (including full Panasonic KX P2180 + KX P2123 colour printing support), Collins spell checker and thesaurus, no other word processor comes close. *Without doubt this is one of the best document processors for the AMIGA. Today (Amiga Format)
NORMAL RRP £129.99 inc VAT

INDI PRICE

£189.99

The new Panasonic KX - P2180 9 pin quiet colour printer. Produces crisp clear text in mono or in 7 glorious colours with new quiet technology. The new KX - P2180 is typically 15dBA quiet in operation, than the competition.

- **Fast Printing Speeds** 192CPS Draft and 38 CPS NLQ
- **Colour Printing** 7 colour palette (blue, red, green, yellow, violet, magenta and black)
- **Quiet Printing** Super quiet 45 - 48dBA sound level (most matrix printers are typically in excess of 60dBA)
- **6 Resident Fonts** Over 6,100 type styles using Courier Prestige, Bold PS, Roman, Script and Sans Serif Fonts
- **3 Paper Paths** Paper handling from bottom, top and rear for total flexibility
- **1 Year warranty** for total peace of mind.

Panasonic

KX- P2123



INDI PRICE

£239.99

The new high performance Panasonic KX - P2123 24 pin. Quiet colour printer offers leading edge quiet printing technology at an affordable price.

- **Fast Printing Speeds** 192 CPS draft, 64 CPS LQ and 32 SLQ.
- **Colour Printing** 7 colour palette (blue, red, green, yellow, violet, magenta and black)
- **Quiet Printing** Super quiet 43.5 - 46kBA sound level (most matrix printers are in excess of 60dBA)
- **7 Resident Fonts** Over 152,000 type styles using Super LQ, Courier Prestige, Bold PS, Roman, Script, and Sans Serif Fonts
- **24 PIN Diamond Printhead** High performance and high quality output
- **1 Year Warranty** for total peace of mind.

Panasonic LASER PRINTER

KXP - 4410 LASER PRINTER



WORDWORTH COMPLETELY FREE! WITH PANASONIC LASER PRINTERS The writers' choice. The ultimate word processor for AMIGA computers. NORMAL RRP £129.99 inc. VAT

KXP - 4430 LASER PRINTER



Once again INDI have joined together with Panasonic to offer all Amiga owners the most outstanding Laser Printer offer ever. We are now able to offer high quality, professional laser printing at affordable prices. We are also giving away a free copy of Wordworth with every Panasonic Laser Printer purchased (RRP £129.99). Whether you are looking for a laser printer to handle word processing, DTP, presentation or complex graphic applications - the Panasonic range offers you the power to meet your requirements.

KXP - 4410

- 5 pages per minute
- 28 resident fonts
- Optional 2nd input bin (total printer capacity 2 x 200 sheets)
- Low running costs
- Parallel interface
- Optional memory expansion to 4.5 Mb (0.5 Mb as standard)
- HP laserjet II Emulation

INDI PRICE

£499.99

inc. VAT

WORDWORTH COMPLETELY FREE WITH LASER PRINTERS



KXP - 4430

- Satinprint (optimum resolution technology)*
- 5 pages per minute
- HP Laserjet III Emulation, PCL 5
- 8 Scalable fonts & 28 bitmap functions
- Optional 2nd input bin (total printer capacity 2 x 200 sheets)
- Optional memory expansion to 5.0 Mb (1 Mb as standard)

INDI PRICE

£699.99

inc. VAT

*Satinprinters use optimum resolution technology to produce truly outstanding print quality. This software technique smooths away traditional jagged edges on curved characters and lines by varying the printed dot size and position.

WORDWORTH COMPLETELY FREE WITH LASER PRINTERS

Panasonic PRINTER ACCESSORIES



1) PANASONIC AUTOMATIC SHEET FEEDER
Automatic Sheet Feeder for KXP 2180/ KXP 2123 holds 80 A4 sheets. **INDI PRICE £89.99**

2) PRINTER DUST COVER
Specially tailored quality dust cover for Panasonic KXP 2180/ KXP2123 printer. **INDI PRICE £8.99**

3) PRINTER STAND
2 piece printer stand. **INDI PRICE £9.99**

4) PAPER PACK
500 sheets quality A4 paper. **INDI PRICE £9.99**

5) CONTINUOUS PAPER
2000 sheets 1 part listing paper. **INDI PRICE £19.99**

6) PARALLEL PRINTER CABLE
To be used when connecting Amiga to Panasonic Printers. **INDI PRICE £8.99** (£5.99 if purchased with a printer)

7) PANASONIC COLOUR RIBBON
Colour ribbon for KXP 2180/ KXP 2123. **INDI PRICE £18.99**

8) PANASONIC BLACK RIBBON
Black ribbon for KXP 2180/ KXP 2123. **INDI PRICE £9.99**

SAVE ££££'s ON THE FOLLOWING ACCESSORY PACKS

PACK 1 PANASONIC COLOUR RIBBON PACK
Contains 6 colour ribbons for the KXP 2180/ KXP2123 RRP £119.99. **INDI PRICE £89.99 SAVE £30.00!!!**

PACK 2 PANASONIC RIBBON PACK
Contains 2 black and 4 colour ribbons for KXP 2180/ KXP 2123. RRP £99.99. **INDI PRICE £69.99 SAVE £30.00!!!**

PACK 3 PANASONIC DELUXE ACCESSORY PACK
Contains Automatic Sheet Feeder, 2 black ribbons, 2 colour ribbons, 1 dust cover, 2 piece printer stand. RRP £169.99 **INDI PRICE £139.99 SAVE £30.00!!!**

Add £2.50 carriage to all printer accessories or combinations thereof

**12 MONTHS INTEREST FREE CREDIT AVAILABLE ON CDTV EXTERNAL
HARD DISK SUBJECT TO STATUS. LOW INTEREST CREDIT
AVAILABLE ON ALL ORDERS OVER £200**

AMIGA CDTV

THE MULTIMEDIA COMPUTER TOTAL HOME



ENTERTAINMENT SYSTEM

The problem with any new product is that it always takes time for everyone to realise its full potential. CDTV is no exception and in our opinion everything we have read does a pretty poor job of explaining just what CDTV can do and why it is so exciting.

THE INDI GUIDE TO CDTV

IT'S A CD PLAYER - Yes, it will play all your Primal Scream, Pavarotti, Pink Floyd and any other CD you care to mention in superb high quality stereo, with infra red remote control.

IT'S AN AMIGA - Plug in the keyboard, switch on the external disk drive and the colossal range of inexpensive Amiga software can be used on CDTV.

IS A MULTIMEDIA SYSTEM - Just imagine, stereo sound, images and text all on screen. It asks a question, you respond, it responds - truly interactive! Each CD disc holds hundreds of megabytes of data with instant optical access. The whole of Hutchinson's Encyclopaedia fits onto one disc. This interactive system is a unique aid for Education, Business or Leisure. The future is here!

PACK CONTENTS AS STANDARD ● Amiga CDTV Player ● CDTV keyboard ● CDTV 1411 3.5" Disc Drive
● CDTV Infra red remote controller ● CDTV wired mouse ● CDTV

Welcome Disc ● Manuals ● Fred Fish CDTV Disc

INDI VALUE ADDED FREE ● Lemmings CDTV (£34.99)

Blues Brothers (£12.99) ● Pipemania, Populous,

Lock 2, Space Ace

PRICE CRASH £399.99

PACK AS SHOWN £329.99

**MULTI MEDIA PACK WITH-
OUT INDI VALUE ADDED £299.99**

CDTV CONNECTS DIRECTLY TO YOUR TV SET

AMIGA CDTV ACCESSORIES



THE BRICK - ETTÉ Just plug in the Brick - ette and use any wired Amiga compatible joystick, mouse or trackball device on the Commodore CDTV. The built-in 8-bit Micro Processor gives the Brick - ette big smarts in a tiny package and makes it easy to use just plug into the remote port and it is ready to go with real time mouse or joystick movement

your CDTV. No loading of driver programs or software. No switches for mouse or joystick. Special settings (with mouse) allow you to blast away with three bid fire modes & dual fire buttons. Comes complete with Python Micro Switched Joystick.

INDI EXCLUSIVE £49.99
with two joysticks £59.99



BLACK 1084S MONITOR
At last the CDTV Monitor you have been waiting for. The original and best selling colour/stereo monitor from Commodore is now available in black to complement your CDTV.
INDI PRICE £189.99
(or £179.99 when purchased with CDTV Multi-Media pack).



If you are thinking of buying CDTV or already own one you'll be pleased to know that INDI stock all CDTV accessories and software that are available from manufacturers. We believe in CDTV and we therefore continue to support this exciting product. You will always have a source of product for your CDTV from INDI.

L to R:
CDTV Encore SCSI Controller + Internal Mount £109.99
CDTV Internal Genlock £149.99
Black 1084S Colour Stereo Monitor £189.99
(When purchased with CDTV Multi-Media Pack) £179.99
CDTV Remote Mouse £49.99
Scart TV/Monitor Lead £14.99
(inc Stereo Phono Lead)
Megachip - 1Mb Upgrade Chip RAM Upgrade for CDTV £159.99
CDTV Trackball £69.99

AMIGA CDTV EXTERNAL HARD DISK DRIVE

You've got the CDTV, you've got the keyboard and the floppy disk drive - for a total computer solution all that's needed is an ultra fast hard disk drive. The CDTV-HD unit boasts a massive 65Mb of hard disk storage with lightning fast access times through its SCSI interface. The unit comes complete with Workbench 1.3 and all necessary cables.



INDI PRICE

£269.99



AMIGA CDTV

SOFTWARE

EDUCATION

Advanced Military Systems £29.99
Men in Motion £29.99
Business Disc of Records £34.99
Mails in Motion £29.99
Monsieur Fine Arts £34.99
Fruits & Vegetables £34.99
Flowers and Shrubs £34.99
Garden Plants £34.99
Indoor Plants £34.99
School for 5's £24.99
Long Hard Day at the Ranch £34.99
Fun for Barney £29.99
Cinderella £39.99
School for 6 to 7 £24.99
School for Over 7's £24.99
Father Hits Her First Home Run £34.99
English as a 2nd Language £34.99
Mad Run £29.99

EDUCATION

Mud Puddle £34.99
My Paint £29.99
North Polar Expedition £29.99
Paper Bag Princess £34.99
Scary Poems for Rotten Kids £39.99
Tale of Benjamin Bunny £39.99
Tale of Peter Rabbit £39.99
Thomas's Snowsuit £34.99
Moving Gives Me Stomach Ache £34.99
Barney Bear Goes Camping £29.99
Asterix English for French £34.99
Japan World (PAL) £49.99
NASA, the 25th Year £19.99
Fractal Universe £34.99
ENTERTAINMENT
Battlechess £39.99
Battle Storm £29.99
Fred Fish (CD PD1) £19.99
All Dogs go to Heaven: Electric Crayon £34.99
Ultimate Basketball £29.99

EDUCATION

Classic Board Games £34.99
Dinosaurs for Hire £14.99
Hound of the Baskervilles £29.99
Psycho Killer £29.99
Sherlock Holmes, Consulting Detective £39.99
Sim City £29.99
Trivial Pursuit (PAL) £49.99
Wrath of the Demon £29.99
Team Yankee £34.99
Raffles £34.99
Prehistorik £34.99
Snoopy (PAL) £34.99
Town with No Name £29.99
Lemmings £34.99
European Space Simulator £34.99
Fantastic Voyage £34.99
Global Chaos £29.99
Turrican I £29.99
Turrican II £29.99

EDUCATION

Guy Spy £29.99
Cover Girl Poker £24.99
Logical £25.99
Prey £34.99
Curse of Ra £24.99
Space Wars £29.99
MUSIC
Music Maker £34.99
Remix £29.99
Karaoke Fun Hits 1 £14.99
Voicemaster + Microphone £39.99
Voice FX £19.99
REFERENCE
American Heritage Dictionary £49.99
Complete Works of Shakespeare £29.99
Illustrated Holy Bible £29.99
New Basic Electronic Cookbook £39.99
Timetable of Business £39.99
Timetable of Science £39.99
World Vista Atlas £54.99
Dr. Wellman £54.99

indi
DIRECT MAIL

DESPATCH

All orders received by 6pm Monday to Friday are despatched that day for next working day delivery using our national courier - Securicor. (UK Mainland only). Saturday deliveries are available at a small surcharge. If you are out when we deliver, a card will be left at your home giving you a contact telephone number to arrange a convenient re-delivery. Delivery queries can be resolved immediately using our on-line computer.

All orders are despatched on a next working day delivery basis. Cheque orders are despatched immediately on cheque clearance, usually 10 working days from receipt. A delivery charge of £5.00 is made per item unless otherwise stated.

WE ALSO ACCEPT B.F.P.O. ORDERS
(DUTY FREE) CARRIAGE CHARGE AT UK POSTAL RATES.

AFTER SALES AND SPECIALIST SERVICE

All products are guaranteed for 12 months. Some products carry a 12 months at home service/repair guarantee (where indicated). In the unlikely event that any product purchased from INDI arrives at your home faulty, we will collect from your home and replace the product completely free of charge.

AS PART OF OUR POLICY OF CONTINUAL PRODUCT DEVELOPMENT AND REFINEMENT, WE RESERVE THE RIGHT TO CHANGE SPECIFICATIONS OF PRODUCTS ADVERTISED. PLEASE CONFIRM CURRENT SPECIFICATION AT THE TIME OF ORDERING.

PRICES ARE VALID FOR MONTH OF PUBLICATION

HOW TO ORDER

BY POST - simply fill in the coupon below.
BY PHONE - phone lines open 9.00am - 7.00pm Mon - Fri, 9.00am - 4.30pm Sat. - where your call will be answered by one of our INDI sales team. After 7.00pm each day your call will be answered by answerphone. If you would like to place an order have all the details at hand including credit card. The message will guide you through your order. All offers subject to availability. Prices correct at time of going to press. May we suggest you call before ordering.

SEND YOUR ORDER TO:

INDI DIRECT MAIL
1 RINGWAY INDUSTRIAL ESTATE,
EASTERN AVENUE,
LICHFIELD, AS0693
STAFFS WS13 7SF
Please send.....

Price..... + Delivery

I enclose cheque/ PO for £.....

or charge my Access/Visa No.....

Expiry Date /

Signature.....

Send to Name.....

Address.....

Daytime Tel.....

Postcode.....

TEL 0543 419999 FAX 0543 418079

NEWS IN BRIEF

IMAGINATIVE BOOKS

The book *Understanding Imagine 2.0* is now available from Alternative Image.

The book, written by Stephen Worley and published by Aphex Publishing, contains a wealth of hints and tips for owners of the popular *Imagine 2.3D* rendering package. It is available for £25, including postage and packaging, from Alternative Image ☎ 0533 440041.

OPUS UPGRADE DEAL

Owners of INOVatronics's *Directory Opus*, a program that vastly improves the user-friendliness of the Amiga's operating system, can obtain an upgrade to version 4 for £47.

The deal is being offered by Meridian Software Distribution. To take advantage of it, users should send the company the money along with their old *Directory Opus* disks. New features of *Opus 4* include support for the AGA chipset and improved resource efficiency. This is achieved by loading functions – such as diskcopy, format and printtext – only when they are required. For more information contact Meridian Software Distribution on ☎ 081 543 3500. INOVatronics is on ☎ 0101 214 340 4991.

STUDIO ADVANCED

Studio Printer Software, a package that enhances the output of printers, has been updated to offer support for Hewlett-Packard's newly announced printers, the DeskJet 1200C, DeskJet 510, LaserJet 4L and LaserJet 4SI. The software supports the built-in features of these printers. It offers 24/32-bit colour adjustment, custom dither routines, ink compensation and PCL support.

A free update goes out to existing owners. *Studio Printer Software 1.1* costs £49.95 from JAM ☎ 0895 274449.

A600 PRICE DROP

INDI Direct Mail are now selling A600s at the price of £189.99 each. Craig Saddington, INDI's general manager, says: "We had expected to get down to this price by Christmas, but this is a real bonus. There is now a real price difference between the A600 and A1200 – it must be the best value for money computer on the market."

INDI ☎ 0543 419999.

Future Books Bonanza

Future Publishing (makers of *Amiga Shopper*) have set up a new books publishing arm, and the first two titles off the presses are for Amiga owners everywhere.

Get the Most out of your Amiga 1993 is the third edition of the best-seller first published in 1991. The 1993 version has been completely rewritten to reflect the ever-changing Amiga market. It features the work of ten Amiga specialists (including many names familiar to readers of this mag), and runs to well over 300 pages. The cover price of £19.95 includes two disks containing top PD applications and utilities.

Specific sections of the book deal with graphics, music, desktop publishing, programming etc, with buying advice in each one. New for 1993 is an extensive AmigaDOS 2 & 3 reference section. Books Editor Rod Lawton explains: "We want to produce the definitive Amiga guide. If

that means bumping up the size, year after year... well, so be it."

The second book is the *Amiga Format Pocket Workbench & AmigaDOS Reference*. The idea was to take the AmigaDOS reference section from the *Get the Most...* book and publish it separately as an instantly-accessible ring-bound desktop reference. Additional material includes sections on Workbench commands, everyday Workbench housekeeping, preferences, tools, commodities and utilities. Lawton says "the only thing we didn't include was ARExx – that deserves a book of its own. Watch this space!" The 170-page Pocket Reference will sell for £9.95.

BLUE RIBBON IMPROVE THEIR CUSTOMER SERVICE

The Blue Ribbon SoundWorks, makers of *Bars & Pipes*, have appointed two authorised UK distributors to improve their relationship with UK customers.


The company president Melissa Jordan Grey said: "We're disappointed to learn that certain distributors in the British marketplace are disseminating inaccurate and misleading information about our products. In addition, customers have been unable to get the support they truly deserve."

"We were amazed to discover that certain UK distributors are providing their customers with pirated, unauthorised copies of our most popular products. It is with this in mind that we ask all users and potential purchasers of Blue Ribbon products to look out for the following: hand-written disks, previously registered products and anything that fails to meet Blue Ribbon's standards of excellence." The company advise

customers with orders from unauthorised distributors to contact their UK Customer Support line ☎ 081 332 6959.

The two distributors that Blue Ribbon has chosen to authorise are Meridian Software Distribution ☎ 081 543 3500 and Micro-PACE UK ☎ 0753 551888.

Blue Ribbon have just released version two of their sequencer package, *Bars & Pipes Professional*. Its enhancements include the ability to control non-musical events from within the program. This function is performed by the *Media Madness Player*, which can synchronise to SMPTE, ARExx and the special accessories that synchronise *Bars & Pipes Professional* to other products. With the package it is now possible to design multimedia presentations that are run directly from *Bars & Pipes Professional*. The package costs £299.99. The Blue Ribbon SoundWorks ☎ 0101 404 315 0212.




Pandora's CD – full of sounds, pictures and multimedia demos.

Multitude of multimedia

Optonica have released a CD for the seriously low price of £4.99.

Called *Pandora's CD*, the disc is a promotional device containing a wealth of multimedia material. It includes 2,000 items of colour clip art, a photograph library, a textures and backgrounds library, a sound effects library and a juke box program. In addition, sample versions of

several multimedia applications are present: *INSIGHT: Technology*; Milton Keynes Point Of Information demo; *Nuclear Power Training* demo; *The Five Senses* educational demo; *Learn To Count* demo; *Mega Mart Point Of Sale* demo; and *Mediator*, Optonica's file management software. *Pandora's CD* costs £4.99 from Optonica ☎ 0455 558282.



Best-selling book *Get the Most out of your Amiga* has been updated to reflect the booming market.

Other titles in the offing are *The Amiga Shopper Guide to AMOS Programming* and guides to desktop publishing and desktop video. Look for these and others in the autumn.

Official hard drive upgrades

Contrary to what you may have heard, there is more than one company officially able to supply hard drives to A1200 owners.

Silica Systems' Andy Leaning explained that two distributors to the trade, Silica and ZCL, have been officially appointed by Commodore to fit hard drives. They then sell these machines on to high street dealers, who can then sell the machines with their warranties intact to end users.

Said Andy Leaning: "Most dealers in the UK have the ability to supply A1200s with a hard drive fitted and maintain the Commodore warranty."

"One method of identifying an officially upgraded A1200 is to look for a bright sticker on the outside of the box. If you see it has this sticker it is an officially upgraded system. If it doesn't... it may not be a legal unit, and it may not have a Commodore on-site warranty."

Silica Systems (☎ 081 309 1111) also supply official hard drive systems directly to the public.

Living it up in London

The Amiga Format Live Show, which took place at the Wembley Exhibition Centre early last month, was a great success for organisers, exhibitors and visitors alike. Cliff Ramshaw brings you the highlights.

The Amiga is alive and kicking. This year's *Amiga Format Live Show* certainly demonstrated that. Like the *Future Entertainment Show* before it, it gave you the chance to meet the teams who make your favourite magazines and have some input as to their future direction.

One of the show's main attractions, quite apart from the opportunity to play games for prizes or see new products and buy others at discounted prices, was the series of seminars run by *Amiga Format* and ourselves. People flocked to the Sound & Vision stand to watch as state-of-the-art hardware and software were put through their paces by experts (including our very own Gary Whiteley) in the fields of video, graphics and music. Another hit was the Amiga Answers seminar, which attracted a whole host of people eager for knowledge. Our thanks to Jeff Walker, Jolyon Ralph and Gus Chandler, who made up the redoubtable Answers panel.

The show played host to over 60 different exhibitors – far too many to

mention individually. What follows is a selection from those displaying the most exciting products.

Power Computing had a number of new things on their stand. First and foremost was the ICD accelera-



People crowded to hear what dodgy-looking individuals such as these had to say about the state of the Amiga.

tor for the A1200. Called the *Viper 1230*, it comes with a 68030 (either EC clocked at 40MHz or full version clocked at 50MHz), space for memory expansion and a maths co-processor, and a Direct Memory Access port for the addition of further peripherals such as SCSI adaptors. UK prices have yet to be

finalised. Power's other main product was the XL floppy drive, a high-density drive that will fit up to 1.76Mb of information on a single disk, although it

retains compatibility with standard 880K Amiga disks. The XL 1.76Mb drive costs £129.95 from Power Computing ☎ 0234 843388.

More than a few people gathered around Digita International's stand, where the company were giving seminars about their *Wordworth* word processor. At the show Digita launched a number of related products: the second issue of their free *Wordworth* newsletter, which goes out to all registered users, and five more volumes of clip art – *Cartoons*, *More*

Cartoons, *Sports*, *Science And Nature*, and *Geography And Transport*, each costing £14.99. Digita showed for the first time their three packs of Agfa CompuGraphic Fonts: *Pride And Presentation* contains 20 fonts and costs £29.99, *The Classic Collection* contains 25 fonts for £39.99 and *The Reference*

Library contains 50 fonts for £69.99. The company also launched a new version of *Wordworth*, to be bundled free with Panasonic printers, which provides extended support for their internal printer fonts. Digita International ☎ 0395 270273.

These printers were on sale at the INDI Direct Mail stand, along with the M1230XA accelerator from Microbotics. Clocked at either 40 or 50MHz, the M1230XA contains a 68030 processor and space for up to 128Mb of 32-bit wide RAM. Prices start at £299.99 and £379.99 for the 40MHz and 50MHz versions respectively. INDI Direct Mail ☎ 0543 414817.

American-based company INOVAtronics, who have just opened an office in the UK, were there to show off the latest versions of *CanDo* and *Directory OPUS*. *CanDo*'s latest enhancements include Script Bookmarking, Bug Basher, support for the 68040, improved on-line help and more efficient memory management. It costs £149.95. *Directory OPUS 4* is now AGA-compatible, has increased support for graphic and sound files and offers a Font View facility which prints out an entire alphabet in any selected font. The program is extensively configurable by the user. It costs £69.95 from INOVAtronics ☎ 0707 662861.

So – a smashing show. We'll see you at the next *Future Entertainment Show* in November! **AS**

VIEWS ON THE VITALITY OF VIDEO

There was much on display to delight both the video enthusiast and professional, testifying to the Amiga's continued success in this field.

The show played host to three new entrants to the high quality display device market. Two of these were on the Amiga Centre Scotland stand: *Retina* and *Harlequin Plus*. *Retina* is a low-cost board, and full details appear on page 98, where it is reviewed..

The *Harlequin Plus*, designed by Xi Electronics, has a Zorro II connector and offers a maximum of 16.7 million colours.

Among the board's many enhancements is an improvement in its display quality, making it ideally suited to broadcast work. An internal genlock means the display can be synchronised with external video signals. New 15-bit and 8-bit colour modes are provided, along with palette mapping.

A 4-bit overlay image can also be added. Two new horizontal screen resolutions are provided: 720 and 768 pixels. It is available with 2Mb (for £1,499) and 4Mb (for £1,599) of RAM, for single and double-buffered frames respectively. Amiga Centre Scotland ☎ 089 687 583.

HiQ had on show the new YC version of *AVideo*, a display card that can act as a 12-bit or 24-bit display with double-buffering. All Amiga resolutions, up to 724x566 pixels, are supported. The board has genlocking facilities and an in-built 24-bit digitiser. *AVideo* costs £599 from HiQ ☎ 081 909 2092.

Rombo's was the stand to visit for digitising. As well as their *VIDI Amiga 12* package, boasting updated software, they were demonstrating *VIDI Amiga 12 (RT)*, which can digitise 12-bit images in real time, and their latest baby, the *VIDI Amiga 24*

(RT), which can grab frames from moving video in full 24-bit, 16.7 million colour glory. Like the other VDIs, it supports AGA screen modes, provides controls for animation and has a number of image processing effects at its disposal. It supports a number of image file formats, including ones for PCs and Macs. *VIDI Amiga 12* (£79), *VIDI Amiga 12 (RT)* (£199) and *VIDI Amiga 24 (RT)* (£299) are available from Rombo ☎ 0506 414631.

V3I were demonstrating *VideoPilot V330*. It enables the Amiga to fully control, by means of scripts, the mixing of video signals from three video sources on to a further video deck. Audio dubs and previews are possible, as are special effects such as stills, slow motion and accelerate. An Amiga titler is included as part of the package. The cost of the basic unit is £1,299; upgrades cost £799. Call V3I ☎ 010 33 8876942.

NEWS IN BRIEF

STICK OF FREEDOM

The latest solution to the problem of sitting too close to your screen comes from Blue Alpha Electronics.

The company has designed a device that enables joystick welders to sit up to five metres away from their computers. The Blue Alpha Remote consists of a transmitter and a receiver. The receiver attaches to the computer's joystick port, from which it takes its power. Any nine-pin joystick can then be plugged into the transmitter.

The Blue Alpha Remote costs £34.99 (plus £2 postage and packing) from Blue Alpha Remote ☎ 0269 826260. It is also being distributed by Fred Publishing ☎ 0382 535 963.

LEARN WITH VIDEO

The Burgess Video Group is selling a range of instructional video tapes entitled the *Amiga Video Collection*.

The tapes deal with specific Amiga software packages and techniques, aiming to help the user get more out of his or her set-up. Prices for the tapes range between £8.99 and £14.99. Currently there are 18 titles, including *Amiga Primer*, *Animation Vol. 1*, *Amiga Graphics Vol. 1*, *How To Animate*, *Animation 101*, *The Deluxe Paint IV Video Guide*, *The Magic Of Music And MIDI*, *Audio Production For The Amiga*, *Desktop Video Vol. 1*, *Hot Rod Your Amiga* and *The Amiga Service And Repair Video*.

The Burgess Video Group ☎ 0874 611633.

A1200 SPEED BOOST

Microbotics' accelerator for the A1200 is to be marketed by INDI Direct Mail.

The M1230XA consists of a 68030 processor along with space for the addition of memory and a 68881 or 68882 maths co-processor. Up to 128Mb of 32-bit wide memory can be added to the board using SIMMs.

The board is available in two basic configurations: one clocked at 40MHz and starting at £299, and the other starting at £50MHz for £399. These prices are for boards without memory; each additional 4Mb will cost you £100.

For more information contact INDI Direct Mail ☎ 0543 419999.

MORE CONTROL FOR SIMPATICA USERS

Optonica have announced the latest version of their single frame video rendering system, *Simpatica*.

Simpatica, originally reviewed in issue 1 of *Amiga Shopper*, enables the video professional to achieve complete control over video hardware by means of the Amiga. By directly

Rabbit are now possible. *Simpatica 2* costs £350; upgrades are available for £49.95.

Optonica have also released a brand new product that can be used in conjunction with *Simpatica*'s hardware. *VDL*, or *Video Timelapse*, enables the user to create timelapse and stop motion sequences at the press of a button.

Features include a point and click interface, on-line help, ARexx support, and an on-screen video deck with Dynamic Motion Control. You can start

a sequence via timer or manually and stop it by rendertime, timer, duration, timecode or frames recorded. You can trigger controls via timer, frequency, period, keyboard, button, ARexx and hardware, and exclude time periods on a per day basis, and record forward or backwards. Using the hardware trigger feature you can set the system up to record when an external event occurs – motion, heat, light or sound, for instance.

VDL costs £350. If you already own *Simpatica*, and therefore the necessary hardware, you can buy the software for £199.

Optonica ☎ 0455 5582282.



With *Simpatica* you can fully automate the rendering of animations to your videotape deck.

controlling the video recorder it automates the process of recording frames of animation to tape as they are rendered on the Amiga.

Version 2 of *Simpatica* now supports AGA graphic modes, both 256 and HAM-8 colours. This means that it can now handle all Amiga graphics modes, as well as full 24-bit.

Simpatica 2 also introduces a 24-bit rotoscoping feature, whereby sequences of video frames can be accurately digitised, modified by third party packages and subsequently re-rendered to tape. The company claims that effects such as those used in *Terminator 2* and *Roger*

WIDE-CARRIAGE PRINTER LAUNCHED

Canon have announced the BJ-230, a Bubble Jet printer capable of handling sheets of A3 paper.

A3 paper can be used in portrait format whereas A4 paper can be used in both portrait and landscape formats. Printing resolution is 360 dots per inch, at near-laser quality.

The BJ-230 has a reduction feature which can be accessed from its front panel, compressing data in a wide carriage format to A4 landscape paper. The printer will also accept envelopes and overhead transparency film. It comes with eight resident typefaces and two emulation modes. It plugs into the computer's parallel port.

The BJ-230 sells for a recommended retail price of £468.83. Canon ☎ 0800 252223.

On-line information makes inroads

Multimedia development company Scala have been selling Amigas into the sort of big business generally believed to buy nothing but PCs.

Scala's *InfoChannel IC400* system, based around an A4000, can schedule, transmit and update multi-

media information to an unlimited number of TV screens.

Companies who use Scala include: Esso, Ford, Ericsson Telecom, Nissan, American Airlines, Colgate Palmolive, Shell and the FBI. Scala UK ☎ 0920 444294.

Compiler for AMOS Pro nears launch

Owners of AMOS Professional holding their breath for the arrival of a compiler can finally relax. Europress Software are about to release one.

The *AMOS Professional Compiler* will work with all three versions of the language – *AMOS*, *Easy AMOS* and *AMOS Professional*. Obviously, the *AMOS Professional* interpreter package will be needed to take full advantage of the compiler's command set. It is also claimed that the compiler will produce faster code from standard *AMOS* programs than is currently produced by the earlier *AMOS Compiler*.

In addition to compiling code (which makes it run much faster and independently of your *AMOS* interpreter) the package upgrades *AMOS Professional* to give full AGA support, meaning that up to 256 colours can be used on screen at once. Compiled programs are compressed by up to 80%. As well as individual programs, batches of programs may also be selected for compilation. ASCII files form acceptable input for the compiler, so a programmer may use a favoured editor rather than one supplied with the *AMOS* package.

The *AMOS Professional Compiler* is due for release in mid June, and will cost £34.99 from Europress Software ☎ 0625 859333.

TAKE YOUR PROGRAMS TO BITS

Helios Software are distributing *ReSource*, a package which the company claims to be the most powerful disassembler available for any computer.

Published by US firm The Puzzle Factory, *ReSource* disassembles programs into labelled and formatted

source code. It comes with an in-built understanding of the Amiga's operating system.

Helios are offering full technical support for the product, which is available for the first time in the UK.

ReSource costs £130 from Helios Software ☎ 0623 554828.

Tooling up for hard disk repairs

Central Coast Software have announced the latest version of their hard disk utilities package, *Quarterback Tools Deluxe*.

Its standard features, such as file undelete, disk reorganisation and user interface, have all been improved. Many new features have been added, including disk recovery, an advanced disk sector editor, Workbench 2 and 3 support, and ARexx support.


A suite of complementary programs is also provided, including *Locator*, which finds files, *Replicator*, *File and Disk Eraser*, which permanently remove information, *Encryptor*, *Keystroke Finder* and *System Mover*.

Quarterback Tools Deluxe is produced by Central Coast Software ☎ 0101 512 328 6650 and sold in the UK by MicroPACE ☎ 0753 551888. A UK price has yet to be fixed, but the projected US price is \$125.

PRICING CORRECTION

Software Demon's advertisement in this magazine contains the wrong price information for their A4000-30 hard drive systems. The correct prices are: 85Mb for £899, 170Mb for £969, 250Mb for £1,050, 330Mb for £1,250 and 426Mb for £1,499.

The best a word processor can be...



If you want to take a closer look at the new Wordworth call 0395 270273,
or write to Digita, FREEPOST, Exmouth EX8 2YZ ENGLAND




"The ultimate in word processing power"




Voted Best Word Processor
"Inspirational, that's the word"



Voted Best Word Processor
"A good length clear of the field"



Best printer support



Best silky-smooth printing




Best Compugraphic fonts



Best research and testing



Best interface design



Best technical support

Wordworth, simply the best.



Digita International Limited Black Horse House Exmouth EX8 1JL England Telephone 0395 270273 Facsimile 0395 268893

- A member of the Digita group -

Digita, the Digita logo, and Wordworth are registered trademarks of Digita Holdings Ltd. Scalable type outlines are licensed from Agfa Division of Miles Inc. Agfa is a registered trademark of Agfa-Gevaert, AG. Intellifont is a registered trademark of Miles Inc. Digita Holdings Ltd acknowledges that all registered and other trademarks used in the text of this advert are the properties of their respective companies. Whilst every care has been taken to ensure that the information provided in this advert is accurate, Digita Holdings Ltd cannot be held liable for any errors or omissions that may have occurred. Sold subject to standard conditions of sale. E and OE.

STATESIDE

With their share value dropping by a factor of three in just over a year, Bob Liddil wonders if the Big C are all at sea.

There can't be many things worse than being on the back of a bucking bull and having the rope break. That's what it must have felt like last month to have been an American Commodore Amiga dealer in the midst of the maelstrom of rumours that were flying about.

First, Commodore America sacked their entire sales force. Then they closed every single one of their sales offices in the USA. Then, without a word of comfort to their faithful dealers, Commodore sat smugly back and said nothing as the rumour circulated that "Commodore are withdrawing from the US" and "NewTek are taking over US marketing operations!"

When the dust cleared and the organisation began answering questions again, the answers left as much apprehension as the rumours.

FEAR AND LOATHING

A spokesman for Commodore commented that: "All sales of Amiga products have been consolidated into a distributor network, eliminating the need for outside sales representatives." When asked about the NewTek rumour, the spokesman simply said: "Commodore and NewTek are entering into a joint promotional effort concerning the A4000 and the A4000 Toaster."

It seems as though it is actually easier to get gold from King Tut's tomb than it is to get a candid statement from Commodore USA. It's clear in a muddy sort of way.

While CBM were busy making

nervous wrecks out of their dealers, NewTek R&D were happily scurrying about creating a Video Toaster for the Amiga 4000. Since the announcement of the A4000, Toaster groupies have been salivating, waiting for NewTek to replace the ageing 2000/3000 platform base with a new jet-propelled Toaster. As you might know, in the USA the Amiga is distinctly identified with video and even film special effects, replacing

expensive graphics workstations for a fraction of the cost. Prestigious production companies such as Amblin (Steven Spielberg) and Lucasfilms Ltd have invested heavily in A4000 systems. It only stood to reason that the A4000 Toaster was on its way.

On April 18, 1993, Commodore made it official. They announced a joint marketing initiative designed to bring the combined marketing power of the two giants of video effects to bear on a marketplace that accepts them as pathfinders. "The idea behind the Video Toaster is to give ordinary people all the tools they need to produce television at an affordable price," they say.

"Ordinary people with \$5,000 to spend," say I.

The fly in all this lovely ointment is obvious. With games manufacturers abandoning the Amiga like wildebeest fleeing a lion, and an almost completely non-existent business software base, plus only the barest minimum of a stake in desktop publishing, Commodore are betting the entire US Amiga operation on graphics and the willingness of Phil Ordinary from Pittsburgh to lay out serious money virtually exclusively for the manipulation and manufacture of pictures and sound. This, while ignoring the capabilities of CD-ROM and the obvious benefits derived from placing Amiga systems in

schools. The wad is literally bet on one horse!

While Commodore seem bent on turning their world upside down, NewTek actually look to have it all under control. At the National Association of Broadcasters' convention in Las Vegas, Nevada, NewTek proudly announced that the new Video Toaster 4000 would retail at \$2,395, which is a lower price than the current flagship product. It will include a switcher with four video


inputs, and three internal digital sources. Featuring close to 300 video effects, from wipes to dissolves to complex animated transitions, it promises to be a videophile's dream. Many of the effects feature drop

shadows, glints, special textures and smooth colour animation.

If Commodore are going to bet on a horse, they could do no better than NewTek, who have proven again and again that they have the wherewithal to stay in the race. The new Seaquest DSV television series being prepared by Amblin and the Babylon 5 series, already picked up for broad-based syndication, are proof that Hollywood, at least, is still in love with the Amiga.

I'm off to Montreal now to visit a friend who has discovered some interesting tricks involving a scanner, a photograph of Madonna and VistaPro. So I'll be fully occupied until next month. This is your Amiga Cowboy saying, "Whoopie-ty-yi-yea."

"Commodore America sacked their entire sales force"



In March '92 Commodore International's shares were valued at \$14.75 each, and predicted to be worth \$25 by this time. In fact, they've fallen to less than a third of their value, despite new launches and excellent European sales.

The Hard Drive Specialists

A1200 & A600 2.5" IDE Hard Drives

THE ESSENTIAL ADD ON FOR ALL SERIOUS AMIGA USERS.

Upgrade your A1200 or A600 with a brand new 2.5" internal IDE Hard Drive. Upgrade Kits include fully prepped and formatted drive complete with cable and mounting screws and comprehensive fitting instructions. Workbench, HDToolBox and Install utilities included. All drives are 100% compatible with A1200 & A600 and sourced from Brand Name suppliers e.g. Seagate, Connor, WD etc.

**HARD DRIVES SUPPLIED AS
KITS OR PRE-INSTALLED IN
A1200 OR A600'S PHONE FOR
LATEST LOW LOW PRICES**

20, 40, 63, 85, 120, 137 & 209 Meg In Stock Now !!!

★★★ SPECIAL OFFER ★★★

New Horizon will collect your Amiga, fit the drive of your choice and deliver it back to you within 48 hours. Full 12 month RTB Warranty on your Computer when we install the drive. Phone our Sales Hotline for further details on this Special Offer.



NEW HI-RES MONITORS NEW

15", 17" & 20" Flat Screen Technology
with Lo-Radiation option. Ideal for
A1200 & A4000 Hi-Res Modes.
Phone for latest Prices

NEW

NEW

BLIZZARD 32 BIT MEMORY & FPU ACCELERATORS

**Zero Wait State,
Real Time Clock,
68881 & 68882
FPU Options.
Four & Eight Meg
Memory options.
Fits A1200 Trapdoor
4 Meg £179, 8 Meg £329.**

A4000/030


The New Low Cost Mid Range Amiga Phone for Prices & Availability

HOW TO ORDER




1. By Phone

FREE delivery on all items shown. Next Day delivery on Computers and Monitors add £10.00.



2. By Post

 Send a cheque or Postal Order made payable to "New Horizon Computers" and post with your order to:

NEW HORIZON COMPUTERS
Mail Order Dept
High Hope, Lea
Ross on Wye
Herefordshire HR9 7LN



**CREDIT CARDS
WELCOME**



SALES HOTLINE 0989 750260 TECH SUPPORT 0989 750337



The Amiga Shopper Shareware Collection volume IV

Gus Chandler brings you the full details of all the goodies on this issue's disk.

OCTAMED V2.00

All Workbenches

Archived size: 395,825 bytes

De-archived size: 842,391 bytes

OctaMED is a sound tracker that enables you to use the impressive musical capabilities of the Amiga to the full. You can create, edit and play sounds (a wide selection is included) and more advanced users can use the MIDI support to control external instruments. Every budding Amiga musician should check this out.

When you de-archive *OctaMED* you will need to have a blank, formatted floppy disk available. Don't try to de-archive *OctaMED* to a floppy that has stuff on it already – it's most unlikely to fit. Now, *OctaMED* expects this disk to be called **OctaMED v2.00** and the easiest thing to do is format a disk with that name using this Shell command (do not type a return at the \blacktriangleright symbol):
format device df0: name \blacktriangleright "OctaMED v2.00"

An alternative method for telling *OctaMED* where to find itself is using an **assign** command. For example, if

DISK CONTENTS

Volume IV of the *Amiga Shopper Shareware Collection* is brimming with interesting goodies.

- **OctaMED v2.00** – One of the most powerful sound-tracker packages going. To help you make the most of this feature-filled program, turn to page 94 and follow our introductory tutorial.
- **XOper** – A systems monitor that enables you to keep an eagle eye on exactly what your machine is doing at any given time.
- **Virus Checker v6.25** – A regular favourite on *Amiga Shopper* cover disks, the latest version of *Virus Checker* is fully up-to-date and will ensure that your system stays safe.
- **Move** – A simple but handy utility that copies a file to a specified directory and then deletes the original. It will help you keep your files in the best of order.

- **Pest** – From our AmigaDOS expert Mark Smiddy comes this compact and efficient appointment scheduler. For the full gen, see page 61.
- **JuliaMovie** – An AMOS program that animates a series of eight fractal frames from the Julia set (they're also included on the disk). For details, see the climactic part of our Chaos series on page 64.
- **Source Code** – In this directory you'll find the source code from this month's regular columns. That includes:

AMOS – Code for an easy-to-use file requester that can easily be incorporated into your own programs. See page 68.

Code Clinic – Toby Simpson provides you with a useful assembler routine for generating requesters, based on a program written by an *Amiga Shopper* reader. See page 48.

you de-archived *OctaMED* to the RAM disk rather than to a floppy, type this command in a Shell window:

```
assign "OctaMED v2.00:" ram:
```

If you have de-archived *OctaMED* to a hard drive, you should add a similar **assign** command to your startup-sequence replacing the RAM device with the path to the directory you've put *OctaMED* in.

VIRUS CHECKER V6.25

All Workbenches

Archived size: 72,860 bytes


De-archived size: 142,495 bytes

If you've got a previous *Amiga Shopper* cover disk then you'll already have an earlier version of this essential utility for keeping your machine virus-free. Make sure that you do take the time to replace it


with version 6.25 – this latest version contains protection against several new and rather nasty little viruses.

Once you've de-archived *Virus Checker* it's simple to install on your system. If you use Workbench 2 or above just drag the **Virus_Checker** icon into the **WBStartup** drawer. Alternatively, copy the **Virus_Checker**


IMPORTANT! HOW TO GET OUT ALL THE



1 Boot your machine with Workbench. Now take your backup copy of this month's cover disk (you have made a backup, haven't you? See the box headed "Vital..." – it is!), write-protect it (move the tab so you can see through the hole), then insert the disk. The *Amiga Shopper* disk icon will appear in the bottom right hand corner of the screen.



2 Double-click with the left mouse button on the *Amiga Shopper* icon and a window opens, displaying the icons for the archived versions of this month's offering of software. Do not double-click on these icons yet – if you do, the archiving utility will attempt to de-archive them, find there isn't any room, and fall over, getting you nowhere.



3 Instead, double-click on the RAM disk icon. The RAM window opens. Select the package you want to de-archive (say, *OctaMED*) and drag its icon from the *Amiga Shopper* window into the RAM window. The red line shows this. Note: *OctaMED* won't fit in the RAM disk of unexpanded Amigas – you'll need a floppy as the *OctaMED* text explains.

VITAL: READ THIS FIRST

The first thing you should do is protect your cover disk from accidents by making sure that it is write-protected – make sure that the movable plastic tab is in the open position, so you can see through the hole. This means nothing can now be written to the disk, especially viruses. If you don't write-protect your disk and end up with a virus on it – well, that's your problem.

The next important step is to make a backup copy of the cover disk – in case any nasty accidents happen while you're busy working with it. The easiest way to go about this is via the Shell. So, open a Shell window and then type the following at the prompt:

```
diskcopy df0: to df0:
```

Your Amiga will now ask you to insert the SOURCE disk (that's the cover disk) in df0: and then press the Return key to continue.

Your computer will now read some of the information from the disk, and then another System Requester window appears asking you to insert the DESTINATION disk (that's the empty disk you want to make a copy of the cover disk on). You'll find that you need to swap disks several times – a System Requester window will appear each time, prompting you to insert the appropriate disk.

If you have more than one floppy drive, you can of course copy from one drive to the other by using the following instruction:

```
diskcopy df0: to df1:
```

Right, now that you've made a copy of the cover disk, hide the original in a very safe place and work *only* with the duplicate.

CAN'T READ THE DISK?

It's rare, but it does happen that out of the tens of thousands of

cover disks that we duplicate a few end up corrupted. You'll know if this has happened because you'll get a System Requester window saying "Not a DOS disk", or a Requester will pop up to tell you just as unhelpfully that a READ ERROR has occurred while one of the programs was de-archiving. Don't panic. We will cheerfully replace your naughty disk. Just send the faulty disk (along with a self-addressed envelope – padded "Jiffy"-style ones are the best) to:

Amiga Shopper 27
Discopy Labs
PO Box 21
Daventry NN11 5BU

With the disk please include a brief note saying what the problem is. Also mention what Amiga you're using and the version of Workbench that you are running. A replacement disk should plop through your letterbox within a fortnight.

addresses and titles of all screens and windows.

If you install *XOper* (copy it to your **c:** directory) you can add a command to your startup-sequence that will start *XOper* as a background process. That means it will sit there invisibly until you invoke it by simultaneously pressing the two Amiga keys and X. Alternatively, you can start *XOper* from a Shell window by typing:

```
run c:xoper
```

(assuming that you've put *XOper* in your **c:** directory). There are 13 different parameters that you can use in conjunction with this command – for full details on these make sure that you study the file *XOper.doc*.

MOVE

All Workbenches

De-archived size: 1,380 bytes

The **move** command, which is used from the Shell, is a handy little housekeeping routine that will help keep you from leaving multiple copies of programs sitting in different directories. That means you should always be able to track down the most recent copy of a program.

Using **move** is simplicity itself. Say for example that you want to copy a program called "**any_prog**" from the current directory to a directory called "**useful_stuff**" and then delete "**any_prog**" from the current directory. Normally you would have to type the following commands:

```
copy any_prog useful_stuff/  
delete any_prog
```

Move enables you to achieve the same result with a single command:

```
move any_prog useful_stuff/  
What could be handier? AS
```

file to your **c:** directory and add this line to your startup-sequence:

```
c:Virus_Checker
```

Once *Virus Checker* is installed it will automatically scan any floppy disk that's inserted for viruses. If a suspected virus is found you'll be informed and given the option to kill the offending code.

It is very important to remember though that self-booting disks such as most games may well use non-standard bootblocks which virus checkers will interpret as possible viruses. *Do not attempt to kill these "viruses"* or you will render those

disks completely useless. You have been warned!

XOPER.2.3

All Workbenches

Archived size: 39,563 bytes


De-archived size: 84,387 bytes

XOper will help you keep a beady eye on what your Amiga is doing – that's because it's a systems monitor. You'll find that it's most useful when you are multi-tasking (that is, running several different processes concurrently) and it will help you keep track of such things as CPU usage, the state of the stack, what

ports are in use and how much memory is tied up.

XOper also provides you with a range of commands for changing the priority of tasks or removing them altogether. Other commands such as **snoop** enable you to examine what a particular task is doing, while the **files** command will let you know the size and name of all currently-open files along with details of whether or not they are locked. Further instructions such as **frags** report on the state of memory fragmentation while the **screens** and **windows** commands keep tabs on the size,


PROGRAMS ON YOUR COVER DISK



4 Double-click on the new OctaMED icon in the RAM window. A window with the name IconX appears and some text scrolls past – a report from the de-archiving utility LhA. This window soon vanishes and your screen should appear the same as it was in picture 3. That's because the contents of the RAM window are not automatically updated.




5 Close the RAM window (click with the left mouse button on the close gadget in the top left corner) and then re-open it (double-click on the RAM icon). You should now see the different icons for the OctaMED package displayed – though you may have to drag the icons around a bit so they don't appear on top of each other.



6 Now just double-click on the OctaMED icon and off you go into the program – this is the opening screen you should get. (But remember to follow the instructions on these pages about setting up your assigns or disk names for OctaMED or it won't work properly.) To de-archive the other programs on the disk, just follow the same steps!

The Best Word Publisher (Amiga Format)



We'd simply call it the best Amiga Word Processor. But if after using it, the experts insist on calling Final Copy II the best Word Publisher as well, we're not complaining!




Final Copy coined the phrase "Perfect Printing on any Printer".
We mean it - this document proves it!


Created in Final Copy II and printed on a standard 24-pin Citizen Swift, it shows a small number of Final Copy II's features: Smooth Scaleable Outline Fonts, Multiple Columns, Drawing Tools for Boxes, Borders, Shadows, Lines and Arrows, White-Out Text, Text Printed over Graphic Images, Text Obliquing, Auto-Flow Text around Graphics and of course, Import of Colour and Mono Graphics Pictures.

Final

Word Publishers go beyond simply producing normal letters and documents (at which Final Copy II naturally excels) and progress into a world where *how the whole document looks* is just as important as *what it says*. Admittedly, this can be achieved with Desk Top Publishers, but they can't easily be used as Word Processors, especially when a good looking letter needs creating quickly - they're far too cumbersome. This is where Final Copy II offers the perfect balance between the two requirements. Ease and speed of use, combined with complete control and perfect final printed presentation.



Document creation is so simple with 28 On-Screen Buttons for routine formatting and navigating commands, like Auto-Hyphenation. With *true* WYSIWYG display, you can even edit whilst your pages are magnified up to 400% (or reduced). Long documents are supported with Title/Master Pages, Style Sheets, Left/Right Page Binding Offset and Auto Numbering. Because your text needs to be perfect, the British-English Collins Proximity Speller combined with the Thesaurus (for that added inspiration) help you to produce the precise, printed page.




Compugraphic, Adobe Type I PostScript or Nimbus Q PostScript? If you *want* lots of fonts you can *have* lots of fonts! Final Copy II can use thousands of superior Adobe Type I or Nimbus fonts (the same as those used on professional publishing systems). Both these types are PostScript fonts but unlike all other Word Processors you don't need an expensive PostScript laser to use them! Final Copy II *will* print them on PostScript lasers, or any graphics capable printer. This includes the dot matrix or ink-jet you probably already own. Even if you have your own Compugraphic* font library you'd still like to use, Final Copy II is fully compatible outputting to any graphic printer. Final Copy II is unrivalled in its range of fonts supported, and as you can see here, you have complete control over text formatting. When using the outline typefaces included, or any additional fonts, they'll output perfectly - no matter what size they're scaled to - with absolutely *no* jaggies. Opening multiple documents also allows editing whilst printing in background mode (free memory dependent).

Compatible with all Amigas from A500 to the latest A1200/A4000 ranges with either a second floppy or a hard drive. A minimum of 1Mb. of available free RAM is required (A600 hard drive - 1.5Mb.) however, as with all advanced graphical programs, extra memory (eg. 1.5/2Mb. - the more the better) will be required to exploit all features fully.

Available from all good Amiga Software Dealers,
or from SoftWood Europe - please phone for a list of nationwide stockists.


ing Program of its Type s words not ours)



Copy II

Release 2 available now!

Complete control over how your documents look, now you have it! Final Copy II incorporates: On-Screen Drawing Tools for generating boxes, borders, and lines or arrows at any angle, Multiple Newspaper style snaking columns, combined with the unique ability to print the same PostScript quality outline fonts - on absolutely any printer in portrait or landscape. These all mean that no matter what you may have thought, no other Amiga Word Processor has all the capabilities that Final Copy II users now simply take for granted!



The almost endless list of features includes On-Screen Object Drawing Tools (no more importing of borders from drawing packages to frame graphics or reverse-highlight text) with selectable rulers to aid precise positioning. Text Auto-Flows around graphic objects and imported pictures, which can be placed anywhere, scaled and cropped, with no loss of printing quality. Text can also be printed actually over graphics (refer to "The Tiger" heading on our document). No other Word Processor for the Amiga offers all this. (*Compugraphic fonts require Kickstart 2 and Workbench 2.1 or later, with Final Copy II. They will not output on PostScript printers from any Word Processor - and would always be our second choice. All fonts used in Final Copy II can print to the highest resolution that the printer will output).

Amiga Format think we have the Best Word Publisher. We'll show you why with a list of features that users tell us are important (below).

If you'd like to know who's also chosen Final Copy, Commodore specify it as an option with some of the most powerful Amigas available in the United States. What better recommendation could you have?

	Feature	Wordworth 2	Final Copy II
Fonts and Printing	Compatible with Standard Amiga Workbench 2 Compugraphic Fonts	YES	YES, But would Suggest use of Better PostScript Fonts
	Compatible with Standard Adobe Type 1 and Nimbus Q Scaleable Postscript Fonts	NO/NO	YES/YES
	PostScript Font Outlines on all Printers	NO	YES
	Maximum Number of PostScript Fonts	Limited to a total of 35	Infinite
	Download Extra Fonts to PostScript Printer	NO, Can't download extra fonts	YES, Automatic
	Landscape (Sideways) Printing on all Printers	NO	YES, Automatic
	Reclaim Printing Resolution (Quality) of Scaled (Reduced and Enlarged) Graphic Images	NO	YES, Same High Quality when Reduced and Enlarged
	Print any Text or Graphic in Colour	YES	YES
	No. of Colours Printed in Imported Pictures	Limited by Screen Mode Used	Output as Original Image
	Graphics Printing (HAM & IFF ILBM)	Good if Graphics not Scaled	Always Best Possible
Graphics	Text Width (Compress and Expand)	NO	YES
	Variable Text Obliquing (Slanted Text)	NO	YES
	Both Positive and Negative Attributes	NO	YES
	Box, Rounded Box, Circle, Oval, Line, Variable Border & Arrow Drawing Tools	NO	YES
	Crop (Trim) to Size Imported Graphics	NO	YES
Editing and Formatting	Supports A1200/4000 AGA Chipset	YES, 256 On-Screen Colours	YES, 256 On-Screen Colours
	Create Border around Graphics and Pictures	NO	YES
	British-English Spelling Checker	YES, Collins Proximity with Legal & Medical Supplements	YES, Collins Proximity with Legal & Medical Supplements
	British-English Thesaurus	YES, Collins 826000 Synonyms	YES, Collins 826000 Synonyms
	Page View Magnifications and Reductions	One Fixed Print Preview	7 Variable stages - 25% to 400%
	Edit Document while Magnified or Reduced	NO	YES
	Search & Replace (150 words in 9000, 7 Pages)	61 Seconds (On Amiga A1200)	7 Seconds (On Amiga A1200)
	Index and Table of Contents	YES, Automatic	NO, Requires Manual Entry
	Multiple Newspaper Style Snaking Columns	YES, 2 to 32	YES, 2 to 6
	Style Sheets, Master Pages, Title Pages	NO	YES
General Features	Uses Standard Amiga Clipboard for Cutting & Pasting to and from Different Applications	NO	YES
	Small Caps Typographical Control	NO	YES
	Conforms to Commodore's Amiga Standard 'Look & Feel' Guidelines	NO, Non Standard User Interface	YES
	On-Screen Maths (Column Addition)	NO	YES
	Import ASCII Text from any Word Processor	YES	YES
	UK Registration, Upgrade and Support	YES	YES
	Free Memory Required	1.5Mb. Minimum More Recommended	1Mb. Minimum More Recommended
	Free Ongoing Technical Phone Support	NO, £38 per year after 60 days	YES, Free of Charge
	Recommended Retail Price	£129.95	£99.95

SoftWood - Quality software for your Amiga

With Final Copy II you're not just getting a one off product! SoftWood are acknowledged as the World's leading software company who develop for the Amiga, and no other system. Once you're a registered SoftWood product owner, you'll be gaining access to unlimited free UK technical support (others charge you), and preferential upgrades to new versions of this and other exciting products being developed right now!

Please rush my personal copy of the new Final Copy II information pack, including samples from popular printers, and a list of stockists to... (clip the coupon or call 0773 836781 now!)

Name & Address:

Please include your

Transform your machine

Jealous of the latest Amigas? No need! Jolyon Ralph explains how to transform your A500 or 500 Plus into an A1200 (almost). Then we look at accelerators that can beef up any model of Amiga.

Now that Commodore have launched their new wonder machine, the Amiga 1200, many A500 owners may be feeling a little left out of things. Is it time to get rid of the old 500 or is there life left in it yet?

Don't despair! Not only is the A500 a fine machine that is still up to most tasks you're likely to want to throw at it, but one of its great pluses is that, if you do find you want more from it, it is easily expandable.

Over the next few pages you will find modifications and expansions to upgrade your old 500 so you won't be left out in the future. Most of these modifications apply only to the Amiga 500. Some will work on the Amiga 500 Plus. The newer Amigas, the 600 and 1200, are in too many respects radically different machines, so this section does not apply to them. If you own an Amiga 600 or 1200, do not waste your time opening up your machine – turn straight to page 28 for information on accelerators.

First I'll describe how to open your Amiga 500, a scary prospect if you haven't attempted these sorts of things before. If you're at all worried, it might help if you read through the procedures first and make sure you know what you are planning to do.

WARNING: Before you start on any of

these modifications remember the following: opening and fiddling with your machine will void any warranty, and if anything goes wrong you only have yourself to blame. Neither the author nor *Amiga Shopper* can be responsible for any damage you do to yourself or your machine by following these procedures.

VERY IMPORTANT WARNING:

Always disconnect your Amiga from the mains before carrying out any modifications – 240 volts can kill.

SITTING COMFORTABLY? THEN WE'LL BEGIN

Unfortunately, the only way to tell what you can fit on your circuit board is to open up your machine and have a look. Opening your Amiga 500 is not difficult. See the diagram at the bottom left for instructions on removing the six screws.

Next turn your Amiga the right way round again and remove the top cover. Below right is a diagram showing the next four screws and the shielding over the edge connector, all of which must be removed.

There are now four small metal tabs that you will have to bend into the upright position. Don't worry too much if these break off – they are not that important.

You can now remove the metal shielding. Be careful! Some of the metal edges are very sharp, and it is very easy to cut yourself.

Now you can determine what revision machine you have, and what you can fit.

If, immediately underneath the square chip in the middle, you find this text –

C= B52/ROCK LOBSTER
GRR/JSP/TF/GUAY
RVW/VFA/DCA
– then you have an early revision 3 motherboard.

On later boards this text (or something similar) is printed below the floppy disk drive. Check this text and it will tell you the revision number, either rev 5 or rev 6a. Amiga 500 Plus owners have revision 8a motherboards.

Note down the revision of your motherboard – this will be important when you're considering what you want to attempt.

HOW FAT IS YOUR AGNUS?

Next, examine the square chip in the middle of your Amiga – on most machines labelled "Fat Agnus", or on earlier machines U2 – and check the number on the top.

• **8370 or 8371** means you have an early Fat Agnus chip which won't allow any more than 512K (half a megabyte) of Chip RAM. If you want to take advantage of graphics and desktop publishing programs to the fullest, it's a good idea to replace this with the 8372A chip.

• **8372A.** If you've got this chip then you're in luck. Upgrading to 1Mb of Chip RAM is simple, requiring only two simple board alterations (assuming you have 1Mb of memory installed).

• **8372B.** Either you've got the wrong chip fitted, or you've got a Meg-A-Chip 2Mb Chip RAM upgrade fitted, or it's really an Amiga 3000 you've opened up.

• **8375.** You have an A500 Plus. Many of the upgrades described here (including those on Kickstart and Chip Memory) are not necessary on your machine.

AND DENISE?

The final check is the Denise chip. It is the second-largest rectangular chip on the motherboard, immediately below the two big blue capacitors in the top left corner. Check the number on the chip:

• **8362.** The R? number after this chip (for example,

8362R8) is not important. This is the older Denise chip fitted to almost all Amiga 500s. You can replace this with the newer "Super Denise" for more screen modes – see below.

• **8373.** This is the newer "Super Denise" chip, fitted to the Amiga 500 Plus and a very few later A500s.


Note down the version of both the Agnus and Denise chips – these will both become important later on.

KICKSTART


The most obvious difference between the A500 and the new Amiga 1200 is the new Kickstart, the ROM-resident part of the operating system used to load or "bootstrap" the rest of the operating system, Workbench, from disk. The A500 was supplied with either Kickstart 1.2 or 1.3, and the A1200 has Kickstart 3.0 fitted as standard.

Kickstart 3.0 is based on Kickstart 2.04 (which is found in the A500 Plus and A600). Although there are considerable internal improvements, and a large number of new functions for the programmer, many of these are purely to support the new AGA chipset found in the Amiga 1200 and are not necessarily of much use to the A500 owner. Many of the best changes (like PostScript printing, localisation – the ability to run Workbench in another language – and much easier device driver handling) are available to Kickstart 2.04 users with the disk-only Workbench 2.1 upgrade.

Why should you upgrade? Many




To open up your Amiga, turn it upside down and remove the six screws (arrowed here) on the underside. Some Amigas use standard cross-headed screws, others are held together with Torx (hexagonal) screws.



Once you have unplugged and removed the keyboard, remove the four remaining screws (arrowed above). Then remove the metal shielding that protects the edge connector on the left of the Amiga.


A CLOSE-UP OF THE A500 REVISION 5 MOTHERBOARD



Here are the Kickstart ROM and the modifications to gain 1Mb of Chip RAM on a revision 5 machine. Read the main text before you begin! For info on the Denise chip, see the revision 6 diagram on page 24.



The Agnus chip. If the one on your board is numbered 8370 or 8371 it needs to be replaced with the newer 8372A chip so that you can access up to 1Mb of Chip RAM.



The three solder pads here make up JP2. To complete the 1Mb Chip RAM conversion, first carefully cut the track between the middle and the lower with a sharp craft knife (see the diagram above right).


JP2 ALTERATIONS

Before


After



Next heat up a soldering iron and add a small blob of molten solder to the top pad. With the hot iron gently spread this over to connect the top to the middle pad.



The Kickstart ROM, in the same position for all revisions. On one end of the chip is a semi-circular indent which must point up the board – i.e., towards the back. It should be next to a white "1" printed on the board.



There are four small solder pads just across from the eighth pin down on the edge connector. Cut the track leading to the pad nearest to the edge connector (arrowed above). Be careful not to cut the wrong track.

programs, especially serious applications, now only work under Kickstart 2.04 or higher. You may even find with programs you already use that future updates will not work without the new Kickstart. If you're buying new software, make sure it features the green "Release 2.0 compatible" sticker.

Workbench 2.04 (supplied with the Kickstart 2 upgrade kit) is a vast improvement over the earlier Workbench efforts. Many people gave up using the original Workbench 1.2/1.3 and use the Shell or CLI

instead. Workbench 2.04 was rewritten to be much easier to use, particularly for the new user – you can now do directly from Workbench almost anything that previously needed the Shell.

What's more, Workbench 2 and above look a lot nicer than 1.3. You can have custom backgrounds, custom fonts and your own error sounds.

Installing Kickstart 2.04 in an A500 is easy, as long as you make sure you buy the full Commodore upgrade kit. The upgrade kits now

come in three flavours:

① **Kickstart/Workbench 2.04.** This contains the 2.04 Kickstart ROM and Workbench 2.04. This is now out of date, so you may be able to get one of these packs at a knock-down price, and you can always buy the Workbench 2.1 upgrade later.

② **Workbench 2.1 with Kickstart.** This contains the 2.04 Kickstart ROM and the new Workbench 2.1. There are a few differences between 2.1 and 2.04 that make the newer version worth getting, although at the time of writing the pack has not yet

been officially launched and the price of import packs is very high.

③ **Workbench 2.1 only.** If you already have a 2.04 Kickstart ROM (for example if you're an A500 Plus owner) you may want to upgrade to the latest Workbench version, which is available separately.

FITTING A NEW KICKSTART

The Kickstart ROM has a wire soldered over the top. Beware buying cheap ROMs – some sources do not

continued on page 24

Award winning innovative products from

A2000 Hard Cards

GVP Series 2 HD

- Up to 8Mb SIMM RAM on-board
- Supports external SCSI devices
- 14MHz SCSI controller

Bare	£129
40MB	£249
80MB	£319
160MB	£449
200MB	£549

Bare SCSI Hard Drive

- SCSI or IDE 3.5"

80MB	£199
160MB	£329
200MB	£499

(Suitable for GVP G-Force, GVP HD or Nexus HC)

Other sizes of HD available, please call

1Gigabyte HD

- Internal Hard Drive
- A1500/A2000

1GB Hard Drive	£999
----------------------	------

Power Board

- New RAM board from Power
- A1500 / A2000 RAM board

2MB	£99
4MB	£149
8MB	£239

Macintosh Emulator

AMax-II Plus	£299
--------------------	------

(Mac ROM Chips required)

Commodore Amiga

- Amiga 4000 includes
- 68040 micro processor
- 25MHz clock speed
- 16.8 million colour palette
- Display up to 256,000 colours on screen
- Built-in 3.5" high density disk drive

Amiga 4000 & 120MB HD	£2099
Amiga 3000 & 52MB HD	£1299
Amiga 3000 & 105MB HD	£1499
Amiga 3000T 100MB HD 5MB RAM	£1999
Amiga 3000T 200 MB HD 5MB RAM	£2499

NEW Amiga 4000

- New Amiga 4000 now available
- A choice of 68030 or 68040 processor

Please enquire

Video Backup System

- Use VCR as a backup storage device
- Blank video tape is all that is required
- 200 Amiga floppy disks fit on a 4hr tape
- Can be used for hard disk backup
- There is room for 175MB of data
- Backup an Amiga diskette in 1 minute
- Low cost storage, 2 pence per MB
- Menu driven software
- You can watch TV on a 1084s monitor

Video Backup System	£59.95
---------------------------	--------

Monitors

Philips CM8833 Mk2

- With cable
- Available with Lotus Turbo Challenge 2
- On-site maintenance

CM8833 Mk2	£229
------------------	------

Other Monitors

Commodore 1084S	£199
Commodore 1960 TRI-SYNC	£479
NEC Multisync 4FG	£549

ICD Flicker Fixer

Flicker Free Video 2

- Stop that annoying flicker
- Fits internally in the A500
- Multi-sync monitor required

Flicker Free Video 2	£199
----------------------------	------

Music



- The complete music kit for the Amiga
- Includes:
- Music Kit package
- Real Time Sound II
- Over 32 special effects
- Can work with MIDI instruments
- Digital Studio III
- Midi interface
- Stereo sound digitiser
- Stereo speakers
- All leads & software

The Music Pack	£69.95
Speakers only	£15.95
Midi interface	£15.95

Optical Hard Drive



- Manufactured by Power Computing
- 128MB on one optical disk
- Read and write optical disks
- 40ms running speed
- Built-in power supply
- High power cooling fan
- 25-way and 50-way SCSI ports
- Thru'port built-in
- SCSI ID switch
- Compatible with major SCSI controllers

128MB optical drive (Internal)	£849
128MB optical drive (External)	£999
128MB 3.5" optical disk	£39.95 each
SCSI controller card	
(for A1500 / A2000)	£129
(Compatible with Amiga, PC, and Mac. A SCSI controller is required on the Amiga and PC)	

1.76MB Disk Drive

1.76MB Disk drive now available	£129
---------------------------------------	------

Miscellaneous

G-Lock Genlock	£349
Image Effects	£299
CineMORPH	£99
I-O Extender	£149
030 Autochange kit	£39
AT Autoboot Eeprom kit	£59
FastROM Series 2	£29
ROM Share	£19.95
ROM Share A600	£29
ROM Share A600 inc. v1.3	£55

Accelerator

GVP G-Force

- 68030 accelerator board
- 68882 Maths co-processor

25MHz 1MB RAM	£499
40MHz 4MB RAM	£759
50MHz 4MB RAM	£1099
Hard drive mount kit	£35

68040 Fusion 40 inc. 4MB	£999
68040 Pro-Peripherals inc. 4MB	£999

1MB x 8SIMM	£25
SIMM 32 x 4MB-60	£179
SIMM 32 x 1MB-60	£59



Award Winning Manufacturer
Power products come with
full technical support

Order Form

Name

Address

Postcode

Tel. No.

Description

Credit Card No.


Expiry Date

Signature

I enclose cheque/PO for £

Tel 0234 843388
Fax 0234 840234

Power Computing Ltd
Unit 8 Railton Road
Woburn Road Ind. Esta
Kempston Bedford
MK42 7PN



Established 1985

Specifications & prices
subject to change without notice
All trademarks acknowledged, VAT included

48Hr delivery £2.50
24Hr delivery £4.50
Parcel post delivery £1
(UK mainland only)

Scanners

"If your in the market for a hand scanner then forget the rest and get Powerscan"

Amiga Format July 1992

Power Scanner v3.0



- 100-400 DPI scanning resolutions
 - 64 greyscales
 - Thru'port for printer
 - Award winning editing, image manipulation & scanning software
- Power Scanner v3.0£115
Power Scanner Colour£239



- 600 DPI Colour flatbed scanner
 - 24-bit colour
 - Software included
- GT-6500 inc. Powerscan v3.0£799
GT-6500 inc. ASDG Software.....£899
Transparency Adaptor Unit.....£499
Document Feeder.....£399

- Epson GT-8000**
- 800 DPI colour flatbed scanner
 - 24-bit colour
 - A4 reading area
 - Software included
 - Amazing scan quality
- GT-8000 inc. ASDG Software£1199

Upgrade Offers

If you consider your scanner system to be inferior to the Power Scanner, we will happily upgrade your software and interface. (Power Scanner is compatible with most scanning heads)

v3.0 Upgrade (inc. interface).....£49.95
v3.0 Software upgrade for PowerScanner users (send SAE)£15
The Amiga can only display 16 greyscales

Floppy Drives

"This drive contains more gadgets than Batman's utility belt"

Amiga Computing Feb 1992

PC880B Power Drive



- Award winning drive manufactured by Power Computing
 - Super slim design
 - Anti-click (Cures that annoying click)
 - Virus blocker (Prevents viruses)
 - Built-in backup hardware
- PC880B with Blitz Amiga£60
PC880B with Blitz & XCopy£75
PC880B (Cyclone compatible)*£65
PC880B in black case£65
- *This drive is only available to registered owners of XCopy Professional. You must provide proof of purchase of XCopy Professional

- Power Drives**
- PC880E Economy drive£49.95
PC881 A500 Internal drive£45.00
PC882 A2000 Internal drive£45.00

- Dual Drive**
- Two high quality disk drives built into one compact unit
 - Same features as PC880B
- Dual drive£125

- Blitz Amiga**
- Backup disks at lightning speeds
 - Stops all external drives from clicking
 - Contains anti-virus from being written into the bootblocker
- Blitz Amiga£20

- Floptical Disk Drive**
- Stores 20MB on one 3 1/2" disk
 - Cost effective mass storage unit
 - Can be used as a 1.44MB floppy with Amiga DOS and AMAX
 - AMAX compatible with DMI Mac driver
 - Packs an entire back-up onto one floppy
 - Additional disks available
 - Internal version for A1500/2000/3000
 - External version for A500
 - SCSI Interface required
- Internal A2000 kit£289
Internal A3000 kit£289
External A500 kit.....£389

RAM Expansions

A600 Memory Cards



- 1MB RAM with clock£39.95
1MB RAM without clock£34.95

- PC501+ RAM Card**
- Our RAM board is designed especially for the A500+ computer and comes with 1MB of RAM on board to expand your memory to 2MB of chip RAM. Plug-in and go operation (Fits into the trapdoor)
- PC501+ RAM card£35.95

- 8MB Power Board**
- Plugs into side slot, fully auto config, full thru'port. Expand 2MB-8MB
- 2MB£109 4MB£169 8MB£289
1 x 4ZIP chips£14.95

- PCMCIA Memory**
- Ultra slim memory cards
 - 2MB Memory card
 - For A600/A1200
 - SRAM memory
- 2MB Memory card.....£149

- 1.5MB RAM Board**
- Fully supports 1MB of chip RAM
 - Fully compatible with Fatter Agnus
- (Kickstart 1.3 and above, not compatible with A500+)
(Your Amiga needs to be opened, this may effect your Warranty)
- 1.5MB RAM board£85

- 1MB with Thru'port**
- Expand your A500's memory up to a total of 2MB without disposing of your existing 512K upgrade
 - Works with 1MB of Chip RAM
(512K RAM must be 4 chip type or not exceeding 9cm in length)
(Your Amiga needs to be opened, this may effect your Warranty)
- 1MB with thru'port£49

- A500 RAM Card**
- 512K RAM expansion with clock & free software (A500+ compatible)
- 512K RAM (4 chip) with clock£29
512K RAM without clock£24

continued from page 21

supply the official parts, only ROMs without a wire over the top, which may require some soldering to install in early A500s.

You will need to cut the wire if you have a newer Revision 6a Amiga. On older Amigas, keep the wire intact.

Extracting a rectangular chip from the motherboard is very simple. Use a flat-bladed screwdriver to gently ease *both* ends of the chip up from the socket. Do not try and pull the chip out from one end only,

because this will bend some of the legs. If you do bend some of the legs then *gently* bend them back into shape with a pair of pliers.

ANOTHER WARNING: Observe anti-static precautions when handling any electronic components. Static electricity can kill, or seriously damage, the sensitive integrated circuits in your Amiga. Earth yourself by wearing a commercially-available anti-static wrist strap or else by touching an earthed conductor such as a radiator while handling chips, and don't touch the components any

more than necessary. Always handle chips by the black plastic case – try to avoid unnecessary contact with the metal legs.

By now you should have safely removed your old Kickstart ROM from your A500. You could keep this to fit into a Kickstart switcher, but most people never want to go back to Kickstart 1.3 after using 2.0.


See the diagram on the previous page for information on how to insert the new chip the right way round. Gently press the chip into the socket, making sure you don't bend any of

the pins too far.


If you do not have a hard drive, then installation is now finished. You can put your Amiga back together (unless you plan to make other modifications) and boot your new Workbench 2 disks.

With a hard drive all you need to do, after reassembling your Amiga, is connect your hard drive and run the **Install** program on your 2.0/2.1 Install disk. This will copy over the necessary Workbench 2 files to your hard drive. After this, reset and you have Workbench 2.


A CLOSE-UP OF THE A500 REVISION 6A MOTHERBOARD




Here's how to locate the parts of the circuit board that need to be altered for 1Mb Chip RAM on revision 6a boards. Also shown is the location of the Denise chip, which is the same for all boards.



The Denise chip can be replaced by the Super Denise (number 8373) to give several new display modes including Productivity, with a resolution of 640x480 displayable on a multisync monitor.



JP2 is in a slightly different place on revision 6a machines, but the modifications to be made to it are exactly the same as for a revision 5 machine. See the bottom left of the diagram on page 21 for details.



The difference is in JP7A, which is not present on revision 5 boards. The existence of this group of pads makes the conversion much easier for revision 6a owners. Above right is a diagrammatic representation.


JP7A ALTERATIONS

Before

After



Cut here



Later revision boards have their revision number printed on this area, below the disk drive. Make a note of this number, because some of the modifications are dependent on which revision Amiga you have.

JP7A is located next to the trapdoor RAM connector. Using a sharp craft knife, cut the connection between the two lower pads. Be careful, because repairing incorrectly-cut tracks can be difficult.

A CHIP OFF THE OLD RAM

There are several different kinds of Random-Access Memory that your Amiga can use. There are two main types, called Chip RAM and Fast RAM. Chip RAM is used for programs, graphics and sound, while Fast RAM can only be used for programs, but programs in Fast RAM run faster.

Because graphics and sound can only be used in Chip RAM, however much Fast RAM you add you will not be able to use programs that require a lot of graphics or sound memory – for example, using *Deluxe Paint 4* in Hi-res Interlace 16-colour mode.

Newer Amigas, like the A1200, can use up to 2Mb of Chip RAM, allowing far better use of graphic-intensive programs. However, you can upgrade your old A500 to take advantage of more Chip RAM.

If you have an A500 Plus you already have 1Mb of Chip RAM fitted to your machine. To upgrade to 2Mb of Chip RAM, all you need to do is buy an A500 Plus 1Mb RAM upgrade (the Commodore A501+ for example). Any other RAM you add to your system (RAM added to an external hard drive interface, for example the GVP HC8+) is Fast RAM.

If you have an A500 with a half Mb expansion fitted (totalling 1Mb of RAM), you probably have the most common set-up, a half Mb Chip RAM machine with a half Mb of expansion (or "slow") RAM. Slow (expansion) RAM is the least useful of all memory types. It has the major disadvantages of both Chip RAM (programs operate slowly in it), and Fast RAM (it cannot be used for storing graphics or sound).

All Amiga 500s can be upgraded to convert this less-useful slow RAM into far more useful Chip RAM, essential if you want to use *Deluxe Paint 4* or any other graphics-intensive program to the full.

FITTING NEW CHIP RAM

This is an operation that involves handling static-sensitive components and a very simple soldering job that anyone with a soldering iron should feel competent to attempt.

First, check which revision motherboard and Agnus chip you have. If you've got a revision 3 board, read this fully before deciding whether to proceed or not – it's not as easy as on revision 5 or 6a machines.

You will need an 8372A Agnus chip. If you bought your A500 with a half Mb expansion fitted by Commodore, it's highly likely you have this chip already, in which case skip the next stage.

If you do not have this chip, it is available for around £50 from most Amiga dealers, although you may prefer to ask your dealer to fit the

chip for you. The removal of the old Agnus chip from your motherboard is by far the most difficult part of this operation. Without the right tool (a PLCC chip extractor) it's very easy to damage the chip socket when removing the chip.

If you do feel lucky, use two very small flat-bladed screwdrivers at opposite corners of the socket to lever the chip out.

Next, you need to mask pin 41 on the 8372A Agnus chip before insertion (unless you live in North America or anywhere else that uses the NTSC video standard, in which case ignore this paragraph). See the diagram below for details.

Once the older Agnus is removed, insert your new 8372A chip. Remember to align the chip in the same direction as the original. On one side of the square socket you will see the number 1 printed on the motherboard. Align the top of the

This is made of three small squares of solder, the bottom two connected by a small thin track. See the diagram on page 24 for details of what to do here. Next find JP7A – next to the trapdoor RAM connector – and carry out the modifications also described in the diagram on page 24.

• Revision 5

This modification is very similar to the Revision 6 procedure described above, but there is no JP7A to change, so you will have to find and cut a track on the motherboard. See the diagram on page 21 for the full details.

• Revision 3

Oh dear. This is a tricky one. Most people regard it as impossible to upgrade the revision 3. It isn't, but it's certainly not for the inexperienced. The following modifications are needed:

On the board there is a connection between pin 59 on the Fat Agnus and pin 52 on the 68000. (The top left pin on the 68000 is pin 1. Count downwards from there, and then from the bottom right to the top right for the highest numbered pin.) This must be cut, and a small piece of wire added to connect pin 59 on the Fat Agnus to pin 47 on the 68000.

Tricky? Yes, it is. If you feel uneasy about doing this, then perhaps it's time to retire your old A500 and buy a new machine.

When you've successfully completed all this,

put your Amiga back together and power up. Type **AVAIL** from the Shell and you should have one million bytes of graphics (Chip) memory available. If you still only have half a Mb of Chip RAM, then double-check all your connections.

If, after you have made the alterations, your Amiga seems more unreliable than before, then check the RAM chips in your expansion. Commodore A501 boards are usually fine, but some third-party boards (particularly older 16-chip boards) may be too slow to use as Chip RAM. If your system is unreliable try a new, four-chip, RAM expansion. This should solve the problem.

If you use a lot of graphics-based programs, especially for video, desktop publishing or multimedia work, 1Mb of Chip RAM may not be enough. You can expand up to 2Mb of Chip RAM inside your A500. Follow

the procedure listed for the modification to 1Mb, except do not fit a 8372A Agnus chip. Buy the Meg-A-Chip board (reviewed on page 86 of this issue) and plug this into the Agnus socket. (Beware though, this will prevent you adding other boards inside your Amiga, such as accelerators.)

SPEED TO THE HEART OF THE MATTER

The A500 is a slow machine by today's standards. The Amiga 1200 is between two and five times faster than the original Amiga, and even that is not as fast as it might be.

The Amiga uses the Motorola 68000 family of CPU (Central Processor Unit). The CPU is the chip that does most of the work in your computer. Faster CPUs enable you to use your computer more productively. Tasks that may take hours on slower machines can take minutes, and tedious tasks on slower machines (such as printing from a graphics word processor) are no longer irritating, and in some cases almost instantaneous.

Processor clock speeds are measured in MegaHertz (MHz). This is the frequency of a clock signal that drives the chip. Although the faster the clock frequency the faster the chip operates, higher-spec chips generally run at higher speeds because of design differences, so for example a 14MHz 68020 outperforms a 16MHz 68000 quite considerably in some cases.

There are several versions of the Motorola chip used in Amigas:


• **68000.** This is fitted to the A1000, A500, A500 Plus, A600, A1500, A2000 and CDTV. Running at a rather slow 7MHz, this processor has been the standard fitted to almost every Amiga model since 1985.

• **68020.** This is currently fitted into the Amiga A1200. Running at a more respectable 14MHz, it gives a significant performance benefit over the older generation of Amigas.

• **68030.** This is a faster model of the 68020 chip. Currently a 25MHz '030 chip is fitted to the Amiga 3000 and the Amiga 4000/030

• **68040.** Currently the fastest processor fitted to Amigas, the 25MHz '040 chip may run at the same speed as the 68030 fitted to the Amiga 3000 and 4000/030 but outperforms it considerably by virtue of its better design. The top-of-the-range Amiga 4000/040 and Amiga 4000T are fitted with this processor.

To further complicate matters, there are several models of each processor. The 68020 and above are available in two models, the standard (for example the 68030 in the Amiga 3000) and the EC (68EC030 in the 4000/030). The EC stands for both "Economy" (the EC



The semi-circular mark at the top of Agnus' plastic case denotes pin 1. Count anti-clockwise to locate pin 41. Isolate it with a sliver of Sellotape or a dab of Tippex, or bend it up or even remove it altogether.

chip with this when inserting it.

When everything is connected up again, test your Amiga with the new chip. It should work as before (still with half a Mb Chip RAM and half a Mb Fast). If it does not work, check you have the chip installed correctly.

• If you get a solid green or yellow screen, you probably either have a faulty chip or you have installed it incorrectly.

• If you get something that looks like a normal screen but either stretched out (so you lose some of your Workbench screen) or with a very fast rolling display, you have not insulated pin 41 correctly – remove the chip and insulate the pin.

Now you have to make two small modifications on your motherboard. These depend on the revision of your motherboard.

• Revision 6a

First find JP2 on the motherboard.

versions are cheaper) and "Embedded Controller" – these processors were initially designed for cheap mass-market non-computer use in, for example, industrial control equipment, washing machines and video recorders.

The EC version of the 68020 is limited in the maximum memory it can address – an A1200 with the 68EC020 can only use a maximum of 2Mb Chip RAM and 8Mb Fast RAM. The 68020, non-EC, chip can theoretically address up to 4 GigaBytes, or 4,096 Mb, of RAM.

The EC version of the 68030 does not contain the MMU (Memory Management Unit) present in the full 68030 chip. This is a complex part of the chip that enables the computer to block the processor from accessing areas of memory, or remap a block to point at another area. If this sounds exactly the sort of thing you could do with, then the 4000/030 isn't the machine for you. Luckily for most people there are only a handful of programs that require the presence of an MMU (the developer tool *Enforcer* and the virtual memory program *GigaMem* being the two most important), so unless you need these the EC030 will be as good as the full '030 for you, and will save a few pounds too..

The EC version of the 68040 leaves out both the MMU and the maths coprocessor present in the full '040 chip. Currently Commodore are not using the 68EC040 chip in any of their machines.

Maths coprocessor? What's that? Maths coprocessors are chips which specialise in handling all the complex mathematical functions that slow down normal processors, especially calculations involving not just whole numbers (integers) but fractions. Because these fractions can be accurate to varying numbers of decimal places, maths coprocessors are also referred to as Floating Point Units or FPUs. FPUs

can only be used by programs that have been specially written to take advantage of them, but many packages now support them and run much faster if you have such a chip fitted. These programs include *Art Department Professional*, *VistaPro*, *Imagine*, *Real 3D*, *Scenery Animator*, *Morph Plus*, and *Sculpt 4D*. Check that the

software you use can benefit from a maths coprocessor before you buy one – otherwise it's wasted money. A maths coprocessor cannot speed up most programs on its own.

The two models of FPU currently available are the 68881 and the 68882, both also made by Motorola. The latter is considerably faster in some functions, but not much faster in others. Choice of maths coprocessor is usually down to budget. If you can afford the 68882 then go for that; if not, the 68881 is quite a bit cheaper. The 68040 chip has a built-in maths coprocessor to take the load off the CPU, so lucky people with Amiga 4000/040s or 68040 accelerator boards do not need to add one.

So, you want a faster processor. How do you fit one? Unfortunately it's not a simple matter of unplugging one chip and adding another. Each chip is different and requires different circuitry to control it. Upgrading processors in the Amiga range requires the installation of an accelerator board. These vary in cost from around £170 to over £2,000, and they're so important an area that we've put together a separate round-up of them starting on page 28.

GRAPHIC DETAILS

The final area where the A1200 represents an advance over the older Amigas, and by far the most important, is in the graphics display. The Amiga has been limited to a maximum of 32 independent colours chosen from a palette of 4,096 for over seven years. Compared with the PC graphics at the time (CGA, with four colours using one of two fixed palettes, or EGA, with 16 colours from a



DCTV is another solution to the problem of insufficient colour resolution. It plugs in externally to give a composite video signal with thousands of colours.

palette of 64), and the Macintosh (then only black and white), the Amiga was amazing. Unfortunately for Commodore, the competition have caught up. IBM launched VGA in the late 1980s with 256 colours displayable from a palette of 262,112. Macintosh went slightly better with their Mac II colour computers – 256 colours from a palette of 16 million.

Commodore have caught up with the introduction of the AGA graphics chipset. The Amiga 1200 is now capable of displaying 256 colours from a palette of 16 million, and the HAM-8 mode allows photo-realistic images, almost indistinguishable from expensive 24-bit displays, on a standard, £399 Amiga.

Where does this leave the Amiga 500 owner? Can the new AGA chips be fitted to the A500? Unfortunately, no. The AGA chips are far more advanced than the original graphics chips and require a totally different board layout. It's technically next to impossible to produce an add-on to use the AGA chips on an A500 – and if it could be done, it is doubtful that the price would be less than double that of a new A1200.

Now, this doesn't mean you should just go out and sell your A500 right away. There are alternatives.

HiQ Limited supply the *A-Video* 24 card (£499), an internal-fitting card that gives the A500 12-bit (4,096-colour) and 24-bit (16-million-colour) displays. The best part of the package they supply is the excellent *TV-Paint* graphics package – what *Deluxe Paint* should be, it's probably the best paint package on the Amiga. The *A-Video* card won't enable you to run AGA software (like *Deluxe Paint* AGA), but if you're using your Amiga for graphics (for example, raytracing), the *A-Video* will perform more than adequately as a display device.

The *DCTV A570* (now £149) is another box that provides the A500 with better-than-normal graphics. Plugging in externally, so it is terribly simple to set up, it gives the A500 a composite video display in over four million colours. The box is ideal for

simple video work, because the composite output needs no encoding to connect straight to standard video recorders. Also provided as part of the *DCTV* hardware is a frame grabber, which can digitise a colour video image. You can import this straight into the excellent *DCTV* paint program supplied, mess around with it and display it back as video. Again, *DCTV* won't run new AGA software and you can't have fancy Workbench backgrounds, but for a practical solution for a common use of the Amiga, *DCTV* is a solid performer.

If all you're after is a flicker-free high-resolution display, then there are two ways you can reduce the flicker, although both require an expensive multisync monitor (like the Commodore 1960) to work.

First, the A500 Plus introduced a new chip, the Super Denise (8373) to replace the original Denise video chip. This gives your machine several new display modes, including "Productivity", which can give a flicker-free 640 x 480 resolution display on an Amiga connected to a multisync. This chip will work on any Amiga that has the Fatter 8372A or 8375 Agnus fitted, and adding it in is easy – simply remove the old Denise chip and insert the new chip.

Only software written to take advantage of different screen modes, or programs that run on the Workbench screen, will run flicker-free, but it's sure better than nothing.


If you want to fix the flicker permanently, you need the ICD *Flicker Free Video* 2 card. This plugs into the Denise socket and contains extra circuitry and RAM to remove the interlace flicker from any screen mode, although again this requires a multisync monitor to work.

Or, for £399 or less, you can buy a hardware frame buffer that will enable you to display all the new AGA modes (including HAM8), flicker free on a multisync. It will run *Deluxe Paint* AGA, and even has its own floppy drive, 68020 processor and mouse. Yes, it's an Amiga 1200 – a bargain in anyone's language. Whether you buy one or upgrade your A500 will depend largely on whether or not you have many A500 peripherals you want to keep. But at least now you know how to upgrade should you choose to. **AS**

• Accelerators round-up, page 28.

WHERE TO GET IT

- 8372 Agnus, Super Denise and other chip spares (Various) CPC Components ☎ 0772 555034
- ICD Flicker Free Video 2 (£199) Omega Projects ☎ 0942 682206
- DCTV A570 (£149) Silica Systems ☎ 081 309 1111
- A-Video 24 (£499) HiQ ☎ 081 909 2092.



The A-Video card provides both 4,096-colour and 16.7-million-colour modes, and has some special animation features too. The latest version will fit externally.

OPEN ALL HOURS

WELL, NEARLY!
9am-10pm Mon-Sat
10am-6pm Sunday

AMIGA COMPUTERS

A500	£199.99
A500 Cartoon Pack	£229.99
A600 + Zool Pack	£249.99
A1200	£389.99
A1500/A2000	£ phone
A3000	£ phone
A4000	£ phone
Monitor	£195.00

RAM & DISK DRIVES

Zydec ext drive	£58.00
Power ext drive	£58.00
A500 int drive	£49.00
A500 512k no clock	£18.95
A500 512k + clock	£23.50
A500 + 1meg exp	£37.00
A600 1meg + clock	£44.00
A500 1.5meg	£79.00
A500 8meg, 4 fitted	£169.00
Star LC20	£133.00
Star LC24-10	£199.00
GVP 42meg	£299.99
GVP 80meg	£369.99

PRINTERS & RIBBONS

Star LC100 Colour	£169.00
Star LC200 Colour	£194.00
Star LC24-200 Colour	£274.00
LC100 mono ribbon	£4.50
LC100 colour ribbon	£6.75
LC24 200 mono ribbon	£5.50
LC24 200 colour ribbon	£13.50
LC20 mono ribbon	£4.50

LEADS & CABLES

Printer	£3.99
Null Modem	£5.99
Joystick Extender 3 metre	£3.99
Joystick/Mouse Extender	£3.99
Amiga to SCART	£7.99
4 Player * SPECIAL *	£2.99
Analog Joystick Adapter	£4.99

LOOK! LOOK! LOOK!

TRACTORFEED DISK LABELS

Now you can print your own professional disk labels!
500 Plain white disk labels on tractor feed, complete with FOUR disks of software and artwork.

**Yours for ONLY
£9.95**

1000 Labels with software
ONLY £13.50

SPECIAL OFFERS!!

AVAILABLE NOW:

AMIGA MODULATORS

ONLY £19.50

A500 POWER SUPPLIES

ONLY £29.99

4 PLAYER ADAPTERS

ONLY £2.99

HURRY WHILE STOCKS LAST

DISKS & LABELS

All disks are supplied with labels.
UNBRANDED DISKS are 100% error free.
In the unlikely event that any of our disks are faulty, then we will replace the disks **AND** reimburse your return postage!

3.5" DSDD	£0.37 each
3.5" Rainbow	£0.44 each
3.5" DSHD	£0.58 each

Why not try our **BRANDED** disks!
Supplied in boxes of 10 disks.

3.5" DSDD Fuji	£4.90
3.5" DSHD Xerox	£8.90
5.25" DSDD Fuji	£2.50
5.25" DSHD Fuji	£4.90

1000 3.5" labels	£6.50
1000 3.5" tractorfeed	£8.50

STORAGE BOXES

Our high quality disk storage boxes are constructed from high impact plastic and have smoked perspex tops. Or for space saving economic storage of large disk collections, why not try our stackable disk drawers.

Most types are available for 3.5" or 5.25" disks.

10 capacity	£0.95
40 capacity	£3.49
50 capacity	£3.95
100 capacity	£4.50
80 capacity Banx drawer	£8.49
150 capacity Posso drawer	£14.99
200 capacity drawer	£19.50

MISCELLANEOUS

Mousehouse	£1.80
Mousemat 9mm thick	£2.50
Diskdrive cleaner	£1.80
A500 Dustcover	£3.50
A600 Dustcover	£3.50
A1200 Dustcover	£3.50
Monitor Dustcover	£3.50
LC20 Dustcover	£3.50
LC100 Dustcover	£3.50
LC200 Dustcover	£3.50
LC24-200 Dustcover	£3.50
Roboshift	£13.95
Amiga Lightpen	£32.00
Optical Mouse	£32.00
Megamouse	£12.95
Primax Mouse	£12.95
Itsa Mouse	£12.95
Altadata Trackball	£26.95
Crystal Trackball	£32.00
Zydek Trackball	£25.95
Zyfi Amp/Speakers	£37.50
Action Replay Mk III	£56.95
Technosound	£32.00
Midi Master	£26.00
Tilt/Turn Monitor Stand	£9.95
2-piece Printer Stand	£3.49
A4 Copyholder	£4.99
ROM Sharer	£14.95
V1.3 ROM	£25.95
V2.04 ROM	£35.95
Microper! Tractorfeed Paper: 500 sheets	£4.50
2000 sheets	£13.00

JOYSTICKS

All joysticks have autofire feature except those marked *.

Trigger Grip Models	
Quickshot turbo	£6.95
Python 1M	£7.99
Jetfighter	£12.00
Topstar	£19.50
Intruder	£21.50
Base Fire Button Models	
Maverick 1M	£12.95
Megastar	£21.50
Zipstick	£12.95
Comp Pro 5000*	£10.95
Comp Pro Extra	£12.95
Comp Pro Star	£12.95
Cruiser Multicolour*	£9.95
Comp Pro Star MINI	£14.95
Aviator 1 Flightyoke	£23.50
Handheld Models	
Speedking	£10.50
Navigator	£13.95
Bug	£12.00

ANALOG JOYSTICKS

These Joysticks will fit any Amiga

Warrior 5	£14.95
Sniper	£16.95
Speedking Analog	£13.95
Intruder 5	£21.50
Aviator 5 Flightyoke	£23.50
Adapter to use any PC analog joystick on an Amiga	ONLY £4.99

Direct

COMPUTER SUPPLIES

HOTLINES: 0782 206808 - Anytime
0782 642497 - 9.00am-5.30pm Weekdays
0782 302111 - Evenings & Weekends



BUSINESS HOURS

9am to 10pm Mon-Sat, 10am to 6pm Sun
All items and offers subject to availability. E&OE
P&P £3.30 All Prices inc VAT
We accept POs, cheques & credit cards

BUSINESS AND EDUCATION ORDERS WELCOME



DIRECT COMPUTER SUPPLIES 54 SPRING ROAD, LONGTON, STOKE ON TRENT ST3 2PX

The thrill of speed

Toby Simpson tests the single upgrade that improves every aspect of your Amiga, from display to data handling.

What can an accelerator do for you? Just imagine: no more waiting for those "Wait" balloons to disappear, no more watching screen updates at the speed of trickling molasses, no more wondering whether your machine has crashed because nothing seems to be happening. Just imagine desktop publishing that really is faster than setting type by hand, animation that redraws fast enough to look like it's actually moving, and ray-tracing that you don't have to wait a week to see.

Your Amiga is a powerful machine, and it's capable of processing well over half a million instructions every second, but processor-intensive applications like these can push it to its limits. No matter how straightforward or how sophisticated the program you're running, the machine simply cannot run faster than the "clock speed" of its Central Processing Unit (CPU). The obvious solution: upgrade the CPU, increase its clock speed, or both. And the way to do that is to add an accelerator card.

Accelerators are a major investment. As we noted in our overview in *Amiga Shopper* 20, an

accelerator card is likely to be your most expensive add-on after a hard disk. (If you missed that issue's introduction to accelerators and reviews of other cards not covered here, turn to the *Amiga Shopper* back issues service on page 116.) However, a lot has changed in the last six months, apart from the addition of the A1200 to the Amiga range. Most importantly, the price of some of the much faster 68040-based accelerators has come down, meaning that it is now possible for even A500 owners to consider putting a high-speed 68040 card into their machine.

If you're starting from scratch, with a 7.14MHz 68000 as fitted in the A500, A500 Plus, A1500 and A2000, there's a huge range of options available. If you are an A3000 owner, then you only have one practical choice, and that is specific A3000 cards – all currently 68040-based. The range and value-for-money of these cards is getting better by the day, so it's worth shopping around. For A1200 owners, the choice is not quite as wide yet. You already have a 14MHz 68020 chip in your machine as it is. If you decide you need further speed, a few boards are already available and the options are increasing almost month

BEGINNERS

Most Amigas have a Motorola 68000 chip in them (but see page 20 for the exceptions), able to handle over half a million single instructions per second or half a MIP. That's fast enough to add all the numbers from 1 to 5,000,000 inclusive together in less than half a minute. (Try it yourself and see how long it takes you!) A 68030 can do it in three seconds. The Amiga 4000/040, which can deliver about 20 MIPS, can do it in a second and a half. Some of the most advanced processors available, such as the Dec Alpha, can execute 100 million instructions per second. This sort of blindingly-fast Supercomputer-level performance will soon find its way into desktop machines – and in the case of the Dec Alpha, it already has. Dec have produced a version of the IBM PC with their Alpha chip in. Believe me, this does not hang about. If only we could get one of these beasts into an Amiga...

Although chips are becoming very fast, memory has been finding it hard to keep up, and the bottleneck in some modern

BEGINNERS START HERE

BEGINNERS

computers is not the CPU chip, but how fast main

memory can operate. It was getting to the point where the processor would have to sit idle, waiting for the memory to come up with the results. These forced delays are called "wait states".

One way of easing this problem is to use a "cache" (pronounced "cash"). This is a small amount of extremely fast memory that is on-board the CPU chip itself. The chip is able to read and write information to the cache much faster than main memory, and fetch one instruction while it is still executing the previous one. By holding the past few instructions in the cache, the CPU can execute small program loops entirely in the cache, making them blindingly fast. On chips like the 68030, the cache controllers "pre-fetch" both instructions and data, so they sit ready in the cache for the CPU to use. So, why isn't all your memory cache memory if it's so fast? Quite simply, the faster the memory the more expensive it is. Cache RAM is generally too costly for desktop machines.

SCORING SPEED: THE REVIEWS

Accelerators are tough to rate – it's very much a matter of horses for courses. We've looked at general considerations, such as the supplied documentation, software, and ease of fitting, but you should try to get a clear idea of your specific needs and not rely only on the ratings.

We have given comparison figures for speed, but be aware that few processor speed programs are totally accurate – we found that three MIPS programs rated an A4000 at anywhere from 14MIPS to 21MIPS! Such variations should balance out across the range of tests we carried out, but bear in mind that there is bound to be a margin of error and figures that are close to one another can't be definitive. For these reasons, we have rated these cards in relation to each other, but not by measures that pretend to be absolute.

Terms such as **FPU** and **MMU** are explained in the main body text.

These are the cards reviewed:

For the A500:

- GVP A530 – 68EC030 @ 40MHz, with high-speed SCSI interface and 1Mb RAM
- Progressive Peripherals 040-500 – 68040 @ 33MHz, with 6Mb RAM

For A1500s and A2000s:

- GVP G-Force 030 – 68EC030 @ 40MHz, with 68882 FPU and 4Mb RAM
- GVP G-Force 040 – 68040 @ 33MHz, with SCSI and 16Mb RAM
- Progressive Peripherals Zeus 040 – 68040 @ 33MHz, with SCSI and 16Mb RAM

For the A3000/A3000T:

- GVP G-Force 040 – 68040 @ 28MHz, with 2Mb RAM
- Progressive Peripherals Mercury 040 – 68040 @ 35MHz, with 16Mb RAM

For the A1200:

- GVP A1230 – 68EC030 @ 40MHz, with 4Mb RAM and FPU

A NOTE ABOUT RAM

Some of these cards (all of GVP's) can accept SIMM (Single In-line Memory Module) RAM modules (about £60 for 1Mb), up to a total of 8Mb in all. This means that if your budget is tight you could buy a basic accelerator and add RAM later as you needed it, saving on the initial outlay.

by month. A4000 owners don't have a choice at all, just yet, but the word is that you can expect to see some accelerator cards for the A4000/030 coming out shortly.

TEN QUESTIONS

Before you plunge in and splash out on an accelerator card, Jolyon Ralph and Toby Simpson suggest you ask yourself these questions.

1 Will it do me any good?

Not all software will work with an accelerator. Some software, particularly games, will appear to be no different in speed. Usually this

isn't a bad thing – after all, you don't want to play games that are uncontrollable. Other programs – again, some older games in particular – may not work at all,

GVP A530

For the A500. 68EC030 @ 40MHz, with high-speed SCSI interface and hard disk and 1Mb RAM

This is a neat add-on for the A500. It plugs into the left hand side expansion port and gives you a stylish 42Mb or 120Mb SCSI hard disk, 1Mb of 32-bit RAM (expandable to 8Mb) and a 40MHz 68EC030 chip, with optional 40MHz 68882 FPU.

FITTING

As easy as pie. It's another GVP plug-in-and-go product, and you do just that.

IN USE

Transparent. You don't have to worry about complex set-ups – the RAM and processor are automatically recognised by your A500, as is the hard disk. GVP supply their excellent hard disk preparation and partitioning software, which, although it looks a

little daunting at first, is in fact very easy to use. Documentation is excellent. The "game" switch on the front is a nice touch – it disables the 68030 processor so you can run slower software. Unfortunately it also disables the RAM.

OVERALL IMPRESSION

This is a very easy expansion to the A500 computer, making it a fast and powerful machine. What it does not do, however, is give you AGA performance, faster graphics. If you're going to be expanding your A500 to this extent, you want to think very carefully about whether an A1200 would be a better buy in the long term. If you do want to expand your A500, however, this is ideal. If you already have a lot of A500 hardware and don't want the AGA, this is a good way to go.

FEATURES

Fitting: 9/10

Software: 8/10



Documentation: 9/10

Minimum hardware requirements: A500, with empty side expansion slot.

MMU: No.

FPU: Optional.

Hard disk interface: Yes, SCSI, with hard disk

Price: £699 with 1Mb RAM + 42Mb

hard disk

£899 with 1Mb RAM + 120Mb hard disk

OVERALL: 8/10

Manufactured by: Great Valley Products ☎ 0101 215 337 8770
Distributed by: Silica Systems ☎ 081 309 1111

PROGRESSIVE PERIPHERALS 040-500

For the A500/A500 Plus. 68040 @ 33MHz, with 6Mb of 32-bit RAM

This 33MHz 68040 expansion card for the A500 comes with 6Mb of 32-bit RAM as standard, and it gives you some serious power to boost the A500. It fits internally and does not take up any expansion slots.

FITTING

Requires a lot of heartache to install, and could potentially age you 50 years. You'll also invalidate your warranty, and you can easily cause some serious damage. When fitting this sort of card, *read the manual in detail* before starting. You really don't want to get this wrong!

You have to remove the 68000 chip and re-seat it on to the 040 card. Then you fit a socket extension to the 040 card and insert this into the 68000 socket.


IN USE

This is quite a large board, and runs quite warm. Because the 68040 chip requires 2.04 ROMs to work,

Progressive have cleverly put these on to their board as standard, which saves you having to buy new ROMs. Of course, if you already have them, this is a bit of a waste. The supplied software enables you to boot off your old processor and ROMs, which gives you excellent compatibility with games and other software which refuses to run on the 040 or under 2.04. This board acts as a ROM switcher as well as a processor accelerator! Unfortunately, RAM is not on SIMMs and not socketed, so it would be difficult to expand the memory of this board any further.

OVERALL IMPRESSION

What can I say? You can't really make an A500 go any faster than this. The question is, do you really want to do it? If you can afford one of these, you can afford an A4000/030, which is AGA-based and future-proof. If you've got this sort of money, maybe now is the time to upgrade your machine. If you want to keep your A500, you can't



beat this for speed, although installation is a bit of a nightmare.

FEATURES

Fitting: 5/10

Software: 8/10

Documentation: 8/10

Minimum hardware requirements: A500, with no Gary towers or internal gadgets.

MMU: Yes

FPU: Yes

Hard disk interface: No

Price: £1,099

OVERALL: 6/10

Manufactured by: Progressive Peripherals ☎ 0101 303 238 5555
Distributed by: Micro-PACE UK ☎ 0753 551888

though nowadays this is the exception rather than the rule. As an *Amiga Shopper* reader, you may not be too concerned about games, and the good news is that probably 99% of new Amiga software, and virtually all the serious software available for the machine, will work with an accelerator.

2 Do I already have a hard disk?

Some cards have hard disks on board with special high-speed interfaces – the G-Force cards from GVP have an extremely quick SCSI interface indeed. The one we tested managed about 2Mb per second peak performance using a disk speed program, whereas a standard

A3000 peaked at 1.4Mb per second. If you are getting an accelerator card for general use, then you might like to think about a compatible hard drive as well. An ideal solution if you have neither a hard disk nor an accelerator already is to get both at once with one of the dual cards.

3 Am I using a DMA interface?


Because Direct Memory Access devices send data straight into memory, they in effect bypass the processor your accelerator would be accelerating. If your hard disk controller is not a DMA type, you have no problem, but DMA controllers such as the Commodore A590 hard disk interface will not

work properly with most A500 accelerators. If you have the A590 then you are currently limited to only one accelerator, the Microbotics VXL-030 (£274.99, reviewed in *Amiga Shopper* 20). Solid State Leisure claim to be working on a software patch to allow their A5000 and B5000 cards to work properly with the A590, but this isn't yet available. Currently this problem can slow down the A590 by as much as 75%. Again, this occurs only with DMA controllers and does not apply to most other hard disk controllers, such as the GVP. If in doubt, check with the supplier of your hard disk or the manufacturer of the accelerator card you are considering.

4 Do I need an FPU?

A Floating Point Unit or maths co-processor is a hardware goodie that bolts on to the CPU to give extremely fast processing of "floating point" maths – that is, calculations involving lots of fractions rather than just whole numbers. What exactly uses floating point maths? Well, if you are a desktop publisher or a user of programs such as *Real 3D*, *Imagine*, *Vista*, *Sculpt 4D*, *ProDraw* and *Art Department Pro*, then you are someone who could really make use of the FPU. The speed comparison graphs on page 37 show the speed advantage of floating point maths with an FPU clearly. There are two FPUs, the 68882 (which came out

GVP G-FORCE 030



For the A1500 or A2000. 68EC030 @ 40MHz, with 40MHz 68882 FPU, SCSI interface and 4Mb RAM

This is basically the GVP A530 card (see page 29), but for the A1500 or A2000 computers rather than the

A500. This card doesn't take up any of the conventional expansion slots – instead, it sits in the processor expansion and gives you fast SCSI and 4Mb of 32-bit RAM. The unit tested had a 40MHz 68882 FPU fitted also.

FITTING

Installing this requires no soldering or complex fitting, fortunately. Take the case off your Amiga, insert the board, attach the 25-pin external SCSI connector to a Zorro backplane so that you can plug devices into the back, and away you go. The board can take a hard disk on board if you have one.

IN USE

Nice. Functionally identical to the A530 in operation, and has all the same features. This one had the 40MHz 68882, and this made rendering operations very fast indeed. GVP's excellent hard disk installation software is supplied.

OVERALL IMPRESSION

A practical, good value-for-money

general expansion for the A1500 or A2000 computers. If you're not upgrading to the A4000, then this is ideal.

FEATURES

Fitting: 8/10

Software: 9/10

Documentation: 9/10

Minimum hardware requirements: A1500 or A2000 with empty CPU expansion port

MMU: No

FPU: Yes


Hard disk interface: Yes, SCSI

Price: £699

OVERALL: 8/10

Manufactured by: Great Valley Products ☎ 0101 215 337 8770
Distributed by: Silica Systems ☎ 081 309 1111

GVP G-FORCE 040 (A1500/A2000)



For the A1500 or A2000. 68040 @ 33MHz, with SCSI interface and 16Mb RAM

This is like the G-Force 030 card reviewed immediately above, but it

contains a much faster 68040 chip (clocked at 33MHz, but this runs faster than the 40MHz '030 in the card above) and 16Mb of fast 32-bit RAM. There is a fast on-board SCSI interface.

FITTING

As in the case of the other A1500/A2000 cards, fitting this is a simple procedure if the instructions are carefully followed.

IN USE

Works without any problems and produces an impressive turn of speed, although we felt that the Progressive Peripherals Zeus board was slightly faster.

OVERALL IMPRESSION

A fast, easy-to-use 68040 board that benefits from GVP's excellent software. This is a good buy at the price, though if you have this much to spend you might again be

thinking of trading in your machine.

FEATURES

Fitting: 8/10

Software: 9/10

Documentation: 9/10

Minimum hardware requirements: A1500/A2000 with empty CPU expansion port.

MMU: Yes

FPU: Yes

Hard disk interface: Yes, SCSI

Price: £1,299

OVERALL: 8/10

Manufactured by: Great Valley Products ☎ 0101 215 337 8770
Distributed by: Silica Systems ☎ 081 309 1111

primarily to accompany the 68030) and the 68881 (which is what comes with most 68020 boards that include an FPU).

5 Do I need an MMU?

A Memory Management Unit is a clever little device that enables your Amiga to make use of virtual memory and memory protection. Virtual memory increases the amount of free RAM you have by setting aside part of your hard disk and fooling the CPU into thinking it is real RAM. This

virtual RAM is considerably slower than the real thing, but it can come in handy if you desperately need more memory and is one way of overcoming the Amiga's normal 10Mb memory ceiling – but then an accelerator card can do that anyway because it can access its own memory. Memory protection allows the CPU in a multi-tasking environment to stop one task taking out other tasks when it goes wrong by preventing it from writing to memory that it does not own. The

Amiga currently supports neither memory protection nor virtual memory, so what is the point of having an MMU? If you are a programmer, or are thinking of taking up programming seriously, especially in C or assembly language, then an MMU allows you to run some pretty neat debugging tools, such as Commodore's *Enforcer*. *Enforcer* jumps in when your program screws up and tells you what it did and where it went wrong. Believe me, if you are thinking of purchasing that

new C compiler or looking enviously at *DevPac 3*, then you ought to be drooling over the possibilities of having an MMU.

6 Do I need 32-bit RAM?

The 68000 chip (used in the Amiga 500, 600, 1000, 1500 and 2000) is a 16-bit processor – that is, it can access 16 bits of memory at once. The 68020 and above are 32-bit processors – which means they are capable of running twice as fast as a

continued on page 36

PROGRESSIVE PERIPHERALS ZEUS 040

For the A1500 or A2000. 68040 @ 33MHz, with SCSI and 16Mb of 32-bit RAM

This is a 68040 expansion card for the A1500 and A2000 series computers. It gives 16Mb of fast 32-bit RAM, a 33MHz 68040 chip and a fast SCSI interface.

FITTING

Like the GVP G-Force, this is a case of plug in and go. Installing this card is a straightforward procedure.

IN USE

This board is very impressive indeed. It has worked faultlessly since the first time it was switched

on a month or so ago now, in a development environment. We're pretty upset to see this one go! The hard disk performance is blisteringly fast and it really does make the A2000 move. Software is excellent.

OVERALL IMPRESSION

A good buy if you are intending on keeping your A1500/A2000 for a while. The hard disk performance has to be experienced!


FEATURES

Fitting: 8/10

Software: 9/10

Documentation: 8/10

Minimum hardware requirements: A1500/A2000 with free CPU slot.



MMU: Yes

FPU: Yes

Hard disk interface: Yes, SCSI

Price: £2,099 with 16Mb RAM,
£1,199 without RAM fitted

OVERALL: 8/10

Manufactured by: Progressive
Peripherals ☎ 0101 303 238 5555
Distributed by: Micro-PACE UK
☎ 0753 551888

GVP G-FORCE 040 (A3000/A3000T)

For the A3000/A3000T. 68040 @ 28MHz, with 2Mb RAM

This is a rather neat 28MHz 68040 expansion for the A3000 or A3000T. It can have up to 8Mb of ultra-fast 40nS 32-bit RAM fitted in the form of SIMMs. This has a fan on the 040, as with the other 040 cards. It comes complete with the 2.04 Kickstart 2 ROMs for the A3000, in case your machine does not have them already.

FITTING

You really have to take your machine to bits. Replacing the ROMs is a pain if you have to do that as well. Fitting the connector for the fan is fairly simple – it plugs into one of the hard disk power sockets and offers a through connector, and this means you don't require any special leads for the A3000T version. Unfortunately, on my A3000T some adjustments to the PCB had to be made, including the removal of a resistor. Fitting this

is not for the faint-hearted, and should really be done by a trained fitter or your dealer.

IN USE


Once the card is fitted, the normal collection of excellent GVP utilities make this board easy to use. It's fast, but only just faster than the A4000/040. Software is supplied to speed up your Kickstart by copying it to RAM, and to fall back to the original 68030 chip inside your Amiga if you need to do so.

OVERALL IMPRESSION

Nice board, but a real tough cookie to install. Unfortunately I've yet to see any A3000 expansion that is simply plug-in-and-go, so I guess this is about as good as you're going to get. The rumour is that this board is likely to be superseded soon, so the price may well be coming down.

FEATURES

Fitting: 6/10



Software: 8/10

Documentation: 9/10

Minimum hardware requirements: A3000 or A3000T with empty processor expansion port.

MMU: Yes


FPU: Yes

Hard disk interface: No

Price: £1,499

OVERALL: 8/10

Manufactured by: Great Valley
Products ☎ 0101 215 337 8770
Distributed by: Silica Systems
☎ 081 309 1111



the latest AMIGA technology acknowledged experts



HARD DISK DRIVES

Remember you can specify a pre-fitted 40/60/80/120Mb. Hard Drive when buying your new Amiga A600 or A1200. Call for latest keen prices.

AMIGA 600 FLOPPY
DISK DRIVE VERSION

But only whilst stocks last

at just... **£244.95**

OR... With POWERPLAY GOLD BUNDLE

at an amazing... **£289.95**

AMIGA 600 FLOPPY
DISK DRIVE VERSION

WITH A NEW...

WICKED SOFTWARE

PUSHOVER

SILLY PUTTY

PROSE GRAND PRIX

DELUXE PAINT III

at only... **£289.95**

AMIGA 600 HARD
20/40Mb DRIVE VERSIONS

WITH A NEW...

EPIC SOFTWARE

EPIC MYTH ROME

DELUXE PAINT III

TRIVIAL PURSUIT

TRIPLE LANGUAGE VERSION (French, German, English)

MULTI LANGUAGE

DICTIONARY

AMIGATEXT WORD

PROCESSOR

If you want a DIFFERENT SIZE hard drive simply ask for the price! You can choose from either a 40/60/80/120Mb. Capacity Drives.

20Mb. Version...

£379.95

40Mb. Version...

£429.95

COMPARE OUR TOTAL PRICES

WHAT DO WE MEAN BY THIS?

We'll never try to disguise the total you'll pay by advertising low hardware prices and then when you call, try to add essentials such as cables, delivery and a proper after sales service... all at EXTRA COST! When deciding where to buy, compare our service, check out what the "Extras" really add to those attractive looking prices elsewhere... You'll soon see the REAL COST!



All Harwoods new A600's are United Kingdom specification and include the following features... 1Mb. Disk Drive, 1Mb. RAM, 4096 Colours, Integral TV Modulator, Mouse, Workbench Disks, Manuals, PLUS all Leads - AND... FREE 1 YEARS 'IN HOME SERVICE'

...Harwoods...
EXCLUSIVE!



POWERPLAY
THE GOLD PLUS
SPECIAL EDITION

ADD our great **GOLD PLUS** POWERPLAY PACK to your order for only...

you get: A Superb High Quality Microswitched Competition Pro 5000 Joystick • 10 Essential 3.5" Blank Disks • Disk Storage Box • Tailored A600 Dust Cover and a High Quality Mat to enhance accuracy & protect your mouse **PLUS THE NEW MEGA-RELEASE GAME... ZOO!** and a FANTASTIC selection of TWENTY more great games: THESE TITLES ARE NOT PD BUT FULL PROFESSIONAL GAMES WHICH ORIGINALLY SOLD FOR PRICES OF BETWEEN £20 to £30!!! Xenon 2 Megablast • Pinball Dreams • TV Sports Football • Hostages • Jumping Jackson • Striker • Bubble Plus • TinTin on the Moon • Bloodwych • Stir Crazy • Krypton Egg • Skychase • Eliminator • Purple Saturn Day • Safari Guns • Lombard RAC Rally • Captain Blood • Strike Force Harrier • Lancaster • Sky Fox II

AND... Transwrite - Word Processor for the Amiga

With ALL THIS you won't need to buy anything more for ages!

why not buy your Amiga A600 with a FULL 2Mb. for just £47.95 extra

AMIGA 1200
32 BIT-2Mb
68020 PROCESSOR

the latest AMIGA...
FIRST NEW
AMIGA FOR 5 YEARS
AVAILABLE NOW!

The new A1200 is the Amiga of the 90's and the first true advancement to the already powerful Amiga range

Operating at 14MHz this is a revolution in power for the home market. With the new AGA Graphics chip set you have a truly remarkable colour palette of some 16.8 million colours allowing up to 256000 colours at any one time and... it runs lots of existing Amiga software! JUST THINK OF THE IMMENSE POSSIBILITIES!

The A1200 is supplied with 2Mb RAM and has a full one years on site maintenance warranty FREE!

Available at Harwoods with optional hard disk drives - fitted!

Floppy Drive Version ONLY...

£384.95

80Mb Hard Drive Version ONLY...

£599.95

FOR A LIMITED PERIOD...
RED NOSE PACK
including Sleepwalker
The Red Nose Game
With ALL A1200's!!!

If you need a DIFFERENT CAPACITY Hard Drive simply call for our LATEST prices! Choose from 40/60/120Mb Sizes

0773 836781

*Finance Facilities Available,
please contact us for your personal information pack.

from the



AMIGA 1200 NEW PROPACK

Everything you'd expect from a 1200 then LOTS MORE!

AMIGA A1200 COMPUTER FITTED WITH 80Mb. HARD DISK DRIVE and supplied with...
CITIZEN 240C COLOUR PRINTER INC. all leads required plus Citizen Print Manager program
ALSO... A1200 Dust Cover, 240C Dust Cover, Mouse Mat, Printer Paper and Labels plus the brilliant new Final Copy II Word Processing package.

FOR A LIMITED PERIOD... RED NOSE PACK including Sleepwalker The Red Nose Game
With all A1200's!

only: £939.95 inc VAT

If you need a DIFFERENT CAPACITY Hard Drive simply call for our LATEST prices! Choose from 40/60/120Mb Sizes!

4000 AMIGA HARD
 80 OR 120Mb
 DISK DRIVE VERSIONS:
 FANTASTIC 68030 MODEL AMIGA Operating at 25MHz with 2Mb. Chip RAM and 2Mb. FAST RAM Built-in 3.5" Floppy (1.76Mb.) Drive and your Choice of either 80Mb. or 120Mb. Hard Disk Drives...
80Mb HD £979.95
120Mb HD £1079.95
 VERSION
 Phone about 040 Versions!!!

If you want the POWER, then look no further...

Harwoods have put together some great top of the range Amigas that will fit the bill for even the most demanding Amiga user. We've taken the powerful A1200 and turned it into something extra special with a massive 80Mb. Hard Drive! But if that's not powerful enough for you, just look at the other available options and note the tremendously low prices! **WE'VE GOT THE POWER!**

New Model! 15" Monitor/Television

Superb definition Philips Monitor TV! Ideal for all Amiga and CDTV Users giving for the first time true 80 column text Monitor Quality from a fully featured Teletext television set and... at a really AFFORDABLE price! Far better than domestic TV quality!!!!!! Just look at the extensive features...

- ★ 2000 Character Dark Glass FST Picture Tube for Superb Text Quality and Graphics Displays
- ★ Direct SCART connector for Amiga/CDTV/VCR or Satellite
- ★ Auto-Program, Auto-Switch Off, Auto FineTune, Sleep timer
- ★ Full FastText Teletext Facilities [using external aerial socket]
- ★ Headphone Jack Socket ★ Infra-Red Remote Controller
- ★ Loop Aerial for indoor use ★ On-Screen Display (OSD)
- ★ Free SCART cable for direct audio and RGB connections

philips PRO+ 2000 GREAT VALUE only... £239.95 Includes a FREE cable to your AMIGA

philips monitors 14" stereo COLOUR with a FREE cable & cover + In-Home Service
CM8833/II LOTUS TURBO challenge 2
 NOW with a FREE game: **£224.95**
 Add a CM 8833/II monitor or Monitor/TV when buying your Amiga and pay the low PHILIPS GOLD DISCOUNT prices to save even more! (*only when purchased with an Amiga*)
CM8833/II £219.95*
MONITOR/TV £229.95*

Commodore 1084S Monitor £199.95
 14" Colour, Stereo Sound, 12 months warranty

A600/A1200 RAM UPGRADES

PCMCIA Cards

600&1200 Memory Card Fits in side Smart Card Slot of either A600 or A1200

2Mb. Card, £119.95 4Mb. Card, £174.95

GVP 1230 OPTIONAL 68882 Maths Co-Processor

ACCELERATOR BOARD
 40MHz 68030ec Processor, 32Bit RAM
 Various configurations, from 0 to 32Mb.

NEW SUPER LOW PRICING...

1Mb. £289.95 4Mb. £479.95

MICROBOTICS

MBX 1200 RAM BOARD Inc. Clock & Maths Co-Processor
 Available in various configurations...

14MHz: 0Mb. £149.95

1Mb. £214.95

4Mb. £304.95

25MHz: 0Mb. £214.95

1Mb. £279.95

4Mb. £369.95

50MHz: 0Mb. £324.95

1Mb. £389.95

4Mb. £479.95

32Bit SIMM for MBX BOARDS

1Mb. £69.95

4Mb. £159.95

A1200/3/4000 MONITORS

14" COLOUR SVGA
CBM1936 £265.95 inc VAT
 .28" dot pitch
 (CBM 1936 gives limited Screen Modes on Amiga A1200/4000)
CBM1960 £409.95 inc VAT
 Multiscan
 .28" dot pitch

CBM 1960 monitor gives access to ALL Amiga A1200/4000 screen modes, without interlace flicker.

EXTRA RAM UPGRADES

AMIGAS
 A500 1/2Mb £32.95 A500+ 1Mb £39.95
 A600 1Mb £47.95

A500 & A600 RAM expansions inc. Battery Backed Real Time Clock

SIMMS FOR GVP'S

HC8 & HD8 Drives add RAM in 2Mb. increments
1Mb Simm £29.95 4Mb Simm £132.95
 32-Bit SIMM for GVP Accelerators [min. 2Mb. increments]
1Mb x 32Bit £64.95 4Mb x 32Bit £174.95

AMIGA 600/1200 Internal HARD DISK DRIVES

40Mb. Only... £149.95
60Mb. Only... £199.95
80Mb. Only... £249.95
120Mb. Only... £299.95

All our Amiga compatible hard drives are IDE units from reputable sources... Conner, Seagate, Western Digital etc depending on size...and are supplied with our 1Year Gold Service Warranty
 600HD Owners, trade up your 20Mb. Hard Drive! Phone for details.

REMEMBER:
 In the price... Harwoods collect, fit the hard drive, configure, test & return by courier. and then add Our Gold Warranty. Can you be SURE of this service anywhere else?

ALL PRICES ARE INCLUSIVE OF VAT AT 17.5%

GORDON HARWOOD Computers



the extensive range of peripherals and software

CITIZEN SERVICE CENTRE
We are officially appointed service agents for in and out of warranty Citizen printer repairs

AMIGA PRINTERS

DOT MATRIX INKJETS AND LASERS
All our printers are supplied for immediate use including a cable, paper and labels **FREE OF CHARGE.**

Dot matrix models come with a tailored dust cover. We also include our specific Amiga driver disks for Citizens, Stars and Canons.

ALL Citizens have a 2Year Warranty
Please call for prices on any models not listed

9 PIN PRINTERS

STAR LC 20 MONO	£139.95
STAR LC 100 COLOUR New Low...	£154.95
STAR LC 200 COLOUR	£204.95
CITIZEN 120D+ MONO	£129.95

NEW CITIZEN 90's...
NEW...CITIZEN 90 MONO £164.95.
NEW...CITIZEN 90C COLOUR £179.95

24 PIN PRINTERS

STAR LC 24/200 COLOUR New Low:	£269.95
STAR XB 24/200 COLOUR	£389.95
CITIZEN SWIFT 200 MONO	£209.95
CITIZEN SWIFT 200 COL. New Low:	£229.95
CITIZEN SWIFT 240 MONO	£259.95
CITIZEN SWIFT 240 COL. New Low:	£274.95

HIGH-RES PRINTERS

STAR SJ48 INKJET	£209.95
CANON BJ10sx INKJET	£249.95
NEW...Superfast CANON BJ200 INKJET PRINTER - 250cps! Inc. automatic sheet feeder	£349.95
HP DESKJET	
NEW 510 MONO	£359.95
500 COLOUR	£479.95
HP DESKJET	
550 COLOUR	£709.95

EXCLUSIVE! For the Amiga only from Gordon Harwoods VIDEO THE 90's with Syntrox

A superb new range of Genlocking and Editing products that give you... **'THE POWER TO CREATE'**
GENMAN GENLOCKS: A terrific range of equipment with an upgrade path as YOUR requirements grow...

GL1	Composite In/Out	£99.00
GL2	Composite In/Out, RGB Loophrough	£129.00
GL3	As the GL2 plus Caption Fade	£175.00
GX1	S-VHS/Hi8 Compatible, Y/C In/Out	£475.00

EDITMAN DESK TOP VIDEO: At last a desktop video editing suite that's simple to use. Again there is the upgrade path to keep pace with your creativity...

EDITMAN EX300	2 VCR System	£399.00
EDITMAN EX400	3 VCR System	£799.00

Because Editman is packed with features, we've made a video to show you just how good it is!!! Send us only £3.99 (including postage) for your own copy on a full E180 VHS tape, then see how Genman and Editman give you **'THE POWER TO CREATE'**

BRAND NEW LOW COST STAR LASERS

Three Superfast NEW LaserPrinters from Star which offer SUPERB QUALITY PRINTOUT & all have great standard features...
5ppm, 14 Resident Fonts + 15 True Type PC Fonts, LCD Display, Combined 300 Sheet Capacity Dual Paper Feeds, 1 Year On-Site Warranty and more...

Model	Speed	Memory	Compatibility	Fonts	Interfaces	Resolution	Price
LS-5	5ppm	512K exp. to 4.5Mb.	HP Laserjet IIP [PCL4]	14std+15PC	Auto Parallel & Serial	300x300 dpi	£629.95
LS-5EX	5ppm	1Mb. exp. to 7Mb.	HP LJ IIP[PCL4], III[PCL5], HPGL2	14std+15PC +8PCL5Agfa	Auto Parallel & Serial	300x300 & 600x300dpi	£749.95
LS-5TT	5ppm	2Mb. exp. to 8Mb.	As LS-5EX plus: TrueImage (Micro-soft Postscript), +35TrueType Apple Laserwriter+ +35Postscript	14std+15 PC +8PCL5Agfa	Auto Parallel & Serial plus AppleTalk	300x300 & 600x300dpi	£999.95

SUPPLIED WITH FREE DUST COVER AND LEAD
Phone us now and ask for your FREE Guide to Stars NEW Lasers!!!

genuine PRINTER ACCESSORIES CONSUMABLES AND UPGRADES

PRINTER	PRINTER TYPE	BLACK RIBBON	BLACK RIBBON 'SIX PACK'	COLOUR RIBBON	COLOUR RIBBON 'SIX PACK'
CITIZEN 120D+	BLACK ONLY	£4.75	£22.95	N/A	N/A
CITIZEN 124	BLACK ONLY	£4.75	£22.95	N/A	N/A
CITIZEN SWIFT 9	BLACK/COLOUR	£4.75	£22.95	£16.45	£94.95
SWIFT 24/24E/224	BLACK/COLOUR	£4.75	£22.95	£16.45	£94.95
STAR LC10/20/100	BLACK/COLOUR	£4.45	£23.95	£5.95	£34.95
STAR LC200	BLACK/COLOUR	£5.95 X29	£32.95 X29	£12.45 X29CL	£64.95 X29CL
STAR LC24/200	BLACK/COLOUR	£6.95 X24	£39.95 X24	£12.95 X24CL	£69.95 X24CL
STAR XB RANGE	BLACK/COLOUR	£8.95 X24	£49.95 X24	£14.95 X24CL	£74.95 X24CL
STAR SJ48 INK CARTRIDGE	BLACK ONLY				£15.95ea.

Citizen Accessories: 80 Column 9/24 Pin Printer Colour Kit (ALL models except the Citizen 124 model)	£37.95
32K RAM Expansion (24Pin Citizens except 200/240)	£13.95
32K RAM Expansion (Citizen 200/240)	£19.95
128K RAM Expansion (Citizen 200/240)	£32.95
Heviwett Packard Original Consumables DESKJET 500... Black Ink Cartridge (Double Life) Colour Ink Cartridge (Standard)	£21.95 £25.95
Please phone for any item not shown in our listings	
AUTOMATIC SHEET FEEDERS: ALL Star/Citizen 80Col. models	Only...£84.95 (please state type when ordering)
PAINTJET... Black Ink Cartridge Colour Ink Cartridge Single Sheet Paper Z-Fold Paper Transparency Film: (Pack of 50 Sheets)	£22.95 £20.95 £18.95 £52.95

EGOLD SERVICE SEE PAGE 4 FOR FULL DETAILS

HARD DISK DRIVES with 2yrs warranty

Simply plug in to the Amiga sideport

HD8 Hard Drives

RAM	80Mb.	120Mb.
0Mb.	£389.95	£489.95
2Mb.	£444.95	£539.95
4Mb.	£494.95	£594.95
8Mb.	£654.95	£749.95

A530 Combined Hard Drive and 68030 Accelerator NEW LOW PRICES

RAM	80Mb.	120Mb.
1Mb.	£609.95	£709.95
2Mb.	£674.95	£769.95
4Mb.	£774.95	£869.95
8Mb.	£939.95	£1029.95

68882 Maths floating point unit for A530's £219.95

AMIGA 1500 2000 internal HARD DISK DRIVE

HC8 Hard Drives

RAM	80Mb.	120Mb.
0Mb.	£339.95	£419.95
2Mb.	£394.95	£469.95
4Mb.	£444.95	£524.95
8Mb.	£549.95	£629.95

NB!!! Hard drives fitted with memory may fluctuate in price due to the \$/£ exchange rates. Please confirm prices when ordering.

CUMANA 3.5" floppy drive

with free disk head cleaner
-LONG CONNECTING CABLE AND THROUGHPORT - The Most Reliable External Drive on the Market!
£69.95 A1200 COMPATIBLE TOO!!!

0773 836781

*Finance Facilities Available, please contact us for your personal information pack.

AMIGA

computers



COMPARE OUR GOLD SERVICE

Before you choose from whom to purchase, please phone us. We are always happy to discuss your requirements and answer any queries you may have. And... remember Harwoods have always provided THE BEST service in the industry...

FREE GOLD SERVICE: Any computer, monitor or printer that requires service in the first year is collected FREE OF CHARGE (Mainland only). Remember at Harwoods we charge no more for the GOLD service. The fastest turnaround possible is GUARANTEED by our OWN SERVICE ENGINEERS. - Many items have In-Home Warranties. **TECHNICAL SUPPORT:** You will be given our Exclusive Technical Support Phone Number to call should you require any help or advice on any aspect of the system you have purchased. **MINIMUM 12 MONTH HARDWARE WARRANTY:** Items purchased faulty within 30 days of purchase are replaced with NEW UNLESS otherwise stated. For the guarantee period, warranty service will be completely FREE OF CHARGE (some items are 2 yr warranty). **YOUR SYSTEM READY TO GO:** All main hardware products come with mains plugs and leads - just connect up and use straight away.

How to contact us...

BY PHONE: Phone our Order Hotline with your Access Visa, Mastercard Switch or Lombard Creditcharge Card quoting number & expiry date (Most Dixons, Currys, NASCR and other 'store' cards are Lombard Creditcharge and are happily accepted by us).

BY POST: Make cheques, bankers building society drafts postal orders payable to GORDON HARWOOD COMPUTERS. (Personal/business cheques take 7 days clear from day of receipt whereupon your order will be despatched). Please send Name, Address, and most importantly if possible, a Daytime Telephone Number along with your order requirements. Please check you are ordering from our latest advertisement before posting (phone if you require confirmation). Please remember that for example many September publications appear during August, etc., therefore prices you see may have changed (either up or down!).

EXPORT: Most items are available at TAX FREE PRICES for non UK residents and service personnel. Please contact us for confirmation of export prices before ordering.


FREE DELIVERY: by Parcel Force, UK Mainland only. **SPEEDY NEXT WORKING DAY COURIER SERVICE:** At just £6.95 per major item for guaranteed delivery (for £10 for Saturday delivery), UK Mainland most regions (Despatch normally on day of order or payment cleared).

All listed prices are what YOU PAY, and there are NO HIDDEN EXTRA VAT and postage are included, and prices are correct at time of going to press (Pack details may vary from time to time). Offers and Services are subject to availability and to being the latest advertised products, packs & prices. Please note goods are not supplied on a trial basis. E&OE

VISIT OUR SPACIOUS SHOWROOM:

Why not take a trip out to visit us and see our full advertised range and more, available at the SAME COMPETITIVE PRICES. (Please see opening times) There's plenty of FREE parking nearby too!

How to find us...



OPENING TIMES
9.00 until 5.00 Monday to Saturday
Wednesdays - 9.00 until 1.00

GORDON HARWOOD Computers

Enquiries & Order Line:

0773 836781

Finance Facilities Available*

*Please phone us for information, your personal application pack and full written details.



GORDON HARWOOD COMPUTERS
DEPARTMENT AMS/H8, NEW STREET
ALFRETON, DERBYSHIRE. DE5 7BP
TEL: 0773 836781 FAX: 0773 831040

The Closer you look, The Better we look

AMIGA accessories

- Colour Pic Plus £679.95
- Super Pic £579.95
- Rombo Vidi 12, V2.00 £79.95
- Vidi 12 & Sound & Vision £89.95
- MegaMix Master £89.95
- Amas 2 Sound Sampler & Midi Interface inc. Microphone £74.95
- Audio Engineer Plus £179.95
- Technosound Turbo Sampler £32.95
- Miracle keyboard £299.95
- Music X full version 1.1 £24.95
- Midi interface 5port c/w cable £24.95
- Super JAM £79.95
- Bars & Pipes Professional £209.95
- ZYFI Stereo Speakers with separate power supply £39.95
- Clarity 16 £109.95
- Stereo Master £31.95
- Power Mono NEW V3.0 Hand Held Scanner £109.95
- Power Colour Hand Held Scanner £239.95
- Sharp JX 100 Colour Flatbed [A6 Paper size] £549.95
- ProGen - Perfect high quality entry level true video signal genlock £84.95
- Rocgen Plus £139.95
- Rendale 8802 inc switch £179.95 and fader controls, A1200
- HQ Microswitched MEGA MOUSE excellent magazine reviews... NEW LOWER PRICE...£12.50
- HQ Microswitched mouse inc. Mouse Mat & Holder £19.95
- High Quality micro-switched Optical mouse £28.95
- HQ Microswitched Trackball £29.95
- Automatic Mouse and Joystick Switcher £17.95

GVP 286 PC Emulator
For GVP A500 HD8/530 that simply plugs into your GVP drive mini slot [no DOS]. Tap into a wealth of PC compatible software for the new low price of just...
£149.95

IBMPCEmulators
Premier Control Centre & Monitor Plinth with shelf:
For Amiga A500 £39.95
For Amiga A600 £34.95
For Amiga A1200 £39.95
Zipstick autofire £11.95
Competition Pro-Star autofire, burstfire & slow motion £13.95
Python 1M £10.95
Full range of Quickjoy and other makes stocked - please call us for prices

BLANK DISKS
10 Sony 3.5" DS DD £8.95
50 Sony 3.5" DS DD £34.95
Certified Bulk Disks with labels:
10 with library case £6.95
50 Disks - only... £24.95
250 Disks - only... £94.95
3.5" Disk Head Cleaner essential for reliable loading £2.95

AMIGA software

Listed below is a sample from our vast range of software at competitive prices. If you need a product not listed simply phone us and we'll be delighted to quote for your requirements.

word processors/publishing

- Pen Pal V1.5 £49.95
- Final Copy II Release 2 £99.95
- Kindwords 3 £37.95
- The Publisher £39.95
- Professional Page V4.0 £129.95
- Pagesetter III £49.95

integrated titles

- Mini Office £42.95

databases

- Homebase £19.95
- Superbase 2 Personal £29.95
- Gallery Pictorial Slide Show/DB £39.95

CAD & structured drawing

- X-CAD 2000 £109.95
- X-CAD 3000 £269.95
- Art Expression £149.95
- Expert Draw £49.95

video

- Video Master £59.95
- Scala 500 £79.95
- Scala Professional £189.95
- Broadcast Titler 2 £169.95

miscellaneous

- GB Route Plus £37.95
- Voyager £54.95
- Turboprint 2.0 £34.95
- Mavis Beacon Teaches Typing £24.95
- Workbench Upgrade Kit £79.95
- Action Replay III £54.95
- Softfaces 1 to 4 £49.95
- Softclips 1 to 4 £29.95
- Softwood Proper Grammar: Grammar checker, for ALL Amiga WPs £49.95

animation and graphics

- Deluxe Paint 4.1 £64.95
- Deluxe Paint 4 (AGA) £79.95
- 3D Construction Kit £49.95
- Adorage £54.95
- Vista Pro 2 £54.95
- Vista Pro 3 £99.95

Art Department

- Professional V2 £149.95
- DCTV Composite Video £529.95
- 24-Bit Graphics System (PAL) £529.95
- Morph Plus £149.95

utilities & development

- Quarterback V5 £44.95
- Quarterback Tools £54.95
- Cross DOS £29.95
- Easy Amos £24.95
- Amos The Creator £36.95
- Amos Compiler £23.95
- Amos 3D £25.95
- Amos Professional £49.95
- New SAS Lattice C V6 £239.95
- Devpac 3 £54.95
- Directory Opus V4 £54.95
- Can Do 2 £99.95
- Charts & Graphs £49.95

games & entertainment

Phone for access to our massive competitively priced range of Amiga Software Titles now and pick up a great deal!!!

AMIGA + - x ÷ a b c software

- easy learning
- micro science - to GCSE standards £18.95
 - micro maths - to GCSE standards £18.95
 - micro english - to GCSE standards £18.95 (not 14to15 age group)
 - micro french - to GCSE standards £18.95
 - micro german - to GCSE standards £18.95
 - primary maths - 3to12's £18.95
 - mega maths - A level £19.95
 - reading and writing course - over 3's £18.95
 - compendium six £27.95
 - fun school 4 software: choose - under 5's, 5to7's or 7to11's, only... £19.95 each
 - ADL titles available for ages 11to12, 12to13, 13to14 or 14to15
 - english £18.95
 - maths £18.95
 - french £18.95
 - noddy's playtime £19.95
 - fun school 4 (various ages) £18.95
 - fun school 2 - 2to6, 6to8, over 8's £6.45
 - NEW...Childs Play Activity Centre £24.95
 - Word Processor with SPEECH, 2to12yrs to GCSE 'A' standards

AMIGA BOOKshop

- Amiga A1200 Insider Guide £14.95
- Amiga A600 Insider Guide £14.95
- Mastering Amiga Assembler £22.95
- Mastering Amiga C £18.95
- Mastering Amiga Workbench £18.95
- Mastering Amiga DOS Volume 1 £20.95
- Mastering Amiga DOS Volume 2 £18.95
- Mastering Amiga AMOS £18.95

ABACUS books also in stock please phone for prices!

ALL PRICES ARE INCLUSIVE OF

continued from page 31


16-bit processor. It also means that when you add an accelerator board (which amounts to replacing your 16-

bit chip with a 32-bit one), you need 32-bit RAM to keep up with it. (The actual RAM chips are no different from other RAM chips, but they are

arranged differently on the board.) Without 32-bit RAM your accelerator is crippled, and in some cases an accelerator without 32-bit RAM can

actually run slower than a standard Amiga. Most Amiga accelerators can take 32-bit RAM expansion. You *cannot* convert existing RAM to 32

PROGRESSIVE PERIPHERALS MERCURY 040



For the A3000/A3000T. 68040 @ 35MHz, with 16Mb RAM

This is the ultimate in luxury expansions for the A3000 or A3000T. A rather large card, it fits into the special processor expansion port and gives you 35 (yes, thirty-five) MHz of raw 68040

processing power. This, coupled with 16Mb of very fast 32-bit RAM, makes an attractive package.

FITTING

Installation of this card is a little complicated, depending on the machine you're fitting it into – the A3000T is slightly harder than the

A3000. You have to take not only the case but just about everything else to bits in order to fit it in. Because the '040 is being run faster than its recommended speed (35MHz rather than 33), it's just as well that a fan is fitted (as on the other 040 boards reviewed here) and to wire it up you need the little adaptor supplied. This plugs into the disk drive power, and you will need an extender if you have an A3000T. You require Kickstart 2.04 to fit this, but it is not supplied.

IN USE

Blindingly fast in all operations. I was slightly worried about the way the board sits in the machine – it is so big and covers a large area of PCB, including areas where RAM chips and other warm chips sit. This, and the general weight of the board, make it a bit worrying. On top of that, even with the fan, I was nervous that a 33MHz chip was clocked at 35MHz, and kept thinking something was about to go wrong – but I must stress that nothing did. It's easy to use, and the software is easy to install.

OVERALL IMPRESSION

This is a speedy board, no doubts about it. The 32-bit RAM does not hang around, and this is the fastest 040 I have ever seen. My only quibbles are that the board seemed to fit uncomfortably in my machine, and everything got a tad warm over time, though with no apparent ill effects. Installation in an A3000T is a right pain, but if you need the processing power, this is worth it.

FEATURES

Fitting: 6/10 (A3000T)

Software: 8/10

Documentation: 8/10

Minimum hardware requirements: A3000 or A3000T with Kickstart 2.04 in ROM.

MMU: Yes

FPU: Yes


Hard disk interface: No

Price: £2,099 with 16Mb of RAM, £1,199 with no RAM fitted

OVERALL: 8/10

Manufactured by: Progressive Peripherals ☎ 0101 303 238 5555
Distributed by: Micro-PACE UK ☎ 0753 551888

GVP A1230



For the A1200. 68EC030 @ 40MHz, with 4Mb RAM and FPU

This is one of the first accelerators available for the A1200. It comes with a 40MHz 68EC030 chip, a socket for a 40MHz 68882 FPU, and 4Mb of RAM, expandable to a

massive 32Mb, all nice fast 32-bit RAM. It all comes in so compact a box that you wonder how on earth they packed it in.

FITTING

Fitting this is a breeze. The documentation is excellent. Simply

unplug your A1200, turn it upside down, remove the trapdoor and slot the card in. It does require a little thinking about how you are going to get the card through the hole, because it's actually larger than the trapdoor, but the manual very helpfully describes how to do it, and it can be done.

IN USE

Using this card is even more of a breeze than fitting it. Software installation is nil. This is literally plug in and go: the 68030 and RAM are automatically detected by the A1200 and used. You might as well not bother with the supplied disk – you don't need it. It includes a couple of basic utilities for testing memory, controlling your 68030 chip, and examining various parts of your computer.

OVERALL IMPRESSION

This is a real winner. It couldn't be

simpler to fit (well, all right, it could, if it were a bit smaller or the trapdoor were a bit bigger), it takes no setting up to get going and it works just fine. It turns the A1200 into a really serious productivity tool, and represents excellent value for money.

FEATURES

Fitting: 9/10

Software: 9/10

Documentation: 9/10

Minimum hardware requirements: A1200 with an empty trap-door slot

MMU: No

FPU: Optional, 40MHz 68882

Hard disk interface: No

Price: £299 with no RAM or FPU, £599 with 4Mb RAM and FPU

OVERALL: 9/10

Manufactured by: Great Valley Products ☎ 0101 215 337 8770
Distributed by: Silica Systems ☎ 081 309 1111

bits. Your Chip RAM, for example, will always be 16 bits, as will any trapdoor RAM added by A500 or A600 owners. The A1200 and A4000 ('030 and '040 versions) are a major step forward in Amiga technology because they are 32 bits throughout – there is not a single byte of 16-bit RAM anywhere. If you're accelerating any other Amigas, make sure you budget for some 32-bit RAM when planning to buy a card.

7 Will it fit in my machine?

Check the design and overall size of the card. The 68000 socket was not designed to bear the weight of heavy cards and after several months' use of an accelerator in my A500 Plus, I have had many problems caused by my accelerator (the Microbotics VXL-030) popping out of the socket, probably thanks to the combined weight of the VXL-030 card and the associated RAM-32 card. I have recently tried out the CSA Derringer '030 card in place of the Microbotics card, which is smaller, looks better built, and appears so far to be more reliable.

If you have other boards plugged into the area around the accelerator (for example, ROM switchers, *Meg-A-Chip*, *ICD Flicker Free Video* or *AdiDE*) then you will have to remove them or your accelerator will not fit.

And a warning for A500 Plus owners. On some models there is a large blue capacitor about three inches directly below the power connector (marked C307). If the capacitor is about the same height as the two capacitors immediately behind the power connector (about three-eighths of an inch high) and cannot be bent over to allow greater clearance, then it will clash with several of the accelerator boards present. On my A500 Plus I had to de-solder this capacitor and re-solder

JARGON BUSTING

CMOS – Complimentary Metal Oxide Semiconductor. A type of chip that requires very little power to run on. Originally CMOS chips were very slow in comparison to other chip types such as NMOS, so weren't used so much in computers. These days they are lightning fast, but still require a fraction of the power. This makes them ideal for portable computers – but there's no Amiga Portable because the old chipset and ECS were NMOS chips. The new AGA (AA) chipset in the A4000 is now CMOS, so fingers crossed...

DMA – Direct Memory Access. A process where external hardware,

such as a hard disk controller, is able to put data directly into the computer's main memory without the need for a program to transfer the information. This makes for very fast data manipulation indeed.

Linear Address Space – The maximum amount of physical RAM that the CPU can "see" at any one time. A 68000 chip can see up to 16Mb of memory. The 68020 and above can see up to 4 Gigabytes – that is, 4,096Mb – at once.

MIPS – Millions of Instructions Per Second. Represents how many single machine code instructions a

processor can execute in one second. A standard Amiga executes under 1MIP. An A4000 will manage around 19 to 20 MIPS.

MFLOPS – Millions of Floating Point Instructions Per Second. A benchmark, rather like MIPS, but refers to "floating point" maths instructions.

NMOS – Negative Metal Oxide Semiconductor. A type of chip requiring more power to run than CMOS.

SIMMs – Single In-line Memory Modules. These simply plug into a special socket on your circuit board – much easier than chips to install.

it at an angle to fit my accelerator board.

8 Can I fit it myself?

Almost all Amiga 500 accelerators fit easily inside the A500. (But see question 7 above for a note about the A500 Plus.) They require the removal of the 68000 chip (the largest rectangular chip on the board, on the left hand side). All you have to do is open up your machine (see pages 20 to 26 for details) and gently prise the chip out of the socket and the board will plug back into the socket. Some boards require you to plug the 68000 chip back into a new socket for it on the accelerator board afterwards.

Remember that if your machine is still under warranty, opening it up may invalidate the warranty, so if anything goes wrong you're on your own. (See Talking Shop, page 92.)

If that or the thought of opening your machine up is too much for you,

and particularly if you haven't already got a hard disk but would like one, you could do worse than look at the A530 hard disk/accelerator from GVP – just plug it into the side of your 500 or 500 Plus, and it works. No messing with 68000 chips, no de-soldering capacitors.

9 What about the cost?

You get what you pay for. If you have less than £150 to spend, it's probably best not to bother. The best-value accelerator you can get for this sort of money costs around £12 and is a drop-in replacement for the 68000 chip: a 68010. This will give a very small, but still noticeable, speed increase. The modification should be done by a qualified dealer – otherwise you could both invalidate your warranty and cause expensive damage to your Amiga. This is useless for A3000, A4000 and A1200 owners, however, who already have a higher-spec processors. The

accelerator cards reviewed here range in price from under £300 to over £2,000.

10 Should I just get a new Amiga?

This is a serious question. If you are thinking about accelerating your A500, A1500, A2000 or A3000, you might like to think twice and then again. If you're going to be spending £1,500 or more anyway, it might be cheaper and better in the long term to simply sell your machine and upgrade to a newer, AGA-based Amiga such as the A1200 (starting at just £399) or A4000 (about £2,000 or so). Both of these machines are 32-bit throughout and offer excellent future expandability. It is likely that over the coming year, more and more software will require lots of RAM, greater processing speeds and better graphics. It might be best to get yourself set up for the future now, and save a whole load of headache later. **AS**

SPEED TRIALS: THE RESULTS

These tables set out comparative speeds for the accelerator cards reviewed, against the benchmark of a standard A500 and other unaccelerated Amigas. We carried out a number of tests, using standard utilities such as *AIBB*, and a couple of real-life operations, including a *Vista* frame and some processor-intensive DTP operations. For each configuration we then averaged the times taken for integer operations and those for "floating point" operations. In these tables, the performance of each card is given as **the number of times it is faster than a standard A500** – the higher the figure, the faster the result.

For floating point tests, some of the results seem low. These are for machines without an FPU or maths coprocessor present. In such cases, floating point calculations are carried out in software instead, which is a slower process.

• *AIBB* or *Amiga Intuition-Based Benchmark* is a

INTEGER

A500 Standard	1
A4000 '030	19.18
A4000 '040	41.60
A1200, Standard	8.31
A500 with GVP A530	28.27
A500 with PP 040-500	55.05
A2000 with GVP G-Force 030	28.36
A2000 with GVP G-Force 040	53.48
A2000 with PP Zeus 040	54.73
A3000 with GVP G-Force 040	20.52
A3000 with PP Mercury 040	58.49
A1200 with GVP A1230	28.71

public domain program that tests various aspects of an Amiga's system and performance, then compares this graphically with other standard Amigas. It is available from PD Soft (☎ 0702

FLOATING POINT

A500 Standard	1
A4000 '030	4.81
A4000 '040	214.61
A1200, Standard	1.67
A500 with GVP A530	7.12
A500 with PP 040-500	262.30
A2000 with GVP G-Force 030	37.67
A2000 with GVP G-Force 040	262.30
A2000 with PP Zeus 040	283.28
A3000 with GVP G-Force 040	236.07
A3000 with PP Mercury 040	337.24
A1200 with GVP A1230*	7.23

*Tested without FPU

466933) on disk V948 and was reviewed in *Amiga Shopper* 25 – if you missed that issue, you can order a copy on page 116.

WeServe

of Hampshire Established 8 years

Amiga Workstation /Expansion System

Monitor stand with shelf for drives etc. Strong metal construction made from 14SWG steel epoxy coated. No Cables or mouse are included.

Special price **£27.50****New Citizen****Swift 90**

Advanced 9pin printer, (Swift 9 replacement). *optional colour. Price with cable & paper

90 Mono **£155**
90C Colour **£179**

Swift 240

24pin Colour*

Advanced 24pin printer, (Swift 24E replacement). *optional colour. Price with cable & paper

240 Mono **£245**
240C Colour **£265**

Swift 200

24pin Colour*

Enhanced 24pin printer, (Swift 224 replacement). *optional colour. Price with cable & paper

200 Mono **£205**
200C Colour **£229**

Citizen 120D +

with cable
& paper **£115**

All Citizen printers have
a 2 year warranty

Citizen's Print Manager

These advanced printer drivers transform colour printouts to laser type quality
Version 1 (224 & 24E) **£5**
Version 2 (Swift series 2) **£10**
Drivers 1/2 price if bought with a printer

Printer Drivers

Canon BJ-10e/ex **£5**
Deskjet 500 Colour **£10**

Panasonic KXP1123

Probably the best 24pin
mono printer available. **£169**
With cable & paper

Panasonic/Epson

KXP4410 Laser 5ppm **493**
KXP1170 9pin **134**
KXP1124i 24pin **215**
KXP2180 9pin Colour **189**
KXP2123 24pin Colour... **229**
Epson LX400 9pin **119**
Epson LQ570 24pin **265**
Prices include VAT cable & paper

Naksha Scanner

New with touch up
software **£109**

Naksha Mouse

for Atari ST & Amiga
with house & mat **£21.50**

Golden Image Mouse

for Atari ST & Amiga **£13.90**

Deskjet 500

HP 300dpi Inkjet printer. Laser
quality at dot matrix price.
3 year warranty.
With cable & paper **£338**

Deskjet Colour

300dpi colour inkjet printer.
Colour laser quality at 1/10 of the cost.
3 year warranty.
With cable & paper **£429**

Deskjet 550C

300dpi colour inkjet printer.
Colour laser quality, with colour
and black cartridges resident.
3 year warranty.
With cable & paper **£629**

Floppy Drives**Cumana CAX354**

£52.90 1M external
While stocks last

New Roctec/Zappo

All Amigas A500-A1200
1M external drive **£52.90**

Printer Packs

All printers are supplied with a printer pack
consisting of printer paper and a connection
cable. **Free of charge**

A stand is £5.00 extra (with a printer)

Ink Refills

BJ10 twin refill various colours **15.90**
Deskjet twin refill various colours **15.90**
(We stock 200 types of ribbons)

Printer Dust Covers

most types in stock
from **£4.70**

Canon BJ-10ex

360dpi Inkjet printer
with cable & paper **£199**

Star SJ-48

360dpi Inkjet printer
with cable & paper **£199**

Star LC100

9pin colour with
cable & paper **£154**

Star

LC20 Mono 9pin **123**
LC200 Colour 9pin **179**
LC2420 Mono 24pin **185**
LC24100 Mono 24pin **175**
LC24200 Colour 24pin .. **259**
Prices include VAT cable & paper

Kickstart Upgrades

Commodore 2.04 full upgrade **79.00**
Kickstart ROM only v2.04 **41.50**
Kickstart ROM only v1.3 **29.00**
Phoenix rom sharer **24.95**
Keyb'd operated rom sharer **24.95**
VXL30 25MHz Accelerator ..**239.00**
Fatter Angus custom chip **37.50**

True Mouse

for Atari ST & Amiga **£14.90**

Happy Mouse

for Atari ST & Amiga **£14.90**

New Prices**GVP Series 2****A500 Hard Disks**

50Mb Hard Disk **£289**
80Mb Hard Disk **£369**
120Mb Hard Disk **£459**
40Mb A530 Combo **£459**
80Mb A530 Combo **£549**
120Mb A530 Combo **£645**

A1500 Hard Disks

40Mb Hard Disk **£275**
80Mb Hard Disk **£319**
120Mb Hard Disk **£395**
Controller (no disk) **£129**

GVP ram **£29 per 1Mb****GVP PC Emulator £99**

286 16MHz Emulator for HD8+/A530

Commodore A590

20M Hard Disk **£189**
for A500

Accelerators/Emulators

MBX 1200 4Mram 14MHz **£309**
MBX 1200 8Mram 14MHz **£439**
1500 CBM A2386 SX-25 **£249**
A3220 Display Enhancer **£99**

Ram Upgrades

A500 0.5-1Mram + clock **£24.90**
A500 0.5-1Mram no clock ... **£19.90**
A500 + 1Mram + clock **£49.90**
A500 CBM 1Mram + clock .. **£29.90**
2M Smart card A600/1200 **£124.00**
4M Smart card A600/1200 **£195.00**

Commodore 1084ST

14" Stereo Colour Monitor.
0.42mm Pitch. Medium Res. + stand

£179 **£175**
with cable without cable

Prices valid while stock lasts

Philips CM8833 MK2

UK. 240V **£215** with cable
+ game **£211** without cable

Some monitors include a free
ST/Amiga game

Accessories

3M Joystick/Mouse lead **3.75**
A500 Printer cable **7.95**
Modulator/Disk Extension **10.95**
23way Plug or socket **2.95**
Computer Dust Cover **4.70**
Type Through Covers **17.50**
Mouse Mat (thick soft type) .. **4.95**
Mouse House **2.95**
1M internal 3.5" drive **49.00**
A500 replacement PSU **39.00**
A590 replacement PSU **49.00**
Rocgen Plus - Genlock + .. **129.00**
Disc Wallet for 32 disks **7.95**

Tech. Support 647400

Phone for our 70 page catalogue. All prices include 17.5% VAT

EDUCATIONAL AND GOVERNMENT ORDERS WELCOME

All products have a 30 day money back & 12 month warranty.

Prices are subject to variation without prior notification.

Please phone for express clearance of cheques. Credit APR 29.8%

Established 8 years. 3 minutes from M27 Junction 11. Free parking.

Open 9 to 5.30 Monday to Friday & 9 to 5 Saturday. Carriage/order.

Postage 94p or £3.53 Securicor £6.46 Securicor AM £11.75

WeServe

Larger items delivered
by Securicor

**Amiga 600SD**

£234 **£229**
with free game no software

Amiga 500 +

Cartoon Classic Pack **£215**

Amiga 600SD

(D.Paint III, Grand Prix, Putty, Pushover)

Wild Weird & Wicked **£269**

Amiga 600HD

(20M Hd, Trivial P., Epic, Rome, Pusho')

Epic Pack **£319**

20M Hd NO Soft/W **£299**

Amiga A1200

Now with free game

5x faster. Workbench v3. 2M ram.
Custom graphic 256K col. from 16.7M

No Hd **£359**

80M Hd **£589**

120M Hd **£669**

Official Commodore approved
Hard Disk with Wang on-site.

Amiga A1500 +

with full software **£459**

Amiga A4000

4000/40 120Mb **£1975**

4000/30 80Mb **£929**

SONY**DISKETTES**

SONY branded
(lifetime warranty)

(100% certified error free)

10x 3.5" DS/DD 135tpi **7.50**
50x 3.5" DS/DD 135tpi **32.30**
100x3.5" DS/DD 135tpi **59.93**
250x3.5" DS/DD 135tpi **141.00**
1kx 3.5" DS/DD 135tpi **540.50**

DISKETTES

SONY / DYSAN bulk
(lifetime warranty)

(100% certified error free)

10x 3.5" DS/DD 135tpi **5.95**
50x 3.5" DS/DD 135tpi **21.86**
100x3.5" DS/DD 135tpi **39.60**
250x3.5" DS/DD 135tpi **94.88**
1kx 3.5" DS/DD 135tpi **379.53**
40 x 3.5" Disk box with lock..... **5.49**
100 x 3.5" Disk box with lock..... **7.50**
Carriage on 50+ disks **£3.53**

JUL 93

WeServe

Best for service


Telephone **0705 647000**

OUR EXPERTS TACKLE YOUR REAL-LIFE PROBLEMS

CONTENTS AT-A-GLANCE

A500.....	47
Accelerators.....	47
Agnus.....	45
Assembler.....	48
AT-Once Plus.....	45
Bars & Pipes.....	45
BASIC.....	47, 48
Bridgeboard.....	45
C.....	47, 48, 49
Canon Printers.....	46
Chip memory.....	45
CIA Chips.....	46
CMD.....	46
Conner Drives.....	46
CrossDOS.....	45
Deluxe Paint.....	46, 47, 48
DevPac.....	48
Final Copy.....	47
Gary.....	45, 46
Hard Drives.....	46, 47, 49
IBM disks.....	46
IDE Drives.....	47, 49
IFF files.....	47
JP2.....	45
KCS Power Board.....	45
MIDI.....	45, 46
MultiPlot.....	46
NorthC.....	47
Notator.....	45
NTSC.....	49
PageStream.....	46
Partitioning.....	47
PC Emulator.....	45
Printers.....	46
Printf.....	48
Pro-24.....	45
Requesters.....	48
ROM.....	45, 46
ROM Kernel Manuals.....	48
Sampling.....	45
Say.....	46
Screens.....	48
SCSI.....	49
ST.....	45
Turbo Pascal.....	45
USA.....	49
Windows.....	48

AMIGA ANSWERS



SO WHAT DO ALL THOSE ICONS MEAN?




Beginners:
this icon
will appear
next to any
questions which are
"basic" in content.




General:
this icon is
used for
any
general Amiga-related
queries.



Caution:
be sure
that you
fully
understand the answer
before trying it out.



Danger:
the answer
to this
question
could well invalidate
your warranty – or you!



Hardware:
this icon is
used to
denote
questions relating to
general hardware.



**Buying
advice:** we
use this
icon if the
question asks us for
buying advice.




Printers:
this icon
denotes a
query
about printers, printer
drivers and so on.



Technical:
any
queries
about
programming will have
this icon next to them.



Video: this
icon
relates to
any query
about using your Amiga
with video hardware.



Music: this
icon is for
questions
about
MIDI, sampling,
synthesizers and so on.



Programs:
any
program-
specific
queries have this icon
next to them.



Comms: if
your
question
relates to
comms, this is the icon
that we'll use.

Subscribe to Amiga Shopper now, or you'll regret it

On 1st August the price of a subscription to Amiga Shopper rises to £29.95. If you hurry and get this form to us before that date, you can save £12 on 12 issues of your favourite Amiga magazine delivered to your door

Offer applies to UK subscriptions only; overseas subscribers call ☎ +44 458 74011 for prices

FILL IN THE COUPON BELOW OR CALL OUR CREDIT CARD HOTLINE ON 0458 74011

YES, YES, YES! I WISH TO SUBSCRIBE TO AMIGA SHOPPER

Please tick the subscription you require

12 issues ☐ UK £17.95

24 issues ☐ UK £33.95

Total amount payable £

NAME TELEPHONE NO

ADDRESS

POSTCODE

METHOD OF PAYMENT *please tick*

☐ CHEQUE

☐ POSTAL ORDER

☐ VISA/ACCESS

CARD NO

EXPIRY DATE

Please make cheques payable to FUTURE PUBLISHING LTD and send together with this form in an envelope to the following address (no stamp required):

AMIGA SHOPPER SUBSCRIPTIONS, FUTURE PUBLISHING LTD, FREEPOST, SOMERTON TA11 7BR

AS/MAG/07

PHOENIX

COMPUTER WORLD

FREE FAST! UK DELIVERY • SAME DAY DESPATCH* • ALL PRICES INC. VAT

NEW!
in Leeds!

800 sq.ft.
SHOWROOM

NOW STOCKING
a full range of Amiga
leisure software
& books

TOP NAME BRANDS AT
LOW-LOW
PRICES

FREE
EASY CAR PARKING

EASY ACCESS
FROM
M1 M621 M62 A1

HOW TO
ORDER

For Customers not able to visit
our Showroom we offer one of
the fastest and most complete
mail order services available.

Next day delivery only £5.00
2 day delivery £3.50

To order by phone:

0532-350091

Quoting your Credit Card No.



By Post to:

PHOENIX COMPUTER WORLD,
UNIT 2, YORK TOWERS,
383 YORK ROAD,
LEEDS LS9 6TA.

Please make cheques payable to
Phoenix. Allow 5 working days
for cheque clearance.

* Same-Day Despatch on Credit Card Orders/ bankers
draft/ building society cheque/Postal orders.

Customer Care/General Enquiries

0532-350652
FAX: (0532) 350702

E&O.E.*

AMIGA 4000

This has got to be the greatest development to the Amiga since its conception in 1985. The 4000-030's are packed full of features and truly represent a milestone in design and value for money from C.B.M.

WHAT YOU GET! • 68030ec processor • 25Mhz clock speed • 2Mb of chip RAM • 2Mb of Fast Memory (expandable to 16 Mb on mother board, 2 gigabyte max • 9 interfaces • 4-16/32 bit Zorro III expansion slots • 80/120 hard disk and lots more!!

WHAT YOU PAY

A4000-030 with 80Mb HD.....£929.99

A4000-030 with 120Mb HD.....£1025.99

Both the above include FREE next working day delivery

NEED EXTRA FAST RAM?

NOW AVAILABLE!! 32-Bit Memory Modules

1 Mb**£36.99** 4 Mb**£129.99**

8 Mb**£299.99**

Call telesales if you require a larger hard drive fitting to your 030.

-FPU's 25 Mhz/50 Mhz.....**£POA**

AMIGA 1200

FEATURES INCLUDE: 68020 Processor Running at 14 Mhz • 2Mb Chip RAM (expandable) 256 colours on screen from a 16.8 million colour palette • Full Amiga Key board (with Alpha numeric key pad).

CW PRICE£369.99

A1200 HARD DRIVE UPGRADE PACKS
INCLUDES: 2.5" Seagate Connor IDE Hard disk, cable screws and software.

40 Mb Pack**£119.99**

60 Mb Pack**£169.99**

80 Mb Pack**£199.99**

120 Mb Pack**£294.99**

1 year warranty on all models!!

GVP A1230 Turbo +£289.99

INCLUDES: the 40Mhz 68030ec-accelerator chip, optional 40Mhz fpu (68882) - up to 32 Mb

GVP A1230 4Mb + Co Pro

INCLUDES: the 40Mhz 68030ec-accelerator chip, 40Mhz fpu (68882) - up to 32 Mb for the most hungry applications, simply awesome!! (Both on demo)

Memory 32-bit

1 Mb.....**£65.99** 4Mb.....**£179.99**

16Mb**£POA**

A1200-PCMCIA FAST RAM EXPANSION

Credit card memory now available

2Mb**£114.99** 4Mb.....**£169.99**

POWER-PC 1204 4Mb

Memory expansion for the A1200, features include: Zero wait state • Optional Ultra fast FPU (50Mhz) • Real time battery backed clock • Low power • Optional FPU disable switch

PC 4 Mb (no FPU).....**£185.99**

PC 4 Mb (20 Mhz 68881 FPU).....**£259.99**

PC 4 Mb (25 Mhz 68882 FPU).....**£279.99**

PC 4 Mb (33 Mhz 68882 FPU).....**£269.99**

PC 4 Mb (40 Mhz 68882 FPU).....**£299.99**

PC 4 Mb (50 Mhz 68882 FPU).....**£339.99**

includes real time clock

A 1200 ACCESSORIES

INSIDERS GUIDE BOOK.....**£14.95**

Control Centre (inc. FREE cables).....**£36.99**

Dust Covers.....**£5.99**

Multi-Sync Monitor adaptor cable.....**£12.99**

A1200 ACCELERATORS

The Microbotics M1230XA is available in a 40Mhz version & a 50 Mhz inc memory management unit. This peripheral can expand up to 128 Mb of FAST 32-bit memory. Existing MBX users can transfer their current memory and fpu and includes real-time clock

M1230XA 40 Mhz 0Mb**£269.99**

M1230XA 40 Mhz 2Mb**£349.99**

M1230XA 40 Mhz 4Mb**£428.99**

M1230XA 40 Mhz 8Mb**£569.99**

M1230XA mmu 50 Mhz 0Mb.....**£349.99**

M1230XA mmu 50 Mhz 2Mb.....**£428.99**

M1230XA mmu 50 Mhz 4Mb.....**£499.99**

M1230XA mmu 50 Mhz 8Mb.....**£642.99**

A 570 CD-ROM

Long awaited, superb performance, tempting but too expensive-NOT ANY MORE!!!! This excellent interface for A500/500+ owners is now at a price that YOU can afford. Use it to exploit stunning software packages or simply to listen to your favourite tunes

WHAT YOU GET!!!
• A570 CD ROM • Fred Fish Disks 1/660 • Sim City.

WHAT YOU PAY
£149.99

AMIGA'S

'CARTOON CLASSICS PACK'

It's Back and it's bad - the pack they tried to kill returns for its final mission - don't miss this golden opportunity to acquire one of the best ever home computers, features include: 1 Mb of RAM Workbench 2.04 • TV modulator • Lemmings • Captain Planet • The Simpsons • Deluxe Paint III

CW PRICE.....£224.99

A500+ Base Pack.....£194.99

'THE WILD, THE WEIRD & THE WICKED'

1 Mb A 600 as standard and includes the excellent value Software titles: Deluxe Paint III • Formula One Grand Prix • Putty • Pushover

CW.....**£299.99!**

A 600 2Mb (incl. above software).....£339.99

A600 Base Pack.....£234.99

A 600 2Mb (incl. above software).....£274.99

'EPIC • LANGUAGE PACK'

1 Mb A 600 as standard and includes 20MB HARD DRIVE the excellent value Software titles: Deluxe Paint III • Trivial Pursuit • Epic • Myth • Rome

CW Price.....£359.99!

A 600 2Mb+20 Mb Hard Drive£399.99

(both include the above detailed software)

EXTRA MEMORY-Only £39.99 per Mb.

MONITORS

All monitors are supplied with a FREE cable for connection to your Amiga.

PHILIPS 8833Mk II.....£219.99
Colour Stereo Monitor now including 'Lotus Turbo Challenge', and 1 years on-site warranty.

COMMODORE 1660£394.99

This excellent colour, multi-sync monitor works in all A1200/4000 modes inc low-res.

ADD £29.99 if you would like COMPUTER WORLD STEREO SPEAKERS bundling with your order.

MONITOR ACCESSORIES-

14" Dust covers.....**£4.99**

14" Tilt & Swivel stand.....**£13.99**

Anti-Glare filter screen.....**£19.99**

A4 Copy Holder.....**£12.99**

MEMORY EXPANSION

A 500+

A RAM module can expand your chip RAM up to 2 Mb by using the trapdoor expansion port. All our boards carry full 2 year no quibble replacement guarantee. It's never been cheaper to upgrade!

CW PRICE.....£39.99

1 Mb Fully populated RAM board.....**£34.99**

1 Mb unpopulated RAM board.....**£16.99**

A 500

1/2 Mb inc. clock.....**£29.99**

A 600

PA 601-populated-1Mb.....**£39.99**

PA 601-unpopulated-0Mb.....**£24.99**

PA 602 2 Mb PCMCIA card.....**£114.99**

PA 6040 4 Mb PCMCIA card.....**£169.99**

HARD DRIVES

GVP IMPACT SERIES II Hard Drives, the fastest Hard Drive/Controller for the Amiga. Features Gam Switch, external SCSI port, FAAASTROM SCSI Drive GVP's custom VLSI chip and internal RAM expansion up to 8 meg! Units use high specification fast-access QUANTUM Hard Drives coming with 2 yr. guarantee.

500/500+

A500-HD8+ 42 Mb**£289.99**

A500-HD8+ 80 Mb**£369.99**

A500-HD8+ 120 Mb**£459.99**

A500-HD8+ 213 Mb**£564.99**

A500-HD8 controller only**£179.99**

1500/2000

Series II Hard Disk Controller/RAM card.....**£122.99**

Series II 42 Mb Hard Disk and RAM card.....**£284.99**

Series II 80 Mb Hard Disk and RAM card.....**£329.99**

Series II 120 Mb Hard Disk and RAM card.....**£406.99**

Series II 213 Mb Hard Disk and RAM card.....**£544.99**

BOOST YOUR AMIGA'S PERFORMANCE WITH EXTRA MEMORY - ONLY £29.99

ACCELERATOR-HARD DRIVES

500/500+

GVP Combination Accelerators & Hard Drives-The ultimate expansion product for the Amiga 500!

A530 Comb1 40Mhz + 42Mb**£474.99**

A530 Comb1 40Mhz + 80Mb**£569.99**

A530 Comb1 40Mhz + 120Mb**£659.99**

A530 Comb1 40Mhz + 213Mb**£744.99**

A530 68082 Co-Processor.....**£219.99**

1500/2000

GVP G-Force 030-25Mhz + 1Mb.....**£474.99**

GVP G-Force 030-40Mhz + 4Mb.....**£757.99**

GVP G-Force 030-50Mhz + 4Mb.....**£1136.99**

GVP G-Force 040-33Mhz + 4Mb.....**£1419.99**

GVP Accelerator RAM

1Mb Simm-32 Bit 60 Nanoseconds.....**£65.99**

4Mb Simm-32 Bit 60 Nanoseconds.....**£179.99**

BOOKS

We stock the best selling range of Bruce Smith books

Mastering Amiga DOS Vol 1.....**£21.99**

Mastering Amiga DOS2 Vol 2.....**£19.99**

Mastering Amiga W.B. 2.....**£19.99**

Mastering Amiga C.....**£19.99**

Mastering Amiga Printers.....**£19.99**

Mastering Amiga Assembler.....**£24.99**

Mastering Amiga System.....**£29.99**

Mastering Amiga AMOS.....**£19.99**

Mastering Amiga AREXX.....**£21.99**

Mastering Amiga Beginners.....**£19.99**

A600 Insiders Guide.....**£14.99**

A1200 Insiders Guide.....**£14.99**

PRINTERS

COMPUTER WORLD PRINTER PACK
Supplied with **ALL** printers containing 1.8m std. printer cable, printer ribbons/cartridge and 250 sheets of paper absolutely **FREE**.

**COMPUTER WORLD ARE A
"CITIZEN SUPER DEALER"**
CITIZEN CITIZEN CITIZEN

Swift 90 Colour	NEW £169.99
Swift 90 Mono	NEW £154.99
Swift 240 Colour	NEW £269.99
Swift 240 Mono	NEW £259.99
Swift 200 Colour	NEW £219.99
Swift 200 Mono	NEW £192.99
Citizen Auto sheet feeder	NEW £79.99

Citizen printers come with 2 year warranty. + V.2.0 Amiga driver disk

BUBBLE JET

MAJOR DEALER • MAJOR DEALER

Canon Canon

CANON BJ 100x	NEW LOW PRICE
Upgraded version of BJ100, the worlds biggest selling portable Inkjet printer. Includes BJ10 Driver Disk!	£199.99
CANON BJ 105K	NEW £227.99
CANON BJ 200	NEW £349.99
Feature include: 300 dpi. • Min 80 page Auto sheet feeder • minimum 3 pages per minute SUPER VALUE!	
CANON BJ 300	NEW £374.99
80 column bubblejet provides laser quality output	
CANON BJ 330	NEW £499.99
136 column bubblejet.	
CANON Bubblejet cartridges	NEW £17.99
BJ 100x Autosheet feeder	NEW £49.99



LC-100 Colour	REDUCED £155.99
LC24-100	REDUCED £189.99
LC-20	REDUCED £132.99
LC-24-20 (II)	REDUCED £224.99
LC-200 Colour	REDUCED £199.99
LC24-200 Colour	REDUCED £264.99
KB24-200 Colour	REDUCED £379.99
SJ48 Bubblejet	REDUCED £219.99

Star printers come with one year warranty.


STAR LASER PRINTERS
STAR LASER JET MK III **NEW** £724.99

STAR LS-5 **NEW** £599.99
5 Pages per minute 1 years on site maintenance warranty and 14 resident fonts

STAR LS-5EX **NEW** £734.99
5 Pages per minute 1 years on site maintenance warranty enhanced control logic board 14 resident fonts (eight scalable).

STAR LS-5TT **NEW** £954.99
As above, but with 35 postscript fonts and 2Mb of memory (expandable to eight).

AUTO SHEET FEEDERS
STAR LC20 **NEW** £57.99
STAR LC200 **NEW** £59.99
STAR LC24-200 **NEW** £62.99
STAR LC24-20 **NEW** £62.99
STAR SJ48 **NEW** £49.99



H.P. Portable **NEW** £359.99
H.P. 510 Mono **NEW** £319.99
Successor to the top selling 500 Mono

H.P. 500 (Colour) **NEW** £446.99
H.P. Deskjet 550 (Colour) **NEW** £649.99
4 times faster than previous HP range • Top sellers • Superb printers HP printers come with 3 year warranty.

H.P. Deskjet 1200C Laser/inkjet **NEW** £1369.99
45 scaleable fonts, P.C.L. level 5, 6 pages per min. 300x600 dpi (if using the resolution enhancement technology 4 pages per min.) 2Mb of RAM expandable to 26 Mb, laserjet compatible.

H.P. Laserjet 4L **NEW** £624.99
4 pages per minute, laser easy to install & use, no on/off switch (turns off automatically when not in use) 1 tray 100 input 50 output. 26 scaleable typeface's, microfine toner, 300 dpi, 1Mb of RAM expandable to 2Mb.

HP black ink cartridge **NEW** £24.99
HP colour ink cartridge **NEW** £29.99

PRINTER ACCESSORIES

We have a large range of high quality printer accessories for all the printers we sell including: dust covers from £2.99 • Ink cartridges from £13.99 • Mono ribbons from £3.50 • Colour ribbons from £7.99 • Printer stands from £7.99

MICE & TRACKBALLS

GOLDEN IMAGE-Mega Mouse **NEW** £12.99
Received 90% Amiga Format Gold Award
Mega Mouse 2 **NEW** £16.99
Newly designed, 400 dpi Award, an absolute must!!

Optical Mouse **NEW** £29.99
High precision, pointing device.
Crystal Trackball **NEW** £37.99
Infrared-Cordless-Mouse **NEW** £47.99
(Rechargeable top selling innovation.)
Optical Pen Mouse **NEW** £39.99
High Quality 6mm mouse Mats **NEW** £3.99
Auto Mouse/Joystick Switch **NEW** £15.99
Don't damage your Amiga's ports! This device saves wear and tear makes switchover **FAST**, and does **NOT** require power unlike many others.

SCANNERS

Powerful image processing tools for the office or the home environment.

POWER-Features Include: 100-400 dpi • 64-Greyscales Thruport to printer • **FREE** Editing software.
Power Scanner v3.0 **NEW** £109.99
Includes **FREE** upgraded editing software.

Power Scanner Colour **NEW** £234.99
GOLDEN IMAGE-Hand Scanner
Features: 400 dpi • 256-Greyscale • Touch up and Merge it software • Migraph Jnr. OCR software.
CW PRICE **NEW LOW PRICE!** £149.99

AMIGA MUSIC

Technosound-turbo **NEW** £29.99
Pro-Midi 2 Interface **NEW** £24.99

This fully featured professional quality midi interface is very flexible giving semi-patch bay facilities. It has five ports in, out, thru and two switchable out/thru. (inc. **FREE** midi lead)

GVP Digital Sound Studio **NEW** £39.99
High quality sound sampler for all Amiga Computers
Amiga Music Made Easy Only from Phoenix!

ACCESSORIES

Control Centre **NEW** £34.99
Heavy duty construction, rubber edging, perfect colour match, makes an ideal workstation for the A500/A500+ A 600 control centre now available.

CW Stereo speakers **NEW** £37.99
Superb sound and excellent dynamics. These two-way stereo Hi-Fi speakers are an Amiga standard-Excellent companions on any gaming soiree!

Analogue Joystick adaptor **NEW** £9.99
Gravis Joystick **NEW** £22.99
Gravis game pad **NEW** £14.99
Zipslick Pro **NEW** £11.99
Foot Pedal **NEW** £24.99

DATA SWITCHES (25 pin D type) (all include cable)
2 way **NEW** £15.99
3 way **NEW** £17.99
4 way **NEW** £19.99

CHIPS

AMIGA CUSTOM CHIPS

Kickstart 2.04 ROM **NEW** £34.99
Kickstart 1.3 ROM **NEW** £27.99

AMIGA CUSTOM CHIPS

4 Mb x 9 3mm **NEW** £99.99
1 Mb x 9 3mm **NEW** £29.99
256K x 4 3mm **NEW** £12.99
256K x 4 0RAM **NEW** £3.99
1 Mb x 4 2p **NEW** £29.99
256K x 4 2p **NEW** £29.99
1 Mb x 1 0RAM **NEW** £3.99
*This price is for 1 Mb of RAM

These chips cover practically every popular memory expansion or Hard Drive system on the market for the Amiga ie. GVP, SUPRA, MICROBOTICS, COMMODORE

DISKS

Don't confuse these quality disks with others currently available. 3.5" 100% certified error free 70% clip. All disks include **FREE** high quality CW labels.

10.....	NEW £4.99	200.....	NEW £72.99
25.....	NEW £12.99	500.....	NEW £174.99
50.....	NEW £22.99	750.....	NEW £259.99
100.....	NEW £39.99	1000.....	NEW £339.99

Dysan Branded disks Now available in rainbow packs with clear plastic box + 10 labels at the same price as standard

10.....	NEW £5.99	100.....	NEW £52.99
50.....	NEW £28.99	500.....	NEW £249.99

1000 Computer World Disk Labels **NEW** £9.99

DISK DRIVES

All drives feature super slim design, enable-disable switch, thru port and come with a 1 year replacement guarantee!

Computer World Deluxe Drive **NEW** £54.99
Roclec Roclite **NEW** £69.99
This famous drive has now been upgraded to include Anticlick and Virus Checker
KCS Dual HD-Drive **NEW** £104.99
Disk head cleaner **NEW** £3.99

LEADS & CABLES

Midi-Midi 2m.....	NEW £3.99	Modulator ext.....	NEW £9.99
Midi-Midi 3m.....	NEW £4.99	Amiga-Scarl.....	NEW £9.99
Midi-Midi 5m.....	NEW £4.99	Amiga-8033MKII.....	NEW £9.99
Disk Drive ext.....	NEW £9.99	Joystick long ext.....	NEW £4.99

Mouse/Joystick ext.....	NEW £4.99
Mouse/Joystick splitter.....	NEW £4.99
*Serial/Modem cables.....	NEW £9.99
*Amiga-Multisync.....	NEW £9.99
*Amiga-Microvitec.....	NEW £9.99
*Amiga-CPC monitor.....	NEW £9.99
*Amiga-RGB/TV.....	NEW £9.99
*SCSI Cable various.....	NEW £9.99

Printer 1.8m **NEW** £5.99 **Printer 2.0m NO** **NEW** £7.99

MULTI-MEDIA

Computer world are a major stockist of rombo's multi-media products for the Amiga and P.C. Be assured that we offer extensive technical backup on all Rombo products and that the majority are on demo in our showroom.

Vidi Amiga 12 (AGA version).....	NEW £77.99
Vidi Amiga 12 (SW version).....	NEW £75.99
Rendale Genlock 8802.....	NEW £164.99
Roclec P.I.P View.....	NEW £113.99

Vidi Amiga 12 price includes insured postage for extra peace of mind!

GAMES-LEISURE

Chaos Engine (Renegade).....	NEW £23.99
Body Blows (Team 17).....	NEW £24.99
Supertrog (Team 17).....	NEW £24.99
Lemmings 2 (Psygnosis) 1Mb.....	NEW £27.99
Desert Strike (E. Arts).....	NEW £27.99
Sensible soccer.....	NEW £23.99
Chuck Rock 2 (Son of chuck).....	NEW £23.99
Street Fighter 2 (US Gold).....	NEW £25.99
B17 Flying Fortress (Microprose).....	NEW £29.99
Zool (Gremlin).....	NEW £23.99
Humans (Jurassic Levels).....	NEW £27.99
Abandoned Places (Ice).....	NEW £32.99
Premier Manager (Gremlin).....	NEW £23.99
Nick Faldo's Championship Golf.....	NEW £32.99
Historyline 1914-1918 (Blue Byte).....	NEW £32.99
Sleepwalker-comic Relief (Ocean).....	NEW £23.99
Indy Jones & Fate of Atlantis (US Gold).....	NEW £36.99
Legends of Valour (US Gold).....	NEW £37.99
Wing Commander (Mindscape).....	NEW £32.99
Sportsmasters (Empire) (A1200 compatible).....	NEW £27.99
Inc PGA Tour Golf • European Championship Soccer • Indy 500 • Advantage Tennis.....	NEW £P.O.A.
Syndicate.....	NEW £P.O.A.
The Lost Viking.....	NEW £P.O.A.
The Ancient Art of War in the Skies.....	NEW £P.O.A.
Goal by Virgin New by dino Dini.....	NEW £P.O.A.
Beavers Grandslam.....	NEW £25.99

SOFTWARE

NEW TITLES..STOP PRESS..NEW TITLES

Bars + Pipes Pro 2.....	NEW £254.99
Brilliance.....	NEW £149.99
Personal Paint.....	NEW £46.99
Superjam v1.1.....	NEW £89.99
Turbo Print Pro.....	NEW £32.99
Real 3-D Pro/Turbo.....	NEW £77.99
Essence.....	NEW £49.99
Art Dept Pro 2.5.....	NEW £136.99
Pixel 3-D Professional.....	NEW £139.99
Gigamem Innovatronics.....	NEW £99.99
Deluxe Music Construction Kit V 2.0.....	NEW £49.99
Vista Pro V 3.0.....	NEW LOW PRICE! £59.99
Distant Suns.....	NEW £36.99
X Copy Pro V5.0.1 (With Hardware).....	NEW £28.99
Quarter Back V 5.0.1.....	NEW £29.99
Quarter Back Tools V 1.5.....	NEW £32.99
Clarity 16.....	NEW £107.99
Video Master.....	NEW £52.99
Morph Plus.....	NEW £149.99
Image master.....	NEW £129.99
Big Alternative Scroller v2.0.....	NEW £59.99
Amiback v2.0.....	NEW £42.99
System 3E.....	NEW £49.99
Deluxe Paint 4.5 (AGA for 1200).....	NEW £64.99

WORD PROCESSING / DTP

Final Copy 2 AGA.....	NEW £69.99
Pro Page v4.....	NEW £124.99
The Publisher.....	NEW £34.99
Pagestream v2.2.....	NEW £134.99
now includes 47 new fonts!	
Pro Page v4.....	NEW £124.99
The Publisher.....	NEW £36.99
Page Setter v3.....	NEW £41.99
Pen Pal v1.5.....	NEW £39.99
Wordworth v2.0 Std.....	NEW £74.99
Wordworth v2.0 AGA.....	NEW £76.99
now includes 17 Compugraphic fonts!	
Typesmith (Softlogic).....	NEW £122.99
Art Expression.....	NEW £139.99

INTEGRATED PACKAGES

Gold Disc Office 2.....	NEW £46.99
Home Accounts 2.....	NEW £39.99
Mini Office.....	NEW £39.99

PROGRAMMING

Easy Amos.....	NEW £22.99
Amos Professional.....	NEW £39.99
Amos Creator.....	NEW £36.99
Amos Compiler.....	NEW £21.99
Amos 3D.....	NEW £25.99
Devpac 3.....	NEW £47.99
Lattice 'C' v6.....	NEW £214.99
HiSoft Pascal.....	NEW £64.99
HiSoft Basic.....	NEW £39.99
HiSoft Extended.....	NEW £16.99

UTILITIES

A-Talk 3.....	NEW £44.99
Cross Dos v5 (inc. Cross PC Emulator).....	NEW £29.99
Diskmaster 2.....	NEW £43.99
Dos 2 Dos.....	NEW £29.99
Opus Directory v4.0.....	NEW £40.99

DATABASE

Superbase Pro 4.....	NEW £164.99
Superbase Pers 2.....	NEW £39.99

PRESENTATION & SLIDE SHOW

Art Department Pro Conv. Kit.....	NEW £57.99
Can Do It V.I.G.....	NEW £94.99
Hyper Book.....	NEW £44.99

CAD & DRAWING

Intro CAD Plus.....	NEW £74.99
X CAD 2000.....	NEW £99.99
X CAD 3000.....	NEW £269.99

VIDEO PRODUCTION/TITLING

SCALA 500.....	NEW £79.99
SCALA Professional.....	NEW £219.99
Big Alternative Scroller.....	NEW £35.99
Broadcast Titrer 2.....	NEW £179.99
Font Pack 1 for Broadcast Titrer 2.....	NEW £88.99
Font Enhancer for Broadcast Titrer 2.....	NEW £88.99
TV Show Pro.....	NEW £51.99

HOW TO FIND US!

Well Worth a Visit!

Phoenix Computer World

OPEN 7 Days
Mon.-Sat. 9.30am-6.00pm Sun. 11.00am-3.00pm
Thurs 'late till eight'

A600 & A1200 Hard Drive

SPECIAL OFFER

80 meg 2.5" internal IDE

IDE Hard Drive is fully formatted, complete with cable.

ONLY **£179.99** INC. VAT & DELIVERY

WE OFFER PART EXCHANGE ON:-

IDE DRIVES AMIGA 500's &

500+ MACHINES.

PLEASE CALL FOR DETAILS.

24 HOUR ORDERLINE 0597 851784

MCS

Manor Court Supplies Ltd

Dept AS0693 Glen Celyn House, Penybont,
Llandrindod Wells, Powys LD1 5SY

Telephone: 0597 851792

Fax No: 0597 851416



EDUCATION AND GOVERNMENT ORDERS WELCOME

THE REMOTE

AS THE FIRST OFFICIALLY ENDORSED DISTRIBUTOR OF BLUE ALPHA ELECTRONICS, WE ARE PROUD TO PRESENT THEIR PREMIER PRODUCT FOR THE COMMODORE MARKET - **THE REMOTE**.

THIS IS THE FIRST PRODUCT OF ITS TYPE - NOW YOU CAN MAKE YOUR OWN JOYSTICK REMOTE CONTROLLED!

THE TRANSMITTER PLUGS INTO ANY JOYSTICK YOU CURRENTLY USE WITH YOUR AMIGA, AND THE RECEIVER PLUGS INTO THE JOYSTICK PORT.

WHERE ELSE HAVE YOU SEEN A PIECE OF HARDWARE THAT WORKS WITH ANY COMMODORE, IT IS COMPATIBLE WITH ANY JOYSTICK AND ALLOWS THE TWO TO BE OVER TWENTY FEET APART?

NOWHERE, BUT YOU CAN GET IT FROM US FOR ONLY **£34.99** (+£2 P&P) (BATTERIES NOT INCLUDED)

PLEASE SPECIFY WHICH MACHINE YOU HAVE.



FRED PUBLISHING
PO BOX 17
DUNDEE
DD5 4YL

Educational Software



The Connoisseur's Choice

If you are looking for software to help with the National Curriculum, then look no further. Our new free catalogue is packed with programs suitable for all ages from six to adult on a wide range of educational and leisure subjects.

Subjects now available include ...

Maths
French
German
Spanish
Italian

Science
Geography
History
English Words
Spelling

Arithmetic
Football
Sport
First Aid
General Knowledge



Kosmos Software Ltd, FREEPOST (no stamp needed)
DUNSTABLE, Beds. LU5 6BR
Telephone 0525 873942 or 875406

UK producers of
educational software
since 1983

Convert your Amstrad COLOUR MONITOR

£9.95

464/6128/664....£9.95

with Stereo Speakers...£39.95

464 Plus (includes sound)...£19.95

Hagars Electronics

3 Victory St, Sheerness,

Kent ME12 1NZ

Tel (0795) 663336



INKJET REFILLS

For HP Deskjet, Canon, Star printers.
Refill your cartridges at less than half price.

From only £12.95 for 2 refills

Full colour printing kit £24.00

Over 24 exciting colours to choose from

Write or phone for free information pack to:

PHOENIX SERVICES 104 Skipton Road, Ilkley, West Yorks LS29 9HE
TEL: (0943) 607256
All prices fully inclusive UK mainland

Amiga-64-Link

● Links C64 peripherals to Amiga parallel port ● C64 Not required

Connects C64 printers to the Amiga

● Supports MPS, DPS, VIC, Star, Brother, Seikosha & Citizen printers
● Graphics output on dot-matrix printers ● Works with all software

Transfers C64 disk files to the Amiga

● File transfer programs ● Read/Write text, binary & program files

Standard "Ami-64-Link" £35.25

Prices include VAT and delivery

Budget "Ami-64-Link" £23.50

Budget stops multi-tasking during printing



York Electronic Research (0904) 610722
The Paddocks, Jockey Lane, Huntington, York YO3 9NE



NO PROBLEM!

Every month our aim in the Amiga Answers pages is to provide straightforward solutions to those tricky problems that have had you baffled. And, while this section is based firmly on solving individual readers' questions, we also seek to set each answer in a wider context – thus giving helpful advice to everyone with an interest in a particular topic. This means that even if you

haven't sent in a particular query you need answered, reading Amiga Answers can be a very illuminating experience.

It's our use of a wide variety of experts to tackle your queries that makes the Answers pages as vibrant and informative as they are – and we've got lots of ideas that we'll continue to introduce over the next few months to make sure

that Amiga Answers stays the most exciting and readable problem-solving section of any Amiga magazine. You ain't seen nothing yet!

Gus Hamilton

EXTRA LARGE PORTION



What chips and/or modifications are necessary to upgrade my Amiga 500

(revision 5) to 1Mb Chip memory? Are any other chips (other than the ROM) necessary to make the machine run Workbench 2.0?

Andy Newell
Reading
Berks

Assuming that you have a normal 512K trapdoor expansion you need to do the following:

Purchase an 8372A Agnus Chip, and if necessary a PLCC chip extractor. Locate pin 41 on the Agnus chip (the Agnus diagram in the back of the Amiga 500 manual will help here) and insulate the pin to prevent contact with the socket. This is to force the Agnus chip into PAL mode. Pull out the old Agnus chip carefully, preferably with a PLCC extractor, because it is very easy to break the Agnus socket, which is difficult and expensive to replace. Plug the new Agnus chip in its place and power on.

If all is well you should have a working Amiga, but still only 0.5Mb of Chip RAM.

Find JP2 on the motherboard, which consists of three jumper pads. Cut the two that are connected and solder a link between the other two.

Find Pin 32 on the Gary chip and follow it down the board until it reaches the Edge Connector. Cut it as near to the Edge Connector as you can. Turn on your Amiga and you should have 1Mb of Chip RAM. For more on upgrading, see this issue's main feature, starting page 20. **JR**

NOT ALL AT ONCE



I have an A500 Plus with a 1Mb RAM expansion fitted to the machine's

trapdoor connector to give a total of 2Mb of RAM. I wish to buy a PC emulator/bridgeboard (thanks for the roundup in AS 19!). However, I do not want the AT-Once Plus, so

therefore my budget limits me to the KCS Power PC board. Seeing that this plugs into the trapdoor slot, is it possible to run both the emulator and my RAM expansion simultaneously?

I wish to run *Turbo Pascal*. Will *PC-Task* do this job anyway? Also, is there a program available that will allow me to format PC disks on my Amiga? I hope you can help me. Darren Kemp
Leeds
West Yorkshire

You make it sound as if the KCS card is a poor alternative to the AT-Once card. In my opinion (and I know many of my colleagues will agree with me), the KCS card is a far superior product. Although it uses a slower processor, the difference in speed between the KCS card and the AT-Once is hardly noticeable. In some circumstances (screen handling, for example), the KCS card is actually faster! I've got a KCS card installed inside my 2000 and I swear by it!

Unfortunately, it's not possible to use both your RAM expansion and the KCS card simultaneously. It's not all doom and gloom, though – don't forget that the KCS card comes complete with its own built-in 1Mb RAM expansion, so you won't be losing out. Your best bet is to sell your RAM expansion and put the money towards the KCS card.

As for *Turbo Pascal*, I see no reason why *PC-Task* couldn't handle the job, but compilations would be unbearably slow. Not only that, but *PC-Task* doesn't support hard disks, so running *Turbo Pascal* on a floppy-based system would be bit of a joke.

As for the Amiga MS-DOS disk formatter, why not treat yourself to issue 40 of our sister magazine, *Amiga Format*? They gave away a program called *CrossDOS* that will do just the job that you described! Phone Future Publishing's back issues warehouse ☎ 0458 74011 to check availability. Alternatively, you could look around for a public domain program called *MessyDOS* – it may be all you need. **JH**

TRY A SAMPLE?



I own an A500 Plus with 2Mb of Chip RAM and am thinking of adding an A590

hard disk as well. I really want to get into MIDI and sampling and want to be able to create and use 16-bit samples with MIDI sequencing software. Over the last few months I have been hunting through a number of computer and electronics magazines reading reviews, buyers' guides and so on, looking for packages that are as good as some of the Atari ST offerings. I've narrowed it down to three: Steinberg *Pro-24*, Blue Ribbon SoundWorks' *Bars&Pipes Professional*, and Dr T's *KCS (level 2)*. Which is best and how do they really compare to Atari offerings such as *Cubase* and *Creator/Notator*?

I'm also very interested in the new 16-bit stereo sampler from Microdeal. Can you tell me about the software's features? Reza Kish
Richmond
Surrey

For years I've been telling people that Amiga MIDI software is getting better. This is perfectly true, but the trouble is that Atari ST software has also improved as well and at the moment the differential between the ST and Amiga music packages remains almost as wide as ever. So the bad news I'm afraid is that if you didn't already have an Amiga but were after *Cubase* and *Creator/Notator* quality software, then I'd have said that at the moment your best bet would be to get an Atari ST or Falcon.

Having said that, I must say that at least two of the Amiga sequencers you mention are pretty impressive: I've used Dr T's *KCS* for a long time and have found it versatile, well supported, and very reliable – so much so that I even use it on live gigs. *Bars&Pipes* is another package that I use regularly, but despite the fact that it is innovative and more

powerful than *KCS* in many respects, I personally tend to regard *KCS* as a better "work-horse" sequencer. But be warned: I know an awful lot of Amiga musicians who take exactly the opposite view to this!

Steinberg *Pro 24* doesn't seem to have gained much support from the Amiga community, and although I did use a review copy for about a month when it was first released, I've had nothing to do with it since then. Of late I have not come across anyone who uses this particular package, although one good reason for going down this trail would be to shorten the learning curve if, say, you were moving to an Amiga set-up after using *Pro 24* on an ST.

16-bit samples are a new area as far as the Amiga is concerned and there aren't any Amiga sequencers that can use them. Microdeal's *Clarity 16* (£149.95 from Microdeal ☎ 0726 68020) is a bit of an unknown quantity at the moment – in theory it is going to provide low-cost, MIDI-based, 16-bit sample triggering, but on my machines the software crashes regularly and it remains to be seen how useful the package will be to serious musicians – particularly since there is no provision for direct-to-disk recording and playback. Alternative options, however, such as the 16-bit Sunrize boards, are of course pretty expensive – for details, contact distributor HB Marketing ☎ 0753 686000.

Incidentally, there's another snag. If you want to do real MIDI sequencing using something like *Clarity 16* as a 16-bit sound output source, then you are going to have to drive the *Clarity* cartridge with sequencer-generated MIDI data. You will not be able to do this with just one Amiga, because it'll be impossible to run *Clarity 16* and a sequencer program at the same time. It'll mean another Amiga set-up (and possibly new hassles), and I suspect that you might be better off

Note: the symbol in listings means do not type a return – the line is simply too long for our narrow columns

using the Amiga for your conventional sequencing needs and adding an established 16-bit sampling MIDI keyboard or sampling module to your existing set-up. **PAO**

SPEAK TO ME!



1. When I enter tool types (-M -N -P#) in the Say icon's information window

and save the changes they are not recognised when I run the program, although if I enter them into the input window after the program is running, they work. Why is this?
2. Is it acceptable to re-format IBM PS/2 disks on my Amiga?
3. Do I have to throw a disk away if it has a hard error?

Dave Wilkinson
Sutton Coldfield
West Mids

1. Probably because the **Say** program does not read the **ToolTypes** array; the vast majority of Workbench-based software does not!
2. Yes. You can use any double-sided, double-density 3.5-inch disks on the Amiga. Quad-density disks are usually acceptable, but are not recommended – just in case you ever get a 1.6Mb drive.
3. No – but you must re-format it. Only if the format process fails should the disk be dispatched to the bin. It's usually a good idea to use **DiskDoctor** before you re-format to try and rescue any files that might still be on the disk. **MS**

MULTIPLLOT MUDDLES



I refer to **Multiplot**, reviewed in issue 14 of your magazine. It seems to be just

what I want, but I cannot get it to run on my data! The article said: "Requirements: Workbench 1.3 or higher, including Maths libraries, assignments of ENV:, T:, & CLIPS:.. The c: directory must contain the files c:run, c:failat, c:mount and c:type." Seeing that I have Workbench 2 I assume the maths libraries are in ROM.

The startup-sequence has the assignments okay, but the c: directory does not show c:run and c:failat although mount and type are present. So, how do I get these files into my c: directory?

I do not have any requirements to output to printer, so can I forget the PLT requirements? Again I quote: "The directory which contains **Multiplot** must contain a sub-directory called 'MPlot support', which must contain the files 'intro.scn', 'txt 2 icad', 'plot2draw' and 'HPGL2PS'. The file 'MPlot.def' should either be in the 'MPlot support' directory, or in the S: directory." Are these files just for

printing, or are they essential for the running of **Multiplot**?

Since I have Workbench 2, no notepad is provided. I do not wish to buy a word processor because I still use my BBC B and second processor with extra memory, and **Wordwise** and **View**, which cope with my modest requirements.

How do I insert my X and Y data columns into the clipboard? It would be much appreciated if you could sort this out for me. I use my Amiga purely for mathematics, using **APL2**, which in a few keystrokes can perform the most complex mathematics to an accuracy of 15 digits. To plot a graph we have all of the above rigmarole. Surely there must be an easier way!

The curves provided in **Multiplot** respond to commands such as "zoom", "cross-hairs" and "polynomial calculations" and so on, but I cannot run my own data. So presumably the program has loaded correctly, and the failure is my lack of knowledge of the Amiga. **C E Williams**
Cockermouth
Cumbria

First, my thanks to 17-Bit Software who graciously supplied a copy of **Multiplot**. Now, to the problem: the reason why **Multiplot** will not run properly with your data is most likely to be the format of the data that you are entering. The best way to find out how the data files are constructed is to actually look at one of the examples with a text editor such as **ed**. For your data files, try and copy the format from these given examples. Here's what one of the files might look like:

```
*TITLE* Plot Title
*XLABEL* The X Label
*YLABEL* The Y Label
```

```
*LEGEND*
0. 0.
0. 100
10 100
10 0.
0. 0.
```

```
*LEGEND*
2 20
2 80
8 80
8 20
2 20
```

```
*LEGEND*
11 -10
-1 -10
-1 110
```

Once you have set up your data in this format, everything should work fine. You can edit your own data file

using **ed** from the Shell.

It is worth taking note that not all the maths libraries in Workbench 2 are held in ROM, but those that are not can be easily tracked down on the Workbench disks.

The files that are contained in the "Mplot support" directory are not just to do with printing, although I assume that the program will load without them. And as for any extra functions – to be on the safe side, do as the instructions say and keep them where they are. **WR**

THE RACE IS ON



I have an A500 with a Canon BJ-10ex bubble jet printer which I use to print

out illustrations and documents from **DPaint** and **PageStream** respectively. Although the print speed from **DPaint** is quite acceptable, printing from **PageStream** takes an absolute age. Is there anyway to speed it up?
John Mathews
Bristol
Avon

Printing from a desktop publishing program such as **PageStream** will take longer simply because the program doesn't just perform a graphic dump, as **DPaint** does. Instead, a DTP program has to create a very high resolution version of the page in memory (up to 360 dots per inch when printing to a BJ-10ex!) to ensure maximum print quality. This obviously takes time – which is the reason why **PageStream** prints so much slower.

It is possible to speed up printouts from **PageStream** a bit by using the **CMD** utility on your Workbench disk. **CMD** is a very handy little program that traps the output to your printer and writes it to a disk file instead. This can then be sent to the printer "en masse" once **PageStream** has done its stuff. However, the files that **CMD** produces do tend to be rather large – around 500K is a reasonable average.

To use **CMD**, simply swap back to Workbench as soon as you'd like to print your page. Then enter the CLI and type the following command (don't forget to replace <filename> with the filename that you'd like the print file to be stored under!):

```
SYS:System/CMD Parallel <Filename>
```


You can then go back into **PageStream** and print your document. You'll notice that instead of sending the printer information direct to the printer, the Amiga saves it off to disk. When **PageStream** has finished printing and the drive light is

no longer lit, go back to the Shell and type the following command:

```
Copy <filename> PAR:
```

Speed isn't the only advantage of this approach. If you have a document that you feel that you'll need to print out again in the future (a company logo, for example), you can store it permanently on disk and then print it out again simply by "copying" the print file to the parallel port. Once the print file is there, you'll find that the document will "print" even faster than **DPaint**! **JH**

ANY DRIVE WON'T DO




I have been given a Conner CP341i type 43 hard drive. My question is whether it

is compatible with the A500 and can it be connected and run via the SCSI port of the A590?
CJ White
Orpington
Kent

Unfortunately your drive is an AT-IDE drive and won't work with the Commodore A590 at all. You are probably best off trying to sell the hard disk to a PC owner who will be able to use it on a PC without any problems. **JR**

DRIVING ME CRAZY!



Until recently, my machine ran fine, but now when I run **Kindwords 2 & 3**, and

some other software – **Vista** for example – the whole machine freezes. If I eject the disk, and put it back in again, it's okay. The CIA chips seem to be fine, so what's wrong? I also have a "Big Lump" PSU, and when I plug in the printer, the external drives do not work, even when I switch the power supply on. So what's wrong?

Also, can you make a processor "swapper", like a ROM sharer, between a 68000 and a 68010?
Simon Hughes
Eastbourne

The symptoms you describe could be down to several things, Simon. The first and most obvious thing I would worry about is viruses. Do you check your disks regularly to see if they are virus free? If not, do so soon – you can use **Virus Checker**, the latest version of which is yours on this issue's cover disk.

You say the 8520s are okay. Are you sure? How do you know? I would also suspect the Gary chip, which has a major role handling the devices you mention. Try borrowing another power supply from a mate, and see if it works without the external drives connected. Now, if (a) the same

problems occur; (b) you know the disks are virus-free; and (c) the 8520s are okay, then try replacing the Gary chip – borrow one off your mate first, if possible.

It's perfectly feasible to have a daughterboard holding a 68010 – in fact, that's just what accelerator cards are. Unfortunately, it's not quite as simple as with a Kickstart ROM, because the different specifications of the 68010 would require several other components on the board. The limited increase in processing power from a 68000 to a 68010 would not really support a market, hence the usual option of '020, '030, and '040 cards. **WR**

PLAY FASTER



A My main use for my Amiga is to run a MIDI sequencer, but I like to play the occasional flight/driving simulator. Some games (notably *Grand Prix* from Microprose) give you the option to change the detail of the games graphics. However, when the game is run using the highest possible detail setting, the game slows down to a veritable jerk. How can I speed up my games? Do I need faster graphics chips?

J D Glasscoe
Rugby
Warks

What you need is a processor accelerator board. Depending upon the type of processor used and the clock speed of the whole affair, a processor accelerator can speed up not only games, but virtually every aspect of your Amiga's operation. If you don't believe me, try running MicroProse *Grand Prix* on an A4000 – thanks to the A4000's 68040 processor and faster RAM chips, some applications can run up to 38 times faster! Processor accelerators don't come cheap though – expect to pay around £200 for even a fairly basic 68020-based card with no 32-bit RAM. See the accelerators feature starting on page 28. **JH**

IFF TEXT INTO DPAINT?



A Is it possible to import text from a word processor into *DPaint IV*? I have

Final Copy 2 and I keep getting a "Not an IFF file" error message displayed. Is it that the format of word processed text can only be changed in DTP packages?

Alex
Cleveland

Importing text into *DPaint* is not possible under normal circumstances. This is because *DPaint* only accepts IFF files, and word processors use a variety of

formats, many of them dedicated to the specific package itself. There is a way to get around this though, and it really is simple. You need to use a screen grabbing package such as *Screen-X* or *Grabbit*. This enables you to grab any multi-tasking screen and save it as an IFF file. This can then be imported directly into *DPaint*. You will obviously not be able to use *DPaint* in the same way as *Final Copy 2* – you can't edit the text once it's saved as a graphic, for one thing – but it's amazing what a little bit of cutting and pasting can do. **WR**

ALL AT C



A 1. I have *NorthC*, and have created the *NCBoot* disk. I have also purchased the

Commodore include files, but do not know what do do with them – please will you tell me?

2. What is the difference between *Aztec C* and *Lattice C*?

3. When using the *NCBoot* disk, when I compile a program I get the output inside the *NCBoot* window, but when I programmed using *BASIC*, I was used to a separate output window. How can I do this using *C*?

Simon Hull
Monkseaton
Whitley Bay

1. The *include* files are needed when you do Amiga-specific functions, such as opening windows and screens, for example. As you learn to program in *C*, you will find out what they are for. I'm gradually introducing them in the *C* programming column here in *Amiga Shopper*.

2. Well, *Lattice C* is no more. It's now called *SAS C*, and is currently the best *C* development package for the Amiga by far. The latest version is number 6.1. For further information on *SAS C*, you can contact HiSoft. *Aztec C* is another powerful commercial *C* compiler available for the Amiga.

3. Well, the easiest way of doing this would be to redirect the output of your program to your own window. If your program is called "test.x", for example, you could try this:

```
test.x >con:0/0/640/200/
Test_Shell
```

If you've typed it in correctly, the output will appear in its own window. **TS**

INSTALL-IT-YOURSELF



A I intend to buy an IDE 2.5-inch hard disk drive for my Amiga 600 but I have a few

queries. I wonder if you can help. 1. Does the disk drive need any additional mounting hardware to fix it into the Amiga 600?

2. Do I need to buy or make cables to connect the power, the LED or data signals from the main PCB to the drive?

3. Will standard AmigaDOS allow me to partition the drive, make a bootblock, and so on?

4. If so, can you detail the procedure?

Geoff Willett
Hawley
Kent

1. The Amiga 600 does not need any additional mounting frames to add a 2.5-inch IDE drive, except four small screws that must be the right size to fit your hard drive. Make sure your drive supplier gives you these with the drive.

2. You do need a data cable. The correct type is a 44-way high-density IDC connector – these are specially made for 2.5-inch IDE drives, and standard 40-way IDC cables will not work. Data, power and LED information all share the one cable, unlike larger hard drives.

3. You will need some extra software to partition and format your drive. This can be found on the Amiga 600HD install disk. You can either borrow it from a friendly A600HD owner, or buy your hard drive from an Amiga dealer who will pre-format the drive for you, so all you need to do is plug it in.

4. With the Amiga 600HD install disk, boot the disk (making sure it is write-enabled, so use a copy – your friend will not be impressed if you ruin his or her disk!), and then click on *HDDToolbox* (in the tools drawer). You will then get a screen showing the drives connected to the system. One will be shown, and identified as **UNKNOWN**. Click on this and then click on the **Change drive type** button. Click on **Define new** at the bottom, and then on the **Read configuration** button. This should fill in the boxes with information about your hard drive. Don't worry, you don't need to understand it!

Click on **OK**, and make sure the drive type you have just created is selected in the list – if not, click on it to highlight it. Select **OK** and you will be returned to the main menu.

The drive type should now be shown alongside the address (0) for your drive, with status "Changed". Click on **Partition drive** (you never need to do a low-level format). For large drives this defaults to two partitions. You can now change the number of partitions on your hard disk by deleting, re-sizing and adding partitions to the bar showing your hard disk. Make sure all the **Partition Device** names are different (**DH0:**, **DH1:** and so on are good choices) and make sure you select "bootable" for only one of them (usually the first one). Click on **OK**.

Choose **Save Changes** from the menu, and you have finished the tricky bit.

Boot Workbench and you should see some unusual icons on your Workbench screen – **DH0:JFQF**, or similar weirdness. These are unformatted drives. Select them one by one, and choose **Format disk** from the **Tools** menu on Workbench. If you have Workbench 2.1 or 3.0 choose the **Format quick** option. If you have Workbench 2.04, it is faster to use the Shell to format your drives by typing in the following:

```
SYS:SYSTEM/FORMAT DRIVE DH0:
NAME MyNewHardDrive QUICK
```

Do the same for your other partitions, substituting **DH1:** or whatever for **DH0:**, and choosing different silly names to replace **MyNewHardDrive**.

Now reboot, again, using the 600HD install disk. Run the **InstallHD** icon, and follow the on-screen instructions, inserting disks when asked, and your hard disk will then be ready. Reboot, this time without any floppy disks in the drive, and your hard disk is installed! At least you only have to do this once. **JR**

DEAD AND BURIED?



A Now that the A1200 has been released and many magazines

are claiming that the A500 will soon be dead and buried, how long do you think that support for lesser Amigas such as the A500 and A600 will continue? Having only recently bought my machine, I'm not overly keen on the idea of having to sell up and buy a new machine!

Secondly, is it possible to upgrade the A500 further than just 1Mb through the trapdoor connector?

PH Clement
RAF Guttertsoh

I think the predictions of the A500's (and indeed the A600's) quick demise were rather premature, and the kind of journalists who are responsible for this sort of ridiculous scare-mongering should be taken out and shot. The fact is, the A500 still accounts for the vast majority of the Amiga user base in this country. (I'm not sure of the exact figures, but I expect the A500 still accounts for around 90% of the market share.) With such a huge number of people still using A500s, it would be financial suicide for any company to suddenly stop producing products for the A500 and support only new machines such as the A1200.

That's not to say that development will continue at its current pace, though. Although many

products will be released for both the A500 and the new Amigas, you'll eventually start to see products being released that take advantage of the A1200's extra facilities. It won't just be A500 owners who suffer though – anyone who owns an Amiga that doesn't come equipped with the AGA chipset will eventually start to feel rather left out. However, these will undoubtedly be specialist products – other mass-market products such as hard drives and processor accelerators will continue to be developed for the A500 for a long time to come. Rest assured, the A500 is still alive and kicking!

Several jumbo RAM expansions are available for the A500 that offer up to 2Mb of extra RAM through the trapdoor connector. These usually require you to fit a jump lead between the board and the Amiga's GARY chip, so stay well clear of them unless you feel confident enough to open up your machine and fit the jumper. But apart from this minor

problem, they're great little expansions. Check out the ads in this issue of *Amiga Shopper* for the best current prices. **JH**

INPUT AND OUTPUT



I have programmed before on the Commodore 64 using BASIC and machine

code, and I wasn't too bad at that, but the Amiga is very different!

I can open a window and screen using **OpenWindow** and **OpenScreen**, with their definitions set up. What I want to know is how to do this so that I can first design my own screen, say, in **DPaint IV** so I can have better graphics. Do I need to change the format that **DPaint IV** saves in from **IFF to RAW**? Can I do the same thing with gadgets?

Also, can you tell me how I ask for input from a window – just simple things, like a filename for example? Could I use the

console.device, and if so, how do I open one?

Could you point me in the right direction and tell me how you open windows and get to choose a file or directory with a simple mouse click? Most programs have a bar that moves up and down when you press a gadget on the screen which highlights the file or directory.

I am using **DevPac 2** and I'm programming in assembly language. If you can't give me the full answers, could you recommend a book that would show me how these tasks are done?

David McGlynn

Winsford
Cheshire

There is not much more you could have asked! You certainly do need a good book or two. First, I would strongly recommend that you follow the C programming series here in *Amiga Shopper*, not to actually learn the language (although for the sort of

thing you seem to be wanting to do, C is much better suited), but so that you can understand the official Commodore Libraries book that little better. This, together with the **Includes And Autodocs** volume, are by far the most useful two books that you can have.

It's not necessary to write your own file requester these days, because they've been written before. There is little point in re-inventing the wheel, to be honest. If you are using **Workbench 2** or **3**, you can use functions in the **asl.library** to ask the user for files. If not, there are many public domain file requester libraries, two of which are certainly worth mentioning: **reqtools.library** (up to version 2.1 now) and **req.library**. Both are available with full documentation.

Briefly, on the subject of the **console.device**, this is certainly the most complicated way of going around this sort of problem – but it's also the most flexible. There is a

CODE CLINIC

CODE CLINIC

CODE CLINIC



**TOBY SIMPSON
DEBUGS
ANOTHER
READER'S PROGRAM**

Author: Anthony Chancer
Program: Simple test routine to show requesters.
Language: 68000
Fault summary: Crashes when called if an argument is specified to appear inside the requester.

This month we look at a problem which I had myself only a few months ago. Owners of the **RKM Libraries** book will know that it is heavily orientated towards C programmers, and if you're a 68000 assembly language sort of person, it can take a fair while to figure out what is going on – and a working knowledge of C is almost essential.

JARGON BUSTING

printf – A general-purpose string output routine in C.

RKMs – Rom Kernal Manuals – The bibles for Amiga programmers. Weighing in at a hefty 10 tonnes (surely not! – ed), these books are invaluable. And also quite expensive. The most useful two are **Includes and Autodocs** (third edition) and **Library reference manual** (third edition). Ask at your local specialist computer bookshop.

Some of the functions are quite complex, and very little information is supplied about how to call them from assembly language. For any information whatsoever, you'll need details of each function itself – the **Includes And Autodocs** book. This, at least, tells you what registers to use when calling things.

Even with this lot at your fingertips, it's still possible to become confused. Take **"EasyRequest"** for example. **EasyRequest** is a **Workbench 2** routine that was added to the **Intuition.library** as a simple replacement for the **AutoRequest** function. It's designed to be a super-easy method of bringing requesters up on screen, along the lines of "Please insert disk blah blah in any drive". The really exciting thing about it for C programmers is that the string can contain arguments in exactly the same way as **printf**. So, it's possible to say "Please insert disk %s in any drive" and specify a pointer to the string, and the operating system will sort the whole lot out for you.

You'd have thought that **EasyRequest** would be just that. Anthony Chancer, however, disagrees. He feels it should be called **"OnlyEasyFromCRequest"**. What he was trying to do was quite simple: he had a routine that would open a requester and show the name of a library that couldn't be opened, and the version wanted – for example: "Could not open dos.library V39". Unfortunately, **EasyRequest** crashed every time he specified any

arguments.

The fault itself turned out to be quite straightforward in the end. To illustrate it, let's have a look at the function definition for **EasyRequest**, from the third edition of the **Includes And Autodocs** book:

```
num = EasyRequestArgs(
(Window, easyStruct,
IDCMP_ptr, ArgList)
d0 a0 a1 a2 a3
```

The problem arises because the explanation of **ArgList** is confusing to non-C programmers. Anthony was calling the routine like this:

```
move.l #0,a0
lea     easy_struct,a1
move.l #0,a2
lea     my_arg,a3
move.l int_base,a6
jsr     _LVOEasyRequestArgs(a6)
rts
```

His argument looked like this:

```
my_arg: dc.b "dos.library",0
```

Here's what was happening. **EasyRequestArgs** is actually expecting a pointer to a list of pointers to arguments, not a pointer to the argument itself! Sounds complex? It isn't. It's nice and easy. In the case of Anthony's program, the letters **d**, **o**, **s** and a period **"** were used as the pointer to the argument. As you can imagine, this would make a mighty strange pointer. We could fix the program by

changing the **my_arg** line to this:

```
my_arg: dc.l argument_1
```

```
argument_1: dc.b "
dos.library",0
```

And this would work.

EasyRequestArgs would look at **my_args** for a pointer to the first argument. Pointers are full longwords with addresses to things. In this case, our pointer points to **argument_1**, which is, in this case, our first and last argument. This will work a treat.

IT'S THE LITTLE THINGS

There are a number of little things which Anthony can improve in his program to make it better. One is a short cut to clearing address registers. As all us 68000 programmers know, you can clear a data register like this:

```
clr.l d0
```

What not so many people know is that the following is a lot quicker and achieves the same thing:

```
moveq    #$00,d0
```

Unfortunately you can't do either of these with address registers, so most people do this:

```
move.l    #0,a0
```

A rather neat shortcut – quicker, shorter, and generally much sexier –

much easier way – if you simply want to print text to the screen and get the user to input things, then I recommend you have a look at the **dos.library** and opening console windows. **TS**

DISNEYLAND DREAMER



During the summer I will be going to Florida for my holidays, and I would be grateful if you could tell me whether there would be any problems (excluding customs limits) on buying software while out there? I am aware of the problems associated with the smaller NTSC screen size, but also, when I switch my computer to the 60Hz mode, the screen flickers horribly. (I think my TV lacks vertical lock.)


J Putzman
Billingham

There are no problems about buying software in the States and using it

here, but there is a need here for a little explanation about modes. You say that you are using your Amiga with your TV rather than a specialised monitor. If you try to access the higher modes with a normal television, then you will experience horrible flickering. I presume you are using a modulator, and what this does is give you 50Hz frame frequency – the PAL standard. If you go for a higher frequency you are asking the old TV to lock on to a frequency which it cannot handle.

An Amiga monitor – the 1084S, for example – will cope with the 60Hz mode. A multiscan monitor will too. The NTSC (American TV-standard) mode that you refer to will actually work on a normal 50Hz PAL Amiga with a TV, but the bottom three-quarters of the screen will be blank because of the lower vertical resolution of NTSC screen-modes. There is no need to switch to the 60Hz mode on your Amiga – the software should run fine in 50Hz. **WR**

HATCHING OUT



I have a couple of questions concerning the A1200. 1. Will it be possible to replace the A1200's internal drive with a hard drive at a later date? If so, will it be a straight swap or will I need some extra circuitry and software? 2. Assuming that Commodore don't supply the A1200 with an optional hard drive such as the 20Mb unit fitted to the A600HD, how easy is it to install a higher capacity drive to the machine?

3. Just what is the mysterious hatch next to the A1200's mouse port?

Kevin Millyard
Feltham
Middlesex

1. The A1200 comes complete with its own built-in IDE hard drive controller and space for the internal fitting of a IDE hard drive. You therefore don't need to remove its floppy drive to install a hard drive.

2. Although the current batch of machines that Commodore are shipping aren't equipped with hard drives as an option, the A1200 will be made available with "official" hard drives at a later date. In the meantime, several *Amiga Shopper* advertisers are already offering the A1200 with hard drives of up to 300Mb in size. Scan the ads in this issue for more information. Failing that, why not check our feature in AS 23 on fitting hard drives to A600s and A1200s – you'll be surprised just how easy the process is! (To order that issue, see page 116.) 3. That mysterious hatch is there "for future expansion". No hints are yet available about what sort of devices will use this hatch, but my guess would be that we can expect such things as flicker fixers, sound processors (who knows, a DSP upgrade may even use this port!) and perhaps even a SCSI-2 interface. In time-honoured fashion, we'll just have to wait and see! **JH AS**

CODE CLINIC

CODE CLINIC

CODE CLINIC

is this elegant little line:

```
suba.l      a0,a0
```

Subtract a0 from itself! And it works fine too.

The other matter is the calling of **EasyRequestArgs** itself. You can write macros to make your life a whole lot easier, and reduce the possibilities of making bugs. If you're not sure about macros, consult your assembler manual to find out how they work. This month's example program contains one for accessing the intuition library routines. Its simply called "INT". I can type:

```
INT EasyRequestArgs
; Display our requester
```

And the *assembler* does the work for me – it actually converts the above line to:

```
move.l      IntBase,a6
jsr _LVOEasyRequestArgs(a6)
; Display our requester
```

This reduces the possibility of me making mistakes by reducing the places I can make mistakes in. Handy to remember.

THE PROGRAM

This month's program is a simple demonstration of **EasyRequestArgs** in assembly language. It was tested using *DevPac* 3, but will work fine on all versions of *DevPac*. You will need *Workbench* 2 or higher to run it, and you'll need the **include** files supplied

THE LISTING

TTL Amiga Shopper Code Clinic EasyRequest demo.

```
;
;
; Shows an easy requester with a couple of
; arguments in it.
; By Toby Simpson, For Code Clinic.
;
section      easy_code,code
;
; — Includes ....
incdir      "inc;"
include     "exec/exec.i"
include     "exec/funcdef.i"
; YOU MAY NOT NEED THIS.
include     "exec/exec_lib.i"
include     "intuition/intuition.i"
include     "intuition/intuition_lib.i"
;
_EXECBASE:  equ 4
; exec.library base.
;
; — Library access macros ....
INT: macro
move.l      IntBase,a6
jsr _LVO\1(a6)
endm
; For calling intuition.library
SYS: macro
move.l      _EXECBASE,a6
jsr _LVO\1(a6)
endm
; For calling exec.library
;
; — Our main code
.....
START:      lea IntName,a1
moveq      #LIB_VERSION,d0
SYSOpenLibrary ; Open intuition.library
move.l      d0,IntBase
beq.s      ST_Lib_Fail
;
; — Show our requester ....
```

```
suba.l      a0,a0
; Open on workbench screen.
suba.l      a2,a2
; No shared IDCMP
leaser_Our_Args,a3 ; Our argument list.
leaser_Easy_Struct,a1
; Our easy request struct.
INTEasyRequestArgs
;
; — d0 contains the button number we pressed at
this point ....
; .... put code in here to process buttons
;
; — Now close the library and quit ....
move.l      IntBase,a1
SYSCLoseLibrary
; Close library after us.
ST_Lib_Fail: moveq #0,d0
rts ; Return to dos.
;
; — Data for our program
.....
section      easy_test,data
;
; — Misc data ....
IntName:    dc.b "intuition.library",0
IntBase:    dc.l 0
;
; — My EasyStruct ....
er_Easy_Struct: dc.l es_SIZEOF
dc.l 0
dc.l er_ES_Title
dc.l er_ES_Body
dc.l er_ES_Gadgets
;
er_ES_Title: dc.b "AmigaShopper Code Clinic:",0
er_ES_Gadgets: dc.b "Yes|Maybe|Possibly|No",0
er_ES_Body: dc.b "My string is %s, and %s",0
;
er_Our_Args: dc.l arg_1
dc.l arg_2
;
; — Arguments themselves ....
arg_1:      dc.b "string-string",0
arg_2:      dc.b "Another",0
;
END
```

with commercial assemblers such as *DevPac*. If you are using a PD assembler, you can get the **include**

files, together with all sorts of goodies, for £25 from Commodore – for full details, see the C column in

Amiga Shopper 25. (If you missed that, turn to page 116 for our back issues service.)



THE FIRST COMPUTER CENTRE
OPEN 7 DAYS A WEEK
 MON - SAT.....9.30AM-5.30PM
 SUNDAY OPENING.....11.00AM-3.00PM
 THURSDAY NIGHT LATE...9.30AM-7.30PM
 CLOSED BANK HOLIDAYS

AUTHORISED DEALERS FOR
 ACORN, CITIZEN,
 COMMODORE, DIGITA,
 PACE, PRIMA, SEGA, ROMBO,
 STAR, SUPRA,

FREE DELIVERY!

HOW TO ORDER

Order by telephone quoting your credit card number. If paying by cheque please make payable to the:

"FIRST COMPUTER CENTRE."
 Any correspondence please quote a phone number & post code. Allow 5 working days for cheque clearance

Low interest credit available!

Please phone for details

All prices include VAT & UK mainland Delivery
 All hardware/computers are genuine UK spec.

Free Fast Standard 4 to 7 day Delivery

Guaranteed 2 to 3 day week days) Delivery..£2.50

Guaranteed Next Day week days) Delivery...£4.90

Open seven days a week 1100 sq. ft. showroom

Free large car park

Overseas orders welcome

Full repair service

SALES & TECHNICAL

24 HOUR MAIL ORDER SERVICE 6 LINES!

0532 319444

FAX: 0532 319191

FOR DESPATCH & RETURNS ENQUIRES TEL. 0532 637988

SHOWROOM ADDRESS:

DEPT. AS, UNIT 3,

ARMLEY PARK COURT,

OFF CECIL STREET,

STANNINGLEY ROAD,

LEEDS, LS12 2AE.

Prices are subject to change without notice. E&OE.

NEW LOW PRICE!!

AMIGA 1200 £369.99!!!

32 bit technology based on the 68020 chip running at 14.2 Mhz, AGA custom chipset. The 1200 represents the future of the Amiga. Buy it!! Comes with WB3.

The New Amiga 4000/030

Based on the 68030 processor. Complete with hard drive & 4Mb of RAM (2Mb of chip & 2Mb of Fast) & WB3

only £919.99 for 80Mb version
or £1039.99 for 120Mb version

The Amiga 4000/040 £POA

AMIGA 500 Plus only £189.99

or Cartoon Classics Pack £219.99
 with Lemmings, Captain Planet, The Simpsons & D-Paint 3

AMIGA 500 Deluxe only £269.99
 with built in ROM sharer 2.04/1.3

AMIGA 600 Basepack now with

X OUT game (LIMITED OFFER)
only £237.99!

AMIGA 600 20HD The Epic pack 20

Mb Hard drive, Epic, Rome, Myth, & Trivial Pursuit, Dictionary, Language Lab & D. Paint 3

only £354.99 (Inc On Site Maintenance)

The A600 Wild, Weird & Wicked

inc Micro Prose Grand Prix, Deluxe Paint 3, Putty & Pushover
Plus "X OUT" shoot em up
only £279.99

A600 DELUXEONLY £329.99

A600 20HD DELUXE.....ONLY £414.99
 inc. ROM sharer with 1.3 & 2.05 ROM's making incompatibility a thing of the past. The A600 HD Deluxe comes with a Built in 20 Mb hard drive

Just add 39.99 for a 2 Mb 600 Deluxe!!

PRIMA A1200 REAL TIME CLOCK

at last now you can date and time stamp your files
 Fits directly onto the motherboard with no soldering.

only £17.99!

A600 & 1200's with built in Hard Drive plus HD kits for A600/1200's

Add £17.99 for Real Time Clock!

	HD KIT	A600	A1200
20Mb.....	*£99.99.....	N/A.....	*£534.99
60Mb.....	*£179.99.....	*£464.99.....	*£564.99
80Mb.....	*£195.99.....	*£489.99.....	*£589.99
127Mb.....	*£279.99.....	*£589.99.....	*£689.99
210Mb.....	*£369.99.....	*£674.99.....	*£774.99

*Just Add £15.00 for fitting

All Amiga's come with Workbench, mouse & 12 month warranty. The A600's, A1200 & A4000 come with 12 months on site warranty All 1200/600's also come with a built in integral hard disk option.

THE AMAZING ZOOL PACK!

- ZOOL (97% Amiga Computing, Nov 92)
- STRIKER (94% CU Amiga, June 92),
- PINBALL DREAMS (94% AUI, Sept 92)
- TRANSWRITE word processor

only £29.99

only £19.99 with any AMIGA!

CDTV MULTI MEDIA PACK

Complete with CDTV, Keyboard, Mouse, disc drive Fred Fish & Workbench 1.3

only £469.99

CD Rom Amiga A570

Turns your Amiga 500 into a CDTV. Includes Fred Fish, CDPD disk & Sim City

now only £143.99!

CDTV 65 Mb Hard Drive£339.99

CDTV keyboard.....£49.99

CDTV mouse/joystick interface.....£45.99

PRINTERS

All our printers are UK spec.



All our printers come with ribbon/toner, printer drivers (if available), paper & cables!!

CANON

NEW! Canon BJ10sx.....£229.99

Laser quality output. Larger buffer than the StarSJ48/Canon/Star bubblejet cartridges.....£17.99

NEW! Canon BJ200.....£347.99

3 page a min speed, 360 dpi, small footprint & 80 page sheet feeder

Canon BJ300.....£429.99

Desktop bubble jet with laser quality

Canon BJ330.....£464.99

Wide carriage version of the BJ300

BJ10 Autosheetfeeder...£52.99

CITIZEN NEW LOW PRICES!

Citizen printers have a 2 year guarantee

NEW! Citizen Swift 90 Col.....£169.99

Excellent value 9 pin colour. Highly recommended

NEW! Swift 240 Colour.....£272.99

24 pin, 240cps draft, 10 fonts, quiet mode, 240cps.

NEW! Swift 200 Colour..£224.99

Same out put as the 240 but with less facilities

Automatic Sheet feeder..£79.99

FUJITSU

12 month onsite included except DL-1150 (12 month B T Base)

Fujitsu DL-1150 Colour..£274.99

24 pin, 10 fonts, 200 CPS

Fujitsu Breeze 100.....£219.99

ink jet, draft & LQ mode, BJ10EX beater

Fujitsu Breeze 200 ink jet.....£309.99

HEWLETT PACKARD

HP Deskjet Portable..only £369.99

HP500 mono.....now £339.99

HP 500 Colour.....now £419.99

HP 550 Colour.....now £549.99

4 times faster than the HP500C!!

HP500 mono cartridges.....£14.99

Double life 500 cartridges.....£24.99

All HP printers come with a 3 year warranty

STAR

StarLC20.....£137.99

180 cps draft, 45 cps NLO, quiet mode and multi fonts, push button operation.

StarLC200 colour.....£195.99

9 pin colour, 8 fonts, 225 cps draft, 45 cps NLO, A4 landscape printing.

NEW! StarLC24-20 MKII.....£229.99

24 pin quality, 210 cps draft, 67 cps LQ, 39K buffer expandable to 48K, 10 fonts and quiet mode.

Star LC24-200 colour..£269.99

Colour version with 30K buffer expandable to 62K

Star XB24-200 colour..£379.99

Professional quality with On-site maintenance, very quiet.

Star SJ48 Bubble jet.....£214.99

Laser quality, ultra quiet, Epson compatible & portable

Star SJ48 Autosheet feeder...£49.99

Laser Printers

on-site warranty standard

Fujitsu VM800 Laser.....£679.99

8 pages per minute, HP emulation, multi font, 300Dpi

Panasonic KXP-4410.....£514.99

5 page laser, multi font, 512K memory, HP emulation, 300Dpi

Ricoh PCL5.....£809.99

400 Dpi, 2Mb RAM, 5Page per minute

add just £114.99 for 2 Mb of extra RAM

Star Laserjet 4 MK5.....£599.99

5 page laser, HP emulation, multi font, 300Dpi

FIRST EXTRAS PACK

All the essentials required for the first time buyer & at a bargain price!! Comprises:

- Top quality microswitched Powerplay Cruiser joystick
- Mouse Mat
- Dust Cover
- 10 high quality Blank Disks
- Plus 3 games!

only £29.99

MONITORS

All our monitors are UK spec.
 All monitors come complete with a free Amiga lead

PHILIPS CM8833 MK2

Colour stereo monitor. 600*285 line resolution, green screen facility, one years on site maintenance.

now with Lotus Turbo Esprit!!

only £224.99 UK Spec.

PHILIPS TV Tuner for the 8833.....£64.99

Commodore 1084ST

features built in tilt & swivel stand this new colour monitor from Commodore is outstanding value

only £199.99

PRIMA SVGA .28 dp Colour monitor with overscan

The PRIMA monitor has a high quality Super VGA resolution. Includes overscan facility, .28 dot pitch & tilt/swivel stand.

only £309.99

PHILIPS BRILLIANCE

7CM3209 SVGA .28 dp

Colour monitor

only £309.99

COMMODORE 1960

multisync only £409.99

Microvitec Multisyncs

all Microvitec monitors come with a 3 year warranty

14".....£434.99

20".....£1149.99

SPECIAL OFFERS ON ACCESSORIES with monitors
TILT & SWIVEL STANDS.....£11.99
14" MONITOR COVERS.....£5.99

SUPRA MODEMS

The Supra-Fax Modem V.32 bis (14400 baud !!!)

Allows you to send and receive fax messages. This new modem from Supra has full 14400 baud capability. Spec includes V.32bis, V.32, V.22bis, V.22, V.21, MNP2-5, V.42, V.42bis, Class 1 & 2 commands, 9600/14400 Group 3 Fax. Includes free comms software and modem cable

only £269.99!

or £279.99 with

Heavy duty Prima power supply, recommended

Supra Fax Plus

With the ability to send faxes! Even faster than the standard 2400 from Supra with auto dial & auto receive. Hayes comp. V.22b, V.42 Bis, MNP 2-5 & auto adjust to maximise transmission speeds. Includes free modem cable & comms s/w!!

only £139.99

GP FAX SOFTWARE only £39.99
if bought with modem

Supra 2400

Get on line using this great value fast modem with auto dial & receive. 2400 baud Hayes comp. V.22 BIS. Inc modem cable & comms s/w!!

only £79.99

All Supra Modems come with a 5 year warranty!!

US ROBOTICS

Sportster 14400 FAX Modem, BABT approved
only £339.99

PACE MODEMS

MicroLink V22b FAX £216.99

MicroLink V32b FAX £449.99

5 year warranty and FULLY BABT Approved !!



PRIMA A500 & A600 RAM

BEWARE of cheaper RAM expansions. Some dubious companies use second hand chips. We only use new chips of the finest quality and reliability!

3 YEAR WARRANTY!!

A500P	A600
Unpopulated.....only £16.99...£23.99	
Populated to 512K.....only £29.99...£36.99	
Populated to 1 Mb.....only £37.99...£46.99	
2 Mb A600 OR A1200 RAM card.....£114.99	
4 Mb A600 OR A1200 RAM card.....£179.99	
AMIGA A500 512K RAM by PRIMA	
for the original 1.2/1.3 AMIGA.....only £27.99	

32 BIT RAM (for A4000 etc)

1 Mb SIMM.....£35.99
4 Mb SIMM.....£142.99

RAM & CUSTOM CHIPS

Motorola 68881.....£POA
Motorola 68882.....£POA
1mb by 8/9 SIMMS (3 chip).....£29.99 per Mb
4 Mb by 9 SIMMS.....per 4 Mb £124.99
1 Mb by 4 DRAMS.....per 1 Mb £42.99
1 Mb by 4 ZIPS.....per 1 Mb £39.99
256 by 4 DRAM (DILs)
4+ (512K).....now only £3.99
8+ (1Mb).....now only £3.94
16+ (2Mb).....now only £3.89
Kickstart 1.3.....£POA
Kickstart 2.04.....£POA
Fatter Agnes 8372A.....£POA
Super Denise.....£POA
6571-0326 Keyboard controller.....£POA
CIA 8520A I/O controller.....£POA

MICROBOTICS RAM

The MBX1200	
CO-PROCESSOR & RAM BOARD for the A1200	
Realise the full potential of your A1200 with this trapdoor expansion	
68881 14MHZ.....£119.99	
68882 25MHZ.....£169.99	
68882 50MHZ.....£507.99	
1mb 32 bit fast RAM.....£35.99	
2mb 32 bit fast RAM.....£97.99	
4mb 32 bit fast RAM.....£142.99	
The RAM boards can only work with the use of the Co-Pro board	

SUPRA RAM

Simply the best! Fits onto the side expansion port. Auto configures with no software patching.

When 256*4 ZIPS are used, the Supra RAM can only be populated up to 2 Mb without replacing with 1 Mb by 4 ZIPS	
8Mb pop to 1Mb.....£119.99	
8Mb pop to 2 Mb (256*4zips).....£144.99	
8Mb pop to 2 Mb (1Mb*4 zips).....£159.99	
8Mb pop to 4 Mb.....£214.99	
8Mb pop to 8 Mb.....£319.99	
8Mb pop to 2 Mb for 2000/1500 range.....£149.99	

GVP GVP HARD DRIVES

AMIGA A500 HARD DRIVES	
GVP Series II HD8+ 42Mb.....only £299.99	
GVP Series II HD8+ 80Mb.....only £374.99	
GVP Series II HD8+ 120Mb.....only £469.99	
A500 GVP Combo's	
A530 Combo 40MHz/42Mb HD.....only £669.99	
A530 Combo 40MHz/80Mb HD.....only £759.99	
A530 Combo 40MHz/120Mb HD.....only £849.99	
A530 Combo 40MHz/213Mb HD.....only £939.99	
68882 Co-Processor Kit for A530.....only £214.99	
32 bit 60ns 1Mb SIMM for Accelerator.....only £64.99	
32 bit 60ns 4Mb SIMM for Accelerator.....only £179.99	
1500/2000 Hard Drives	
Impact Series II HC8+ with 42Mb HD.....only £289.99	
Impact Series II HC8+ with 80Mb HD.....only £339.99	
Impact Series II HC8+ with 120Mb HD.....only £409.99	

All GVP products come with a full 2 year warranty

POWER SCANNER V3

With the latest version 3 software for bright & sharp grey scale performance. Flexible scanned image display manipulation options, plus Clean up, embolden, resize & flip.

NEW!!

only £114.99 on demo
Colour version only £229.99
EPSON GS6500 COLOUR FLATBED
only £799.99 phone for details & demo

MICE & TRACKERBALLS

NAKSHA MOUSE.....only £24.99
with Operation Stealth, mouse mat, holder and 2 year warranty, 290 DPI.

Golden Image Mega Mouse
only £12.99
Alpha Data Optical Pen Mouse
only £37.99

Axelen Optical Mouse (300DPI)
only £26.99

Golden Image optical mouse
only £29.99

Zydec Trackerball
only £29.99

Golden Image CrystalTrackball
only £38.99

DISK DRIVES

Prima 3.5" only £56.99
1 meg high quality external drive at a great low price.

Roclite 3.5" only £66.99
super slim Roclite. Best review for disk drives in Amiga Format. Now with built in virus checker and anti click device!

Cumana 3.5" only £57.99
1 meg external drive. The best name in disc drives now at a great price.

OPAL VISION
24 bit graphics card & video system for the 1500 2000/3000/4000. Includes software bundle

only £635.99
or £695.99 with Imagine 2!

GENLOCKS
GVP Genlock.....only £349.99

features professional SVHS output
Rocgen Plus.....only £134.99

Includes dual control for overlay and keyhole effects, extra RGB pass thru
Rendale 8802 FMC.....only £169.99

ROCGEN ROCKEY
For creating special effects in video production with genlocks

only £269.99

EMULATORS
Vortex Golden Gate 386

only £389.99

This is a PC 386-25SX Bridgeboard running at 25 MHz
Vortex Golden Gate 486

only £699.99

This is a PC 486-25SX Bridgeboard running at 25 MHz
Vortex ATOnce+ 286

only £214.99

286 emulator now with 16Mhz clock speed.
ROCHARD DRIVES

ROCTEC A500 CONTROLLER CARD

Very similar in style to the GVP HD8+ but without a hard drive so you can fit your own. Expands to 8Mb of RAM using SIMMS.....
only £164.99

ROCTEC 42Mb.....£275.99
ROCTEC 80Mb.....£339.99

ROCTEC 120Mb.....£399.99
ROCTEC ROCMATE..£99.99

ROMBO DIGITISERS

New! VIDI 12 Real Time.£138.99
Real time colour digitizing from any video source. Full AGA support

New! VIDI 24 Real Time.£229.99
24 bit quality real time colour digitizing from any video source. Full AGA support

New! VIDI 12 AGA.....£74.99
Fully support for AGA chipsetColour images captured in less than a second, mono images in real time with any video source. Multitasking s/w, cut & paste.

VIDI 12 AGA with built in
Megamix Master....only £98.99

TAKE 2.....£37.99
Features include load and save from D. Paint animations and IFF files. Supports HAM graphics.

Megamix Master.....£29.99
8 bit, high spec. sampler. Special effects include echo that can be added in real time, fully multitasking & easy to use.

PRIMA ROM SHARERS
This high quality ROM sharer features a flexible ribbon connection so that it can be positioned anywhere within your A500 Plus or A600. Full 2 year replacement warranty

now only £19.99 or £27.99
for keyboard switchable version

ACCELERATORS

MICROBOTICS NEW!
New M1230 for A1200 with up to 128 Mb fast RAM!

M1230 XA 33Mhz MMU030.....£294.99
M1230 XA 40Mhz EC030.....£274.99

M1230 XA 50Mhz MMU030.....£345.99
VXL30 25Mhz.....£229.99

VXL30 40 Mhz.....£349.99
68881 Co pro for above.....£79.99

1 68882 Co pro for above.....£119.99
32 bit 2 Mb ram for above.....£189.99

32 bit 8 Mb RAM for above.....£399.99
GVP

A1230/1Mb RAM for A1200 only £384.99
1500/2000 G-FORCE 030-25MHz with 1Mb

32bitRAM.....only £459.99
G-Force 030-40MHz with 4Mb 32 bit RAM

only £729.99

ACCESSORIES

Real Time A1200 internal clock module.....only £17.99
Mouse/joystick manual port switcher.....only £13.99

Computer Video Scart Switch.....only £19.99
2/3/4 way Parallel port sharers £POA

Amiga Sound Enhancer Plus by Omega Projects. Hear the Amiga's sound like you've never heard it before! ..only £36.99
QUALITY MOUSE MATS.....£3.99

20 CAPACITY DISK BOX.....£2.99
40 CAP LOCKABLE DISK BOX.....£4.99

100 CAP LOCKABLE DISK BOX.....£6.99
*90 CAP STACKABLE BANX BOX.....£9.99

*150 CAP STACKABLE POSSO BOX.....£16.99
*add £3.00 delivery if purchasing just one Posso or Banx box. Free delivery when purchased with other product or when buying 2 or more.

AMIGA A500 DUST COVER.....£3.99
AMIGA 600 COVER.....£2.99

14" MONITOR DUSTCOVER.....£6.99
12" MONITOR DUSTCOVER.....£5.99

AMIGA TO SCART CABLES.....£9.99
STD 1.8 METRE AMIGA PRINTER LEAD.....£4.99

MODEM AND NULL MODEM CABLES.....£9.99
AMIGA CONTROL STATIONS

A500 VERSION.....£39.99
A600 VERSION.....£31.99

A1200 VERSION.....£39.99
PRINTER STATION.....£28.99

DISKS

All disks are 100% error free guaranteed
New High density 3.5 inch bulk and Fuji branded

Please phone for best prices!
QTY

3.5" Bulk
OR

FUJI
BRANDED

10.....£4.99.....£6.99
30.....£14.99.....£17.99

50.....£21.99.....£28.99
100.....£39.99.....£54.99

200.....£73.99.....£99.99
500.....£169.99.....£POA

1000.....£339.99.....£POA
Branded disks come complete with labels

Disk Labels.....500.....now only £6.99
Disk Labels..1000.....now only £9.99

SOFTWARE

BUSINESS

Gold Disk Office U.K.spec.....£45.99
Home Accounts 2.....£37.99
Mini Office.....£38.99
PERSONAL FINANCE MANAGER Plus

only £29.99
PLATINUM WORKS.....only £29.99!!

Excellent integrated business/office pack, with powerful 123 comp spreadsheet, word processor & database
EDUCATIONAL

6 Pack compendium.....now only £25.99
Inc. Kids Type, Weather Watcher, Calender Quiz, Words & Numbers, Game Set & Match + What is it? Where is it?

Childs Play talking word processor.....£24.99
Gallery Multi-Media Dbase.....£44.99

MISCELLANEOUS
A Talk comms Software.....£9.99

Distant Suns new version!!.....£49.99
GB Route Plus.....£45.99

GP FAX Software.....£39.99
MUSIC/SOUND

Audio Engineer Plus V2.....£159.99
Clarity 16 sampler.....£105.99

Deluxe Music Construction Set.....£49.99
Pro Midi Interface by Microdeal.....£24.99

Stereo Master.....£29.99
SUPER JAM.....£79.99

Techno Sound Turbo.....£28.99
PROGRAMMING

Amos Creator.....£34.99
Amos Compiler.....£21.99

Amos 3D.....£25.99
Amos Professional.....£47.99

DEVPA3.....£50.99
Easy AMOS.....£24.99

SAS C Language Version 6.....£219.99
UTILITIES

AMIBACK.....£39.99
AMIBACK TOOLS NEW!.....£46.99

AMIBACK PLUS TOOLS BUNDLE NEW!.....£74.99
AMIGA RELEASE 2.1 UPGRADE KIT

Complete with: Kickstart 2.04 CHIP, Workbench 2.04, Install, Fonts & Extras disks full manual set
only £49.99

CrossDos V5.....£19.99
Directory Opus 3.....£26.99

Directory Opus 4.....£49.99
Giga Mem.....£49.99

QUARTERBACK V5 NEW!.....now only £39.99
Latest version of this Fast & Famous hard disk backup utility.

Quarterback Tools.....now only £45.99
Xcopy Pro Inc. hardware.....£33.99

VIDEO AND GRAPHICS
DIGI-VIEW GOLD MEDIA SYSTEM

Complete graphics presentation package. Complete with Digi-View Gold, Digi-Paint 3 & Elan Performer
now only £119.99

37 Compugraphic fonts Vol 1, 2, or 3 by GT.....only £9.99
Adorage (creates special video effects).....£61.99

Art Department Pro 2.2.....only £129.99
ART EXPRESSIONS.....By Soft Logic £145.99

BRIILLIANCE NEW! Pro. paint and Animation.....£144.99
CALIGARI 24 NEW! 3D Design and animation.....£239.99

Deluxe Paint 4 AGA NEW!.....£69.99
EXPERT DRAW.....only £49.99

EXPERT 4DJR.....only £37.99
Flexidump printer utility.....£31.99

Imagine V2.....£119.99
Make Path for Vista.....£28.99

Morph Plus.....£147.99
Personal Paint NEW!.....£48.99

Pro Draw 3.....£69.99
Scala 500.....£75.99

TRUE PRINT/24.....£41.99
VIDEO DIRECTOR.....£124.99

VIDEO MASTER.....£49.99
Vista 1.2 while stocks last!.....£12.99

Vista Pro 3 (2 Mb required) NEW!.....£54.99
WORD PROCESSING/DTP

FINAL COPY UK version 2!.....only £65.99
built in outline fonts, full graphics Import (IFF and HAM), UK thesaurus, spelling checker & much more.

KINDWORDS V3.....only £36.99
PENPAL 1.4.....only £38.99

ARTWORKS CLIP ART

Each disk contains between 115 and 270 original, high quality, images for use with Amiga Art, DTP & video programs - Deluxe Paint, Pagesetter, Pro Page, Pagestream, Wordworth, Penpal etc.

1. Pets 2. Castles, cottages and churches 3. Trees 4. Signs & symbols
5. Wild animals 6. Prehistoric life 7. Signs & symbols 2
8. Weddings & family occasions 9. Fishing & freshwater life 10. Signs & symbols 3



£6.99 each - 3 or more £6 each - Over 1700 images for only £60. Inclusive of 1st class P&P.

AMIGA COMPUTING - "Best Buy"
CU AMIGA awarded ★★★★★ - AMIGA FORMAT 85 %
Please make cheques/PO's payable to ARTWORKS

(Dept Ash) 1, Pond View, Wootton, Ulceby, S.Humberside. DN39 6SF ☎ 0469 588138

AMIVISION SOFTWARE PRESENT

PowerBase v3.30

The POWERful dataBASE system

- ◆ Up to 10,000 records on a 1MB Amiga
- ◆ Easy to use - pull down menus, V.C.R. style control panel, and a separate pop up menu with the most used functions.
- ◆ 8 POWERful field types, include IFT pictures (seven in HAM mode) and unlimited length text files into your records. Calculate fields automatically from others.
- ◆ Incredibly powerful record filtering
- ◆ Lightning fast searching (2 types) and sorting (3 types)
- ◆ Label printing, reporting and many other printer options
- ◆ Design an unlimited number of form layouts
- ◆ Output data to screen, printer, labels, or file for mail merging
- ◆ View your records in 4 powerful modes:- page, record, table, and the new form layout
- ◆ Hard disk installation utility, additional utilities, and example files
- ◆ Other features include:- timed auto save, alarm, many preferences (including a printer preferences section), add/edit fields at any time, record calculation, key macros, keyboard shortcuts, password protection, PAL/NTSC screen modes, personalised, intelligent date fields, on-line help for all features, easy record editing, and much more all from one package.
- ◆ Widely regarded as the best value for money database system available on the Amiga today.

"An essential purchase"

Mr T Wagstaff, Mansfield

"the best and most powerful database for under £100 on the Amiga"

Amiga Shopper

"the finest example of business software to date"

"Incredibly easy to use"

CU Amiga

"I have never seen such a powerful database that costs so little before, nor have I come across such a polished program that is so easy to use."

9/10 - Amigamania Magazine

"An incredibly powerful database program"

Amiga Format Gold Award

A small selection of the praise received so far.

Complete with instruction manual for just £14.95!

FREE FREE FREE
Working demo disk & catalogue
Send S.A.E. or 20p to cover P&P

OTHER AMIVISION SOFTWARE PRODUCTS INCLUDE
(FREE Catalogue available upon request)

POWER PLANNER - Personal organiser (Diary, address/telephone book, automatic reminders, regular events etc. £5.00
MENU POWER - Create menus for your disks (add an IFF picture to the background - stunning) £5.00
WORD POWER v2 - Complete word utility (Crossword/anagram solving + loads more) 36,000+ word dictionary £9.95
FORMULA ONE CHALLENGE - Complete simulation for 1-4 players, very detailed includes 1993 season £9.95

The POWER COLLECTION

PowerBase v3.30 • Word Power v2 • Power Planner • Menu Power • & Disk Power

SPECIAL INTRODUCTORY OFFER - SAVE £15 - ORDER NOW FOR JUST £24.95!

All of our programs require 1MB of memory and are compatible with all Amigas including 500, 500+, 600 & 1200
Prices include P&P for UK. Overseas orders please add £1.50.

Please make cheque/postal order payable to:- S. Rennocks

DEPT. AS, 1 CHERRINGTON DRIVE, GREAT WYRLEY, WALSALL WS6 6NE

MEMORY EXPANSION

1Mb x 1	- 80ns	DIP	4.35
256 x 4	- 80ns	DIP or ZIP	4.35
1Mb x 4 (44C1000)	- 80ns	A3000 ZIP	16.04
1Mb x 4 (44C1000)	- 80ns	Static Col ZIP	16.04
1Mb x 8	- 80ns	SIMMs (GVP)	30.55
4Mb x 8	- 80ns	SIMMs (GVP)	123.38
4Mb (32)	- 60ns	COMBO 64 Pin	170.37
4Mb (32)	- 70ns	4000/30 72 Pin	160.85

Please phone for the latest prices. VAT included. Delivery £4.70.

VISA **KINGSWAY UK LTD** Access
Phone: 0923 836473 Fax 0923 836474
18 Foxfield Close, Northwood, Middlesex HA6 3NU

SELECTAFONT

Pic n Mix
from over 60 Disks in
ADOBE/COMPUGRAPHIC
Format.... Each disk contains
12 fonts and costs a
paltry £3.00

STARBURST POWERLINER AMY NORM
CHINESE DISPOSITIONS WEDDING hairpin
HEADHUNTER BEEBOOSE MEDUSA

Please send large SAE with 36p Stamp for a
comprehensive Print-Out of all Fonts. Also
state which programs you will be using

UNIQUE
24 HOUR
CUSTOMER
SUPPORT
HELPLINE

SPECIAL
DEALS
AND
PRICES FOR
BULK BUYERS

(Dept AS) 84 Thorpe Road, Hawkwell,
Nr Hockley, Essex SS5 4JT

Railway Simulations for the Amiga



NEW! Here at last for the Amiga! For years PC owners have been able to run these realistic railway simulations, acclaimed by customers in 23 countries, many of them working railway staff; now at last they've arrived on the Amiga.

These simulations include on-screen track plans and are based on authentic track plans, timetables, and operating practices of the period. They do not offer arcade-style graphics, simply realistic displays based on those used in modern signalling centres. Compatible with Workbench 1 and 2.


Traffic Control: Bristol 1981 - Temple Meads on a summer Saturday. Frequent loco-hauled services between Cardiff and Portsmouth have to reverse and change engines, fighting for platform space with Inter-City services from Paddington, also between the South-West and North-East, etc. Some parcels traffic uses the parcels platform, while engines and units visit Bath Road depot for servicing or refuelling. **Price £15.95**

Traffic Control: Cardiff 1992 - Frequent local services on the Valley lines, also Regional Railways services to Portsmouth, Manchester, Nottingham, etc, and Inter-City services to and from Paddington. You also have to cope with extensive freight traffic, and workings to/from Canton depot. **Price £15.95**

Traffic Control: Bristol 1990 - More HST and Sprinter traffic than in 1981, but still very busy. **Price £15.95**

Special offer: Both Bristol 1981 and Bristol 1990 for only £23.95.

Prices shown above include VAT, postage & packing (UK or overseas). Please send payment with order, or quote full credit card details (including expiry date), and remember to state your computer type.



Over 50 other railway simulations available now for the PC are being introduced for the Amiga over the next few months - SAE for complete list.

VISA

SIAM Ltd. (Dept AS06), 1 St. David's Close, Leverstock Green,
Hemel Hempstead, Herts HP3 8LU

Here we go, leapfrog time again. Many Amiga DTP users alleged that *PageStream* version 2.2 had bettered *Pro Page 3*, although I believe this has more to do with wishful thinking than actual fact. While *PageStream* certainly has more built-in features than *Pro Page*, more doesn't necessarily mean better.

The truth is that neither DTP package is as good as it should be. If we could mix *PageStream*'s features with *Pro Page*'s quality and accuracy, then perhaps we'd be getting somewhere. But we can't. So we have to play leapfrog along with *Soft-Logik* and *Gold Disk*.

The latest leap is by *Gold Disk*, with version 4 of *Pro Page*. And it's actually quite a large leap, arguably larger than the leap from version 2 to 3, with some new features that even experienced users will need time to learn about.

To start with, there's better support for *Workbench 2+* screen modes. Upon startup you are now presented with a requester that enables you to choose your preferred screen mode, enabling *Pro Page* to be seen at its best on virtually any monitor. By default it selects the *Workbench* screen mode and size,

"New features that even experienced users will need time to learn about."

but if you want to open *Pro Page* on a larger size screen – 1,000 by 1,000 pixels, for example – you can.

Autoscroll is supported, the *Workbench 2+* feature that enables you to quickly scroll around pages that are larger than can be displayed on the screen. While this eats up graphics (Chip) memory, it is a very fast way of getting from one part of the page to another, particularly at high magnifications.

Talking of magnification, *Pro Page* now supports variable zoom percentages. The old and well-thumbed zoom sizes are still there, but a new Custom facility has been added that enables you to select any magnification level from 10% to 400% in 1% steps. This will please users who would like to be able to display the full width of a page. While there is no "Show Full Width" option, it will take only a couple of tries to find the correct level of magnification for any particular width of page, and if you are *ARexx*-minded it wouldn't be too difficult to create a Show Full

Professional pages

Which is the better Amiga DTP package, PageStream or Pro Page? Each has its advocates, but with the release of Pro Page 4, Jeff Walker has decided which one he'd opt for...

Width function genie if you decide you want one. The support for large autoscroll screens arguably negates the need for variable zoom levels, but the people wanted it, so the people got it.

Typeface support has improved again. Apart from a new version of *FontManager*, which doesn't "go to sleep" as the version with *Pro Page 3* sometimes did, the Typeface requester now has a Preview button that displays "AaBbCc" in the selected typeface. This small preview window can be left open while you click on various typefaces, so you don't have to keep selecting a typeface and then hitting the Preview button to find the one you're after.

You are still limited to the one **CGFonts:** directory though, another feature of *Pro Page* that causes some users problems, mainly those who like to have three million typefaces from which to choose and want them sorted alphabetically, or by styles, in different directories on


their hard drives. Can't argue with that – you should be able to work the way you prefer – but I'm afraid with *Pro Page 4* you'll still have to have all your typefaces in one directory.

Or manage them by hand, which is what I do – I have a small collection of often-used typefaces permanently in **CGFonts:**, and everything else in alphabetical directories. When I want another typeface I simply copy the files into **CGFonts:** and run *CG_Update*. When I'm finished with the typeface I move it back into the "library" and run *CG_Update* again. I keep meaning to knock together a little typeface manager program in *ARexx* or *CanDo* but if there are any budding


PD/shareware programmers out there looking for something useful to create...

There are some new type styles – Shadow, Superscript and Subscript – and the much-loved *PageSetter*-style text fill patterns have been included. There are 16 pre-defined fills to choose from, or you can create your own. You can choose any single colour for the fill pattern. Text fill patterns are hardly ever used in professional publishing, which is probably why they have never been added to *Pro Page* before, although *PageSetter* has had them for years.


Ah, almost forgot to mention that these fill patterns can also be used to fill any object you create with any




The much-requested Typeface Preview feature, enabling you to view typefaces before you use them, is implemented in *Pro Page 4*, along with three new type styles: shadow, superscript and subscript.



Text fill patterns are of limited use, but if you feel the urge, *Pro Page 4* will let you use one of 16 pre-defined patterns – or, of course, you can create your own.



Usefully, a number of new bitmapped and structured graphics formats are supported, including Art Expression files, which get converted to *Pro Draw* clip format.



The new iconic page sorter is idiot-proof. It presents you with a little map of your document and enables you to position pages by dragging them around the screen.



The ability to work on facing page layouts and still have them print as two separate pages can be a major aid to productivity if you often work with double-page spreads.

of the *Pro Page* drawing tools.

Extended character sets are now supported, which means that via various Alt-key combinations, Alt-numeric-keypad codes or both, you can type characters that were previously unavailable in *Pro Page*. Of course the typeface you are using needs to have the extended characters defined for this to work, and defined in the correct places; many typefaces aren't all they should be in the extended character department, including some of those supplied with *Pro Page*, so don't expect to get ligatures, en-dashes and em-dashes from every typeface. If this is important to you, you might need to invest in *TypeSmith*.

The most important addition to typeface support is Kerning Control. This new feature enables you to create kerning pairs for any of your typefaces, and save out a custom kerning table for each typeface. Almost all of the PD/shareware CompuGraphic or PostScript typefaces are supplied unknerved, and often they are so poorly designed that there are very large or very small gaps between some pairs of letters, which makes for extremely amateur-looking text. With *Pro Page* 4 this is no longer a problem.

In the Kerning Control panel you may type in a value (percentage of an

"em") or use the mouse to drag the right-hand character of the pair closer to or further away from the left-hand character. You can select pairs of characters simply by typing them on the keyboard.

If you are unsure about which pairs of characters need kerning, then you can select the Times or Triumvirate typeface first (these are already knerved), save out a kerning file, select your unknerved typeface and then load in the Times or Triumvirate kerning file that you just saved. This kerning table will then be applied to your unknerved typeface. Because each typeface requires different kerning values, the kerning values you leach from this file will probably mostly be wrong, but at least you now have a list of kerning pairs so you don't have to work it out for yourself. To me, this feature alone is worth the cost of upgrading. But there's more...

GRAPHICS SUPPORT

Support for bitmapped graphics has been extended to include BMP, GIF (87a), PCX and TIFF formats, all of which may be displayed in up to 256 colours if you have an AGA Amiga, or in shades of grey otherwise. Once they're imported you may of course scale them, crop them, rotate them – do anything to them that you can to

normal Amiga IFF-ILBM files.

Structured drawing support has also been extended. As well as *Pro Draw* "clip" and *Aegis Draw* files, *Art Expression* format graphics may now be imported, and *Adobe Illustrator 88* format, plus Aldus *Freehand* format. When imported, these get converted into *Pro Draw* "clip" format, which means they get displayed on-screen of course, and it also means you can send them to *Pro Draw* via the hotlink for further editing (and saving as clips) if required. There is not yet support for the Amiga's moribund IFF-DR2D structured drawing format.

EPS (Encapsulated PostScript) and EPSF files are supported as before – as a shaded box on-screen that may only be printed to PostScript printers, unless the EPSF file has a TIFF "header", in which case a bitmapped representation of the EPSF graphic will be displayed on the screen. All the other formats will print on dot-matrix printers because they will have been converted to "clip" or IFF-ILBM format of course.

To display EPS and EPSF files on-screen, and to print them to dot-matrix printers, would require *Pro Page* (or any other DTP program for that matter) to include a full-blooded and complete PostScript interpreter, which would take time to implement and would probably increase the cost

of the program considerably. However, because *Pro Page*'s import facilities are now modular, it is perfectly possible that this could be included in the future. I guess it will depend on how many people continue to shout about it to Gold Disk. The only important use for on-screen EPSF support is to load a document prepared on another program or computer platform.

Pro Draw 4 comes with, and is hotlinked to, the *GrE* graphics editor, which was first released with *PageSetter* 3. For the life of me I can't imagine why it's in with *Pro Page* because it really is a pile of rubbish that should have been killed at birth. It might be useful for quickly editing the odd bit of ILBM clip art, but, well, *GrE* has hidden shallows.

SORT PROBLEM SORTED

Sorting pages has been made easier. Many's the user who has wanted to insert a page into the middle of a document only to find that they don't remember how to do it and, after struggling through the manual again, still can't work it out. No problem any longer. Page sorting is now "iconic", which sounds like something John Barnes drinks after a football match but is actually just a panel that pops up containing a miniature representation of every page in the document, each of which can be dragged into another position. If you can't sort your pages using this, you need a brain transplant.

Another small but very useful addition is the stick-on note feature. If you've ever left a document unfinished, reloaded it the next day and then sat there scratching your head trying to remember what it was you were going to do next, then stick-on notes will help. They are simple little boxes which you can make notes in and plaster wherever you like. No need to delete them before printing – they get totally ignored at that stage, even if you have the whole page covered in them. In colour mode they are bright yellow and difficult not to

SPOOLING YOUR RESOURCES



PostScript users will enjoy using *Professional Spool*, which works with any program that outputs in PostScript, not just *Pro Page*.

An added extra in the *Pro Page* package is *Professional Spool*, an easy-to-use PostScript print-spooling system. It enables you to set up any number of named printing devices, each of which prints to a different port. So if you owned a multi-port card and had two PostScript printers connected to two parallel ports and another two PostScript printers connected to two serial ports, *Pro Spool* would enable you to print to all four printers at the same time. (And while they are printing you could zoom off to Monte Carlo in your Lear Jet...)

You'd give the devices names like **QMS1:**, **EPSON1:**, **LASER:**, **LINO:**, and from *Pro Page*'s

PostScript output requester you would send the output to one of these devices, instead of PAR: or SER:. This creates directories and files in RAM (or hard disk if you prefer), and is similar to simply "printing" the PostScript file to disk. The difference is that *Pro Spool* is "watching" what you are doing and enters each file you "print" into its requester. Eventually you will have "printed" every chapter in your book or every article in your magazine (whatever it may be), possibly to two or more of the named devices, and the *Pro Spool* window, which sits on the Workbench, will contain a long list of files.

If you prefer, you can print PostScript files to disk and then load them into *Pro Spool* later. Whichever way you do it, the files end up in a "queue", waiting to be actually printed. All you have to do is hit the Stop/Go button and all the

JARGON BUSTERS • JARGON BUSTERS

Em-dash – A dash as wide as the character “m” in the particular font you’re using. An **en-dash** is as wide as an “n” or half an em.

Gutter – The margin on the inside of any page, where the pages are bound or stapled. Text and illustrations have to be kept well clear of this or risk being obscured when the publication is bound.

Kerning – Altering the spacing between (pairs of) letters. For example, the first three

letters in AVAILABLE need to be “squeezed up”, but the last three don’t. If they were all spaced evenly, you’d get AVAILABLE, which looks clumsy, especially at large sizes.

Ligatures – Special characters such as “fi” and “ti” for commonly-kerned letter pairs.

PostScript – A language used to describe graphics and text as images to compatible printers. It doesn’t rely on pixels, so images can be scaled or rotated without distortion.

see, so they can also be used to pass on notes or comments to colleagues who may also be working on the same file.

There are a couple of small changes to the paragraphing system. With *Pro Page 3*, paragraph indents and spacing facilities were changed so that they could be altered only via the paragraph tagging system. Many users complained that they liked it better the “old” way, so it’s been changed back. The Line Spacing requester now has a Paragraph Spacing gadget again, and the Paragraph Indent menu item has returned. You can still do it via paragraph tags if you wish, and the actual indent (or “outdent”) measurement is taken from the Default paragraph tag setting anyway, so in the end it might be better if you took some time to learn how the paragraph tags work.

One other small change is that *Pro Page* makes a list of up to 32 of the most recently opened files, and the paths to those files. Whenever a file requester appears, *Pro Page* creates a menu called Previous Files from which you can select the files – a great little time-saver, and something that every piece of productivity software should have.

Printing to dot-matrix printers is unaltered. It still takes as long as it always has done, and Gold Disk has resisted the temptation to match *PageStream*’s printing speed – which, contrary to popular belief, is

not due to “special” printer drivers or because it is a “better” program, but is simply because *PageStream* sacrifices dot-matrix output quality in favour of faster printouts. If you want speed and quality you have to pay a premium, either by buying an accelerator or a faster Amiga, or by buying a PostScript printer.

Pro Page 4’s PostScript output requester hasn’t changed, but a late addition to the package, documented on a four-page loose-leaf manual addendum, is *Professional Spool*, an easy-to-use PostScript print-spooling system. Full details are below.

SPREAD DELIGHT

There’s only one more major addition to *Pro Page 4*, and I’ve left it until last because it is my favourite feature and something I (and a few others) have been begging Gold Disk to include for some years – Facing Page Layout, or double-page-spread support, to put it another way.

Books and magazines may be composed of single pages, but open either type of publication anywhere you like and what you actually see is two pages, one on the left and one on the right. From a design point of view this double page spread (DPS) is a single canvas and needs to be designed so that left and right pages don’t clash, so that they are “balanced”. It’s all well and good having a facing pages preview (which is what *Pro Page 3* had), but having to make up the two pages separately

“include Downloadable Fonts” option in *Pro Page* and consequently speeds up the printing process, particularly if many files share the same typefaces.

So that’s *Pro Spool*, and no doubt non-PostScript users are green with envy and fuming that they don’t have a similar utility...

Well, you can always use the standard Amiga SMD and Copy commands, but if all that Shell work is too much for you, and provided you have *Workbench 2.04* or greater, check out *Fish Disk 810* and a little program by Nicola Salmoria called *PrintManager*. I think you’ll be pleasantly surprised.

means you continually have to toggle between layout and preview modes.

Not any more you don’t. The new Facing Page Layout feature puts up two pages on the screen – even page number on the left, odd page number on the right – and to all intents and purposes you can treat this DPS as if it were one page. The ruler is marked from 0 to the width of one page, then back to 0 to the width of one page again, making it easy to see where the gutter is. At printout time (PostScript or dot-matrix) you print each page separately, as normal.

This means you can run titles and graphics across the gutter without having to worry about duplicating them and positioning them correctly on each of the pages, as you used to have to. It may seem like a small point, but open any modern magazine or “coffee table” book and you’ll see that this technique is used all the time.

This is all very well, but it would be dishonest of me not to mention that there are a few problems with the version of *Pro Page 4* on review here, v4.0A. The most obvious bug is that it sometimes crashes when you’re quitting the program. I’ve spoken to people to whom this happens every time they quit, and I’ve spoken to people who have never had it happen. To date, it’s happened to me three times out of 60 or 70 quits, so it’s an annoyance rather than a real problem.

More of a disaster is the fact that imported bitmaps always fill the bounding box right to the very edges, even when you specify margins. This results in any line weight you may have specified for a border being overwritten by the bitmap. The only way to get your border displayed is to move the bitmap within the bounding box so that it is down and to the right a bit (positive offsets), and to make sure that it is smaller than the bounding box, otherwise the bottom and right-hand keylines are overwritten. I’ve worked around this problem by altering my FitBitmapTo-Box genie, but I’d rather Gold Disk fixed this bug, and quickly.

It shouldn’t take them too long to sort these problems out, and by the time you read this there will

THE EASY UPGRADE PATH

If you already use *Pro Page* but haven’t yet upgraded to v4 direct from Gold Disk in Canada, you can take advantage of a special offer from Silica Systems ☎ 081 309 1111. All you have to do is send Silica your original *Pro Page* disks plus the cover of the manual – copies of the disks and photocopies of the manual *will not do* – and in return for this small sacrifice plus the trivial sum of just £82 you will receive the complete *Pro Page 4* package, including new manuals. This extra-special offer is only open until the end of June, so hurry – and tell them *Amiga Shopper* sent you.

almost certainly be another update.

Pro Page 4 still isn’t a match for the famous Mac DTP package *Quark XPress*, which is used to produce this (and many other) magazines. But Gold Disk are getting there. The question is: will rival DTP company Soft-Logik get there first? **AS**

SHOPPING LIST

Professional Page 4.0A .. £199.95
by Gold Disk Inc
PO Box 789, Streetsville, Mississauga,
Ontario, Canada L5M 2C2

Distributed in the UK by:
Silica Systems, 1-4 The Mews,
Hatherley Road, Sidcup,
Kent DA14 4DX
☎ 081 309 1111

CHECKOUT PROFESSIONAL PAGE 4.0A

Features

When *Pro Page* is combined (as it is supposed to be) with *Pro Draw*, there’s not a lot you can’t do. But there are a few small bugs still to be ironed out.

Documentation

An old version 2 manual and slim version 4 supplement is not good enough documentation for a professional piece of software, to be honest.

Ease of Use

Once you’ve learned the ropes, it’s a doddle, but the poor manuals can make learning those ropes very hard work.

Speed

Considering the complexities of desktop publishing, it’s amazing how fast *Pro Page* runs, even on a 68000-based Amiga.

Value for Money

Pro Page 4 is selling through mail order for just over £100. Add £80-ish for *Pro Draw* and you’ve got an incredibly powerful publishing system for about £200.

Overall rating

It has its faults, and there is still a fair way to go measured by the Macintosh *Quark Xpress* yardstick, but *Pro Page 4* is currently the most professional DTP program for the Amiga.

files in the list will be sent to their relevant ports one after the other. Print progress is displayed as a percentage of work completed, actual time passed and estimated time left to complete the task. The data transfer rate is also displayed – it almost goes without saying that the more devices *Pro Spool* has to serve, the slower will be the data transfer rate. Task priority and buffer sizes can be adjusted to gain optimum speed if required.

Before pushing out the boat, you may select a number of PostScript typefaces to download (Type 1 or Type 3) to any of the devices, which saves you having to select the

Driving ambition

What handy add-on gives you access to as much data as 600 floppies? Jeff Walker boots up the CD-ROM from Toshiba.

Almost all serious Amiga users have a wish list of kit that they want desperately but can't quite yet afford, and the first few lines of every list look very much the same: more memory; more speed; more storage space.

Not necessarily in this order, but the top three best-selling bits of hardware for the Amiga are RAM boards and chips, accelerator boards and hard drives. And when you have saved up enough to go shopping, choosing what to buy can be difficult because there are so many different makes and models. So I'm not going to help you by adding another choice to the "more storage space" category – a CD-ROM drive.

You may consider a CD-ROM drive to be a real luxury, and it

or desktop publishing, or simple "clip art", which has a myriad of uses. And, again for desktop publishing and multimedia purposes, what about typefaces? You can get thousands of these on one CD-ROM for well under £50; the equivalent on floppy would cost thousands of pounds. And think of the time saved in backing-up all those disks!

Then there's text files. One of my favourite CD-ROMs is jam-packed with the complete transcripts of hundreds of very famous old books that are no longer covered by copyright.

And, of course, there's PD and shareware. You can get hundreds of Fish Disks on one CD-ROM – in fact, this drive comes with two free Xetec CD-ROMs that contain, among other bits and pieces, a few hundred of the

either plug directly into the SCSI port (usually provided by your hard disk controller card) at the back of your Amiga, or it can be "chained" on to another SCSI device if you've got one already fitted.

Once everything is connected you need to run the setting-up software, which provides you with a "form" to fill in on-screen, rather like *HDTToolBox* does when setting up hard drives. It's at this point that novices may start getting the butterflies because it all looks rather technical. Thankfully, Almathera provide a sheet of instructions that amount to "click this button, enter such-and-such in this gadget, select that option, and away you go".

Without these instructions, I had to have two goes at installing the software. Following the idiot-proof steps, which is what I should have done in the first place, I had it up and running in five minutes.

IT'S NOT CDTV!

Part of the software that is provided is a whole load of CDTV startup scripts which, essentially, execute the startup-sequences on CDTV titles after setting up system files, directories and assigns the way a particular CDTV title wants them.

I don't have many CDTV titles, and of the few I do have only one or two "booted" successfully. Almathera provide a list of CDTV titles they've tested, 11 of them known to fail but more than 60 found to work with various Amiga set-ups from Kickstart 1.3 to 3.0. I'm using Kickstart 2 and Workbench 2.1 and out of the titles Almathera says work, some don't on my system. But, to be perfectly frank, if it's CDTV-specific titles you want to run, then you're much better off buying a CDTV to start with. You can always network it to your Amiga with *ParNet*.

This Toshiba CD-ROM drive will read Macintosh (HFS) and PC format CD-ROMs as well as Amiga-CDTV format, and while you will not be able to run any Mac or PC software on such CD-ROMs (unless, of course, you have a PC or Mac emulator in the Amiga), data is normally stored in standard formats – ASCII for text, PostScript for typefaces and clip art, various common graphics formats like GIF, TIFF and PCX for pictures (but not usually IFF-ILBM) – so there's usually no problem reading it.

A little program for playing and controlling normal audio CDs is provided, and the whole system is also controllable from ARexx.

Talking of audio, sound may or may not be important to you. Currently both internal and external models come with a simple 3.5mm headphone audio socket. If you want sound through speakers, you'll have to buy a suitable lead. Almathera say that the design may change later, at which time proper stereo audio sockets will be fitted to both models.

The price of CD-ROM drives is bound to come down over the next year or so. If you're prepared to wait, fine; if not, then you'll not go far wrong with this Toshiba drive, especially seeing that Almathera provide a technical helpline should you have any trouble at all in getting it up and running. **AS**

SHOPPING LIST

Toshiba external CD-ROM drive£499
Toshiba internal CD-ROM drive£399

by Almathera Systems Ltd, Challenge House, 616 Mitcham Road, Croydon CR9 3AU.
☎ 081 683 6418



You know how durable and reliable CDs are, so it makes sense to use them to store data your Amiga can read. All you need is the hardware to read them...

certainly isn't a replacement for a hard drive, because hard drives are faster and can be written to, whereas CD-ROMs can only be read (CD-ROM stands for Compact Disc Read-Only Memory). However, there are some very good reasons why a CD-ROM drive can be a better choice than buying yourself a larger or additional hard drive.

Data is the key. If you regularly need read-only access to enormous amounts of data, having that data on a single CD-ROM, which can hold the equivalent of about 600 standard Amiga floppy disks, is a much more practical and effective solution than wasting 600Mb of space on a writable hard drive.

What kind of read-only data? Pictures, for example – either high-quality colour scans for multimedia

early Fish Disks split into program categories rather than disk by disk.

There's no doubt about it, even at today's high prices you can recoup the cost of a CD-ROM drive with the purchase of a single CD-ROM.

INS AND OUTS

The CD-ROM drive I'm looking at here comes in two models, external and internal. Both need to be connected to a SCSI card.

The internal drive fits neatly into the 5.25-inch disk drive bay of the Amiga 1500, 2000 and 4000. The slimline Amiga 3000, of course, has no 5.25-inch bay, so you'd need to fit the external model, but at least that model of Amiga comes with a SCSI interface as standard.

The external model, which costs £100 more because of the case, can

CHECKOUT TOSHIBA EXTERNAL CD-ROM DRIVE

Quality ●●●●○
Top-quality mechanism in a tough-enough but slightly old-fashioned looking case.

Speed ●●●●○
Data transfer rate is fairly fast, over 300K per second with a 200 millisecond access time, which is more than twice the speed of CDTV...

Documentation ●●●●○
The manual is out of date and not much help to novices, but Almathera supply clear idiot-proof instructions separately.

Ease of Use ●●●●○
Thanks to the idiot-proof instructions, setting up is painless.

Value for money ●●●●○
It's a lot of money, especially if you don't already have a SCSI card, but the ability to buy hundreds of floppyfuls of data for about the price of 100 blank disks might enable you to justify and recoup the cost.

Overall rating ●●●●○
Once you've spent some time with a CD-ROM drive, it's one of those bits of kit that you suddenly can't do without.

The inside story

This month we show you how you can recycle an adder to make a subtractor and also demystify harder sums as the incorrigible Gus Chandler continues poking about in the Amiga's innards.

In this month's exciting episode of "The Amiga Exposed" we continue our journey in the world of digital logic with a close examination of the way in which a computer goes about performing the process of subtraction by re-using much of the circuitry of the MPU (Micro-Processor Unit) that was needed for carrying out addition. Indeed, all that we need to do to perform subtraction is to "mess around" with the number that we want to take away and then feed it, along with the number that we are taking it away from and an extra 1, into a modified version of the eight-bit full adder that we considered at length last month. Baffled? Well, read on and all will become clear.

Now, before we start to delve

into the mysteries of binary subtraction, let's just take a minute out to recap the concepts we grappled with last month and remind ourselves of exactly what the functions are of all these different "building block" logic gates.

We've shown the standard symbols that are used to represent the six gates in the box at the bottom of this page. Strictly speaking, it's only necessary to make use of three of them – the AND, OR and NOT gates – because with just these you can construct a functional assembly of logic gates capable of performing any logic operation. The other three logic functions that we have summarised here – the NAND, NOR and XOR (eXclusive OR) – can in fact all be constructed by using combinations of

the AND, OR and NOT gates.

Check back to pages 24 and 25 in last month's *Amiga Shopper* if you want to see how these functions are constructed using the basic "building block gates". (If you missed it, turn to page 116 and order a copy!)

HOW COMPUTERS SUBTRACT NUMBERS BY ADDITION

Before we looked at the procedure by which computers deal with binary addition last month, we first considered how human beings go about the task of adding decimal numbers – for the processes are functionally identical. In both cases you start with the least significant digit of each of the numbers (that's the rightmost), add those together, then put the least significant digit of the sum in that column of the answer. Any "carry" digit is then taken forward to the next column and added along with the next two digits from our sum.

Now when it comes to performing binary subtraction you could follow exactly the same rules as if you were working with a pair of decimal numbers – that means "borrowing 1" from the column to the right as necessary and then "paying back".

The trouble however with adopting such an approach is that computers aren't actually equipped to deal with subtraction in this manner – they could be, but the process would be slow and require them to employ additional circuitry within the ALU (the arithmetic and logic unit, which is the internal sub-assembly of logic gates that the 68000 MPU in your Amiga uses to deal with all of the mathematical operations).

Instead, computers do the job of subtraction by following a process that involves taking what is called the "complement" of one of the numbers. The exact method that we're going to discuss is known as "two's complement subtraction". This involves carrying out what is known as a "bit-wise negate" on the number that you wish to subtract and then adding it plus another 1 to the number you want to take it away from. This all sounds rather complicated, doesn't it? Well, don't worry – it isn't really that difficult to get your head around the basic principles.

Let's see if showing a simple worked example helps to make it all clear. We'll assume that we want to subtract the binary number 100 (that's 4 in the decimal system) from

THE BASIC LOGIC GATES REVISITED

NOT GATE



NOT GATE

Function: Given an input of 1, the NOT gate produces an output of 0. With an input of 0 the output is 1. In other words, the NOT gate's output is a negate of its input.

AND GATE



AND GATE

Function: The AND gate gives an output value of 1 only if both of its inputs have a value of 1.

OR GATE



OR GATE

Function: The OR gate gives an output of 1 if either one or the other of its two inputs has a value of 1.

XOR (EXCLUSIVE OR) GATE



XOR GATE

Function: The XOR gate gives an output of 1 if either one or the other of its two inputs has a value of one, but, unlike the OR gate, not if both of them have that value.

NAND GATE



NAND GATE

Function: The NAND gate produces an output value of 1 except when both of its inputs have the value 1. Placing a NOT gate in the output line of an AND gate gives the NAND function.

NOR GATE



NOR GATE

Function: Gives an output value of 1 only if both of the input values are 0. The NOR gate is equivalent to an OR gate with a NOT gate in its output line.

the binary number 101 (decimal 5) to give us the answer 1.

STEP 1 - THE BIT-WISE NEGATE (ONE'S COMPLEMENT)

First we have to "bit-wise negate" 100. All this actually means is that we have to apply the NOT function that we discussed last month (that is, we feed each digit of the number through a NOT gate) to each of the bits (each binary digit) in the number like this:

Step 1

NOT 1 = 0
NOT 0 = 1
NOT 0 = 1

which gives us the result 011.

STEP 2 - ADDING

Now we just add the numbers 101, 011 and an extra 1 together:

Step 2

1	0	1
0	1	1
+		
1		

1	0	0
1		

Er, but we seem to have ended up with the result 1001 (that's 9 in

In the decimal system (base 10) that we're all familiar with, there are ten numbers, 0 to 9, that can be used for each digit position. This means that each time we move one digit along in a decimal number (starting from the rightmost digit, which is known as the least significant digit) its value increases by a factor of ten - giving 1, 10, 100, 1,000 and so on.

With the binary system (base 2) however there are only two numbers available, 0 and 1, for each digit position. Therefore as we move from one digit to the next in a binary number its value is changed by a factor of two, so the decimal equivalents of the binary numbers 1, 10, 100, 1000 are 1, 2, 4 and 8.

If you look at the eight-digit binary number we've shown, you'll see that a 1, the most significant digit (and the largest digit value that we can use in binary), represents the decimal value 128, while if we put a 9 in the most significant digit position of our decimal number it gives us a value of 90,000,000.

An eight-bit number ("bit" stands for "binary digit") can have 256 different values, representing the decimal numbers 0 to 255. Remember that the chipsets in the various versions of the Amiga work with 16-bit or 32-bit numbers - we've stuck to using 8-bit numbers in this feature simply because showing

something like a 32-bit full adder isn't really feasible given the amount of space on our pages. Alternatively we could print all our diagrams at a quarter of the size and hope that our readers don't mind using a magnifying glass to look at them. The principles that we're discussing in these pages, however, are exactly the same as those that would apply if we were dealing with 16-bit or 32-bit numbers.

DECIMAL

10,000,000's	1,000,000's	100,000's	10,000's	1,000's	100's	10's	units
1	0	0	1	1	0	0	1

BINARY

128's	64's	32's	16's	8's	4's	2's	units
1	0	0	1	1	0	0	1

decimal) for the sum 5 minus 4, and we know that isn't the correct answer. Don't panic just yet though -

the largest number that we were manipulating had three bits, while the answer that we've come up with


has four. You can probably guess that what we do is to take only the rightmost three digits of the answer (this is the three least significant bits), which are 0 0 1, or, if we ignore the leading zeros, we are left with 1 - the correct result. But what about that first bit, the 1 that we've just ignored? Well, it doesn't just get thrown away, but we'll leave considering what it is used for until we come on to number representation next month.

So far we have only dealt with straightforward sums that involve small positive integers. The eight-bit numbers that we've been working with are, as we have explained, limited to representing only 256 different integers - the numbers 0 to 255. Obviously, to be useful in the real world, the assemblies of logic gates that we're discussing here must be capable of handling all the unusual cases that can crop up - for example, dealing with negative numbers and fractions and detecting when "overflow" or "underflow" conditions occur.

We get an overflow when the number that is generated by a mathematical operation turns out to be too large to represent using our eight-bit number. Try adding the numbers 128 (10000000) and 129 (10000001) using the adder cascade that was printed last month and you'll see this for yourself. In a similar manner, an underflow condition occurs when the result is too small - with the way we're currently using eight-bit numbers, this happens if the result is less than zero (it's negative).

In this feature next month we'll

THE ONE-BIT FULL ADDER



C	7	6	5	4	3	2	1	0
							1	1
A	7	6	5	4	3	2	1	0
	1	0	0	1	1	0	0	1
B	7	6	5	4	3	2	1	0
	0	1	0	1	1	0	1	1
P	7	6	5	4	3	2	1	0
							0	0

INPUT A	INPUT B	INPUT C	OUTPUT P	OUTPUT C
0	0	0	0	0
0	1	0	1	0
0	0	1	1	0
0	1	1	0	1
1	0	0	1	0
1	1	0	0	1
1	0	1	0	1
1	1	1	1	1

be discussing just how the 68000 in your Amiga represents numbers internally, the use of a sign bit to distinguish between positive and negative quantities, and how fractions are handled. We'll also consider the issue of precision – the accuracy with which numbers can be represented (that is, the number of significant figures that are given in the result).

What we're going to look at first though are the changes that we need to make to the eight-bit full adder assembly that we explained in detail last month so as to adapt the unit to function as a binary subtractor.

ADAPTING THE EIGHT-BIT FULL ADDER FOR SUBTRACTION

Last month when we were discussing binary addition we introduced the functional unit called a one-bit half adder and found that this would take two inputs, A and B (the two bits that we wish to add) and produce two outputs, P and C. P was the least significant bit of our answer (that's the rightmost of the digits) while C was the carry (if there is one) to the next column of our sum.

We decided to use a half adder for the first unit of our eight-bit full adder because we only needed to deal with two inputs in this position when adding. For the second and subsequent digit positions we had to use one-bit full adders because they can cope with the three inputs that we now have to process (the next digits of the numbers that we're adding plus the carry from the previous column of the sum).


You should be able to see that we could perfectly well replace the one-bit half adder with a one-bit full adder and still end up getting the same result, providing that we set the third input (that's called **C^{IN}**) to be 0. We've illustrated the top stages of our eight-bit full adder from last month, and the unit as it has now been modified, in the boxes on this page.

Okay, so we now have our eight-bit full adder assembled from a cascade of eight one-bit full adders. Let's make some additional modifications so that we can also make use of the unit when we want to subtract. If you check back to step 1 of our simple example sum on page 58, you can see that the first thing that we have to do is modify the number that we are subtracting – that is, bit-wise negate it.

This is very simple to achieve with logic gates. All that we have to do is pass each bit of the number that we want to subtract through a NOT gate before we pass it on to the full adder. If you look at our subtractor assembly on page 60, you'll see that all we've done is to

TOP UNITS OF ADDER

When we explained the eight-bit full adder last issue (see page 116 to order a copy if you missed it), we used a one-bit half adder for the first step in the chain. We did this because for the first step in the addition there is no "carry in", so we could get away with a smaller number of gates, six rather than the 13 required to construct a one-bit full adder.



insert a NOT gate in the input line for each bit of the second number B, to carry out the complementation operation.

The result that we get after we have applied the NOT operation to our number is called the "one's complement". We'll see next month when we come to discuss "sign bits" that "one's complement" is an alternative method for representing negative numbers. Now, to get the "two's complement" of the number,

we have to add 1 – exactly as we did in step 2 of our example.

We could carry out this addition with our full adder in a two-stage process, first adding our numbers 101 and bit-wise NOT 100 (011 – that's the "one's complement") and then feeding the sum of this addition back through our full adder along with the number 1. However, now that we've modified the first stage of our eight-bit full adder by replacing the one-bit half adder with a full

adder, this can all be easily carried out in a one-step process. All that we need to do is set the third input of the first stage (**C^{IN}**) to 1 and, hey presto, we've constructed a functional arrangement of logic gates that will serve to perform subtraction.

If you care to refer back to last month's feature you'll be able to check that our eight bit full adder modified for subtraction is now constructed using 112 of our basic "building block" logic gates – 24 OR gates, 40 NOT gates and 48 AND gates.

You'll see that the array on page 60 is the eight-bit full adder from last month, but now modified to perform subtraction. We have used the same two numbers – 10011001 (decimal 153) and 1011011 (decimal 91) – as we did last month, but instead of performing addition with them we're now using the method of two's complement subtraction to give us the result 111110 (decimal 62), which happens to be correct.

HARD SUMS WITH MULTIPLICATION AND DIVISION


Right, we've now explained the functional logic assemblies that are required to carry out the two most basic of the arithmetic operations – addition and subtraction. We're not going to devote the same amount of space to discussing the more complex mathematical processes of multiplication and division, but we will just explain briefly how these are tackled by the internal circuitry of the microprocessor.

First let us deal with multiplication. In the earliest generations of digital computers their full adder assemblies were re-utilised to perform multiplications. They would treat a sum such as 6 multiplied by 6 as a series of five additions – 6 + 6 + 6 + 6 + 6. That's a perfectly reasonable approach and both methods yield the same result. However, this approach has the disadvantage of being slow, so these computers also employed a number of tricks or "optimisations" to reduce the number of additions that had to be performed. For example, when we are multiplying the numbers 6 and 6 it's not actually necessary to perform a chain of five additions, adding 6 each time – three additions are sufficient. First we add 6 + 6 to give 12. Then we add the result of this first sum, 12, and another 6 to give 18. Finally we add this result, 18, to itself to give us the final result, 36.

Nowadays, microprocessors rely on a different approach that employs what are called "shift registers". They do this because all but the most trivial of multiplication sums can be performed more speedily by the technique of shifting than by

MODIFIED ADDER

If you followed the principles behind last month's discussion of the one-bit half and full adders, it should be clear that we could equally well have substituted a one-bit full adder instead of the half adder for the first stage of our cascade – provided that we set the "carry in" bit to be 0. That is in practice the way that multiple digit adders are constructed in electronic components. Why? So that much of the circuitry can be re-used for other operations. For example, by adding a set of eight NOT gates and changing the "carry in" bit on the first stage to 1, you get the correct logic gate array for performing subtractions.



employing multiple additions.

To use an example, we know that if we take any decimal number, say 28, we can quickly multiply it by ten by just "adding a nought" to the end to give us 280. We can adopt a parallel approach when working with binary numbers. Take 11100 (decimal 28). "Adding a nought" to the end (this is described in technical jargon as the process of "shifting left") gives us 111000 (decimal 56) – that's equivalent to multiplying by 2. By combining a series of shift left and add operations it's possible to perform any multiplication sum.

So, now let's see if we can debunk division for you. Again this is performed using shift registers – but in this case we have to shift the number in the other direction, to the right. This is equivalent to moving the decimal point when you're working with base ten numbers. So 11100 (decimal 28) shifted right by one digit position gives us 1110 (decimal 14) – we've divided by two. By using a sequence of shift right, compare and subtract operations, the MPU is able to cope with any division.

NEXT MONTH

Okay, if you've been following this and last month's features you will now have a good grounding in the principles that are used for designing digital logic circuits. If you want to try some "hands-on" experimentation with logic, then make sure that you get your hands on a copy of the freeware program *DBB (Digital BreadBoard)*. This is a very clever little package which enables you to design and dry-run your own simple logic circuits. It's being distributed on Fish Disk 844 and if you turn to page 109 you'll see that our PD aficionado Ian Wrigley rates it highly with a star review, awarding the program 10 out of 10.

No doubt you've now had your fill of logic, so next month we'll be moving on from the theoretical side of digital logic to see its practical implementation inside the 68000 microprocessor.

We'll be taking a look at the way that numbers are represented internally in your Amiga and how these numbers are coded to represent other information – such as text. We'll then be discussing the "registers" (such as the shift register that we touched on when talking about multiplication and division) that are used to manipulate this data, and the various conventions that are employed when it comes to moving it about – that's the process of "addressing". So if you want to be properly addressed – and if you want to find out more about what goes to make the heart of your Amiga beat – then don't miss it. **AS**

ADDER MODIFIED FOR SUBTRACTION



The Pest is back

This month, Mark Smiddy brings you the full low-down on Pest 3, proving it's at least as much fun to pull it apart as to run it...

Pest is probably the most powerful and comprehensive time-scheduling utility yet devised – but what makes it special, and what will make other computer users pale, is the fact the whole thing is written in AmigaDOS. There are no clever assembly-language cheats, no hidden utilities: everything is handled by the Amiga's own DOS language. That also means it's a lot smaller than anything you could reasonably buy off-the-shelf. And it's yours on this issue's *Amiga Shopper* cover disk.

Pest can handle an almost unlimited number of "events" and is accurate to within a couple of seconds of the computer's own clock – depending on processor load. It is fully multi-tasking and works quietly in the background until it's needed. Memory requirements are frugal – each running event takes only a couple of K. Once active, it will flash a message on the Workbench even if other applications (DPaint, Wordworth – whatever they may be) are running. Being disk-based, it is totally reset-protected – the events are set every time the machine is started.

"probably the most powerful... time-scheduling utility yet devised"

You may set an event (reminder, or alert) to trigger on any day, days, date, or dates, at a specified time or a set time after the last reboot. For example, you can set any event to happen at specific times on days of the week; at weekends only; every day in a specific month, and so on. Typical uses include: birthdays, regular appointments, TV programs – the list of possibilities is limited only by how full your social life is.

Now the less-good news: Pest 3 will work on any Amiga with Kickstart, Workbench 3 and a real-time clock. Amazingly, Commodore did not supply an RTC with the A1200, so unless you have bought one separately, Pest will be of limited use. (It still works, but only the instant and delayed events are

workable.) The nature of the program means a hard disk is recommended but not required.

I can imagine a lot of readers spitting teeth and demanding to know why this all-time best is AmigaDOS 3 only. The reason is simple: AmigaDOS 3 has a new command which is crucial to Pest and implementing it in AmigaDOS 2 is technically quite tricky. It is possible to write such a utility (**RequestChoice**) in assembler or C, but that rather defeats the object. Demand arising, I will fix this – but for now, here stands Pest 3, batteries not required.

STARTING PEST


The archive utility used to compress Pest clears the script flag required by these programs. A utility is provided to fix this problem and should be used once only. After un-archiving, the entire **Pest3** drawer should be copied to your Workbench disk. You activate Pest by dragging the

"StartPest" icon to your **WBStartup** drawer and re-booting the machine. After that, you can just let Pest do the rest. The program is like an alarm clock – which means you must remember a couple of things:


- It does nothing unless told to.
 - You have to be around to hear it.
- The second point cannot be stressed strongly enough. Pest is intelligent enough to spot when you miss an appointment time on a specified day – but the machine *must* be used on that date. This is just like an alarm clock – if you're too fast asleep to hear it or not there when it goes off, you'll be late for work just the same.

To get going, just double-click on the **AddPestEvent** icon and select "Start". Pest will ask you what it needs to know – the sequence of

Note: the symbol in listings means do not type a return – the line is simply too long for our narrow columns



The Pest system starting up at the beginning of a session – fully automated once StartPest has been added to the WBStartup drawer. Not how in this case an event has already passed, and a requester appears to tell the user so.



AddPestEvents, which is used to inform Pest of any new events about which you need to be reminded, has a comprehensive interactive help system. Here it is describing the acceptable formats for dates that it understands.

prompts is defined by exactly what the event will do. The most important input, and the only one *required* from you, is what message Pest will display when the event occurs. You will then be given a choice of days, dates, times or delays. Note that in this version CLI options are *not* supported.


The message can be any string of text, although around 60 characters is about the maximum.

However, there's no reason why you shouldn't use the message to remind you to view a longer note about that particular event. Times and dates need more explanation. Pest can accept times in 12 or 24-hour format and recognises the difference by the presence of AM/PM in the string. For example: **1:00** and **1:00am** are the same thing, just as are **1:00pm** and **13:00**. The 24-hour method means you have fewer characters to type, but it's entirely up to you.

Dates and days are more complex, although you only have to use them if you want to specify an

event for some particular day. Basic dates are simple. For example, if you have a dental checkup on 23 July 1993, you'd have to set an instant event (no time) dated as **23-Jul-93**.

More regular occurrences (such as birthdays and anniversaries) are entered similarly, but without the year. Pest just registers the date and the month: **23-Jul** would define a single dated event every 23rd July regardless of the year – birthdays



Pest uses a requester to confirm that everything's okay before a new event is added to the list.


and that sort of thing are good candidates for this event. This technique can be extended to cover every day in a month, such as **Jan**. Months and dates can be grouped using the bar (|) character – this is explained for days below.

Now let's imagine you have to

pick the kids up at 3:00 every weekday and it takes you ten minutes to get to school. You might set the event day as **Mon-Fri**. *Pest* recognises this special string and enters the string: **MonTueWedThulFri**. Specific days should be entered as three-letter strings, separated by bars if necessary – otherwise the entire week is taken as default.

TIMED EVENTS vs DELAYED EVENTS

Most *Pest* events are constructed from a time + day and/or date plus a message. You can opt for a reminder to occur as you boot the machine or for something to appear after a short delay – say 60 minutes. The timed delays



ListPestEvents gives a list of the events currently under *Pest*'s jurisdiction. **KillPestEvent** removes one.

are useful to remind you to take a break, although a reset is required to re-trigger them.

Four other Workbench-compatible utilities are supplied. (Other scripts present in this drawer are used by *Pest* and reserved for AmigaDOS proper – see below for details.) The utilities are:

- **ListPestEvents**: used to list the current events and their status. Note this utility only affects *running* events scheduled for that day. They can be reset by re-booting the machine – see *DeletePestEvent* for a more permanent solution. Three states are possible:

- (1) **Active**: event is running and waiting to execute.
- (2) **Deceased**: event has been removed by the user (with *KillPestEvent*) before completion.
- (3) **Complete**: event has already timed out normally.

- **KillPestEvent**: used to remove any running event from the system list before it has completed. This script lists all the current events (and their status) and will prompt you for the number of the one to remove. If no number is supplied the script exits.

- **DeletePestEvent**: permanently removes *any* *Pest* event from the system and should be used with care. It works along similar lines to

KillPestEvent but this one actually lists the main "Event" script (**Pestfile**). Enter the number of the line to remove or "0" to escape.

- **ChangePest Message**: was provided because the problem was there. Although I have found little use for it, I suspect someone will like it. Essentially you are provided with a list of all the current events (those already running) and are given the opportunity to change the message attached to any one. Exactly why you might want to do this is beyond me, but you never know.

HOW PEST WORKS

Pest stores its events in the **S**: assignment in a script titled "**Pestfile**", where every event takes a single line in the file. You can permanently remove an event by deleting the line or disable it by placing a semi-colon ";" at the beginning of the line. You can edit

this file directly and call the relevant *Pest* Commands as you see fit. There is no requirement to use *AddPestEvent* – that software is provided for beginners.

The system is constructed from a hideously complex set of AmigaDOS algorithms – but just four simple commands are central to the operation of the entire system, and only one of those is specific to AmigaDOS 3. *Pest* keys on dates, days and times shown by the **DATE** command like this:

```
1>date Monday 19-Apr-93
10:57:03
```

Provided your machine has a battery-backed real-time clock, this date will be correct every time you switch on or reboot. By comparing the date portion to a known date, *Pest* can determine whether to set an event. The burning question is: how can any day, date or combination be tested for? The entire test is performed in a single-line command based on **SEARCH**: and this is what makes the system so powerful.

SEARCH can test for the presence of a sub-string within a file and report on its findings. Let's see this in action:

```
1>SEARCH S:SPAT FAILAT
8 FailAt 21
18 FailAt 10
```

The command displays the line or lines the string was found on and also their line numbers.

You don't have to specify a full word of course:

```
1>SEARCH S:SPAT FAIL
8 FailAt 21
12 IF NOT FAIL
18 FailAt 10
```

As you can see, an extra line also containing the string "**FAIL**" appears. This is fine when used from a Shell, but useless when used in a script. Someone thought of that, and **SEARCH** returns an indication, in the system variable "**RC**", to say whether the string was found or not. Here is an example run:

```
1>SEARCH >NIL: S:SPAT FAIL
1>GET RC
0
```

```
1>SEARCH >NIL: S:SPAT FUDGE
1>GET RC
5
```

In the second instance, the string "**FUDGE**" could not be found in the file, so **SEARCH** sets the variable **RC** to 5. (This variable can be easily tested and acted upon with **IF**.)

Now how about our dates? The date itself can be easily written to disk like this:

```
1>DATE >DateFile
```

The ">" is a re-direction operator – it takes everything that would normally be displayed on screen and writes it to a named file – "**DateFile**". Ordinarily this file would be written in the RAM disk (**T**: assignment) but to avoid confusion just take that for granted at this stage.

We can now use **SEARCH** to quickly test if the requested date is present in the date file like this:

```
1>SEARCH DateFile "2-Jun-93"
```

If the date is the 2nd June, **SEARCH** returns **RC=0** (OK) otherwise it

returns **RC=5** (WARN). Simple enough, but remember how **SEARCH** does not differentiate between words and parts of words. What would happen in this case?

```
1>SEARCH DateFile "Jun"
```

The search is true if any part of the date contains the word "Jun", or, as *Pest* sees it, the date is *any* day in June of *any* year. Exactly the same method can be applied to days of the week too:

```
1>SEARCH DateFile "Monday"
```

This search will return a true value (OK, **RC=0**) whenever the day name is Monday and a false one (WARN, **RC=5**) at any other time.

Now for the 64-million-dollar question: what happens when an event should be scheduled for more than one day or date? The immediately obvious solution is to set an event for each day required – but this is wasteful. **SEARCH** offers a less obvious, but far more elegant answer: pattern matching. The special bar character "|" (pronounced "OR") solves this. In longhand, if you want an event to activate on a Monday, Wednesday and Friday, this would reduce to: "Mon OR Wed OR Fri" and further reduce to its AmigaDOS equivalent, "**Mon|Wed|Fri**" thus:

```
1>SEARCH DateFile "Mon|Wed|Fri" PATTERN
```

Note that the **PATTERN** switch used on the command line in this example tells **SEARCH** to interpret the string as a pattern) rather than a literal.

All of this translates into a few lines of code which introduce the *SetPestEvent* and *SetWaitEvent* scripts and quickly determine

PEST COMMANDS

The following is a list of the *Pest* system commands and what they do from Shell.

• AddPestEvent [Private]...

This command is used to simplify the entering and construction of the *Pest* events. If it is called from Shell, you should not supply any arguments. (This is a bug.)

• ChangePestMessage [Event] [Message]

This command can be used to change the message attached to any running event. If executed without arguments it will list the current events and prompt for the information it needs. If the Event

number is supplied, the script will prompt for a message. Example:

```
1>ChangePestMessage 1 "Time for bed!"
```

• DeletePestEvent [private]...

This script is designed to be used from Workbench but can be used from the Shell in interactive mode. It takes one argument, the event number to delete. Caution: this effect is permanent and cannot be undone. For example:

```
1>DeletePestEvent
```

• FixScripts <none>

This function is provided to set the

whether or not to bother with a specific event. Here is the actual code segment:

```
1. if {day} not eq ""
2. date >T:TPToday
3. search >NIL: t:TPToday
  "{(day)}" pattern
4. if warn
5. skip out
6. endif
7. endif
```

Now here is how it works:

1. **{Day}** is an optional argument supplied by the user as defined above which carries the day(s) or date(s). This test determines if an argument has been supplied by checking if "{(day)}" and "" are not the same. (AmigaDOS pre-parses every script by replacing every argument name with any values supplied for it.) Two possible ways this line can be expanded are:

```
A: if not eq ""
```

or alternatively:

```
B: if Mon|Wed|Fri not eq ""
```

IF is a conditional test. When such a test evaluates to TRUE, execution continues at the next line (Step 2 here). If, on the other hand, the test returns FALSE, execution jumps to the matching **ENDIF** (Step 7 here). In this first case, things are slightly more complex because the test is reversed by "NOT". The unknown string on the left is compared for inequality to the empty string on the right: Test A evaluates FALSE; B evaluates TRUE.

Constructs such as this are very complex to get to grips with at first unless you have some prior knowledge of programming, so we'll return to them later on.

2. This sends the current time and date to a temporary file. The name is arbitrary, but use of the "T:" assignment ensures the file is written to RAM for speed.

3. Here is the practical version of the search described earlier. Although this line looks complex, all that has been added is the day/date argument collected from the command line. When AmigaDOS expands this it might look like this:

```
search >NIL: t:TPToday
"(Mon|Wed|Fri)" pattern
```

(Brackets and quotes are added here to prevent the command becoming confused if the date argument contains spaces.) If the date file, **TPToday**, contains one of the substrings Mon, Wed or Fri, **SEARCH** will return OK; otherwise it will return WARN.

4. Checks if **SEARCH** set the WARN flag – the date/day substring was not located in today's date. If WARN was found, execution continues at Step 5; otherwise it jumps to Step 6.

5. Immediately transfers control to the end of the script (not shown here). Steps 3 and 4 determine if the date is valid, and if not, this step exits the program to save time.

6. Marks the closing point for the **IF...ENDIF** construct at Step 4. Execution continues at Step 7.

7. Closes the first **IF...ENDIF** construct at Step 1 and allows execution to continue with the remainder of the script.

TIME SYSTEMS

With the dates taken care of, there is something else that can affect a

Pest event: time.

Most events are set to appear at a specific time, but it is possible that the time has already passed when the machine is booted. Here's the fragment which determines this:

```
1. date >env:TimeNow{$$}
2. echo to T:EdTime "2(dta/
/);pa:/;pb:/;3#"
3. edit env:TimeNow{$$}
  with T:EdTime
4. if $TimeNow{$$} GT "{Time}"
5. RequestChoice >env:RQ
  {$$} "Pest" "Requested
  event time: {time} has
  already passed.*nShould I
  wait until tomorrow?" "Yes"
  "Show" "Cancel"
```

Here's how this works:

1. Writes the date and time to a global environmental variable.


2. Constructs an **EDIT** macro to extract the time from the current date. This is quite involved, so let's examine it in more detail. The actual macro file can be split into separate commands like this:

```
2(dta/ /)
pa:/
pb:/
3#
```

Now recall how the date is actually written:

```
Monday 19-Apr-93 10:57:03
```

The first part of the macro deletes everything up to the time by searching and deleting everything up to the second space inclusive. This



ChangePestMessage, running here, can be used to change the message displayed when an event occurs.

leaves us with:

```
10:57:03
```

Next the edit "pointer" is placed after the colon in hours and before the colon separating the minutes and seconds. If this seems odd, it's just the way **EDIT** works. Finally the second colon and the last two digits are deleted, leaving us with:

```
10:57
```

3. Edits the variable **TimeNow{\$\$}** directly using the macro just described.

4. Compares the requested event time to the actual time. This test returns TRUE if the event time is less than the actual time – in other words if the time has already passed.

5. If the test at Step 4 is true, this presents a requester indicating what has happened and provides some options as what to do. The user's response is sent to a variable which is made use of later in the script (not shown here).

Next month we'll continue exploring the workings of *Pest*. **AS**

"S" protection flags on all the *Pest* functions. It only needs to be run once from Workbench and can be deleted afterwards.

• GetArgs <Name> [private]...

This is a private function used by the *Pest* system to retrieve an input line from the user. Everything is taken in up to the carriage return and the result is passed back in a local variable **Arg<Name>**, where **<Name>** is the name supplied at run time. Remaining command line options are private to the script.

• KillPestevent [Event] [Message] [Private]

Removes a current running event from the list. This command is designed to be used from Workbench and may be used without arguments to trigger its interactive mode. The

Message argument is reserved for use by the *Pest* system although you can supply one if you wish. When an event is removed, the "++Active++" string is replaced by the contents of the message argument. In any case, when *KillPestEvent* terminates an event, it echoes the process slot used (check STATUS). Examples:

```
1>KillPestEvent 1
Running as process:10 Bang!
Event 1 bites the dust
```

```
1>KillPestEvent
```

```
Pest active Monday 27-Apr-93
11:30:23
Event Time Status Message
0. 12:59 ++Active++ Time for lunch!!
1. 14:47 +Deceased+
```

Enter event number to delete:

• ListPestEvents [QUICK]

This function is provided to list information on all the current events. The **QUICK** switch is available from the Shell only and is used to suppress the date heading and message output.

• SetPestEvent [Time=<time>] [Day=<day/date>] [Message=<"x">]

This command sets the normal time/date events and is normally executed from a startup script. You can, however, call it directly to set an immediate event which does not require a re-boot. This command is stripped-down for speed and times should be entered in 24-hour clock only. If the message contains spaces it should be surrounded with quotes.

You can use this command with care to add events directly to **S:PestFile** if you wish. Example:

```
1>SetPestEvent Time=13:00
Message="Time for a break"
```

• SetWaitEvent [Time=<delay>] [Day=<day/date>] [Message=<"x">]

This is the same as *SetPestEvent*, only the time is a delay in minutes. Example:

```
1>SetPestEvent Time=5
Message="Five minutes have elapsed..."
```

• StartPest <none>

This command is provided to start the pest system and should only be executed from the **WBStartup** drawer by dragging its icon there.

It's alive!

In the final part of our epic series on chaos theory, Conrad Bessant explains how fractals can be brought to life using the animation capabilities of AMOS.



There is no doubt that the bizarre patterns and psychedelic colours exhibited by fractals have played an important part in the popularisation of chaos theory. However, no matter what the subject matter, a still image is no substitute for the real thing. Of course fractals don't exist in the real world – the nearest you can get to seeing a real live fractal is by using animation. With the help of an Amiga and AMOS, fractal animation becomes simple, and you can soon be creating the kinds of effect you're used to seeing in rave videos on *The Chart Show* or MTV.

So far in this series we've been using GFA BASIC or Amiga BASIC because their syntax conforms well to general standards, making conversion to other languages very easy. However, implementing the high-speed graphical operations required to produce animation is very difficult in these languages. It is therefore more sensible to use AMOS in this instalment, because it has a vast array of built-in commands which are ideal for fractal animation.

As you will have found if you have tried out any of the example programs from this series, fractals of any type take some minutes to plot. This obviously makes it impossible to animate a fractal by completely re-drawing it in real time. It is therefore necessary to employ techniques which make use of pre-drawn fractals. Two such techniques, colour cycling and screen switching, are explained here. Both techniques can be applied to a wide variety of fractal types.

COLOUR CYCLING

The easiest way to animate a colourful fractal like the Mandelbrot or Julia set is to use colour cycling. This is basically the rapid changing of the colour assigned to each colour index. Implementing this technique in AMOS is extremely easy – all you need to do is plot a Julia set with

coloured contours and then invoke the **SHIFT UP** or **SHIFT DOWN** command. The AMOS program given in listing 1 – and on this issue's cover disk – does this. The speed of the colour cycling can be changed by changing the value of the speed variable at the top of the program.

In other languages the **SHIFT UP** and **SHIFT DOWN** commands are not available, so it is necessary to implement clones of these commands which perform the same job. Most languages include

some way of changing the colour associated with a particular colour index, so it is just a case of using this facility in a loop involving all colours.

SPEED FREAK

The actual Julia plotting part of the program in listing 1 works in a very similar way to the Julia set plotter given in AS 23, except that this time the code is in

AMOS. Also, this listing employs one of the many speed-saving tricks found in the better public domain fractal generators.

The trick makes use of the unusual symmetry of Julia sets, which is best explained by analogy. Imagine plotting a Julia set onto cellophane, and then cutting it vertically into two exact halves. If one half is then turned back to front and upside down, it will look exactly the same as the other half. Listing 1 uses this symmetry by only calculating half of the points on the Julia set, but plotting the calculated points twice, once on each side of the set. The best way to understand the listing is to load it into AMOS and watch it at work.

The great disadvantage of this speed saving method is that it will only work on full sets, not on magnifications of sections of a set. This is because there is not necessarily any symmetry in such magnifications.

Of course listing 1 could have used AMOS's powerful sprite grabbing and flipping commands.

This would have meant that it would only be necessary to plot the left hand side of the set and then grab that as a sprite, flip it horizontally and vertically and then place it next to the original half.

However, this kind of advanced AMOS

programming is best left to the AMOS section of the

TABLE 1

The animated sequence in numbers

Frame	a	b
0	-0.5	-0.11
1	-0.6	-0.11
2	-0.7	-0.11
3	-0.8	-0.11
4	-0.9	-0.11
5	-1.0	-0.11
6	-1.1	-0.11
7	-1.2	-0.11

LISTING 1

```

SPEED=4
Screen Open 0,320,200,16,Lowres
Palette 0,0
Flash Off
Hide
A#=-1.05
B#=-0.11
For X#=-2 to 0 Step 0.0125
  For Y#=-1 to 1 step 0.01
    P#=X#
    Q#=Y#
    ITERATION=0
    While P#*P#+Q#*Q#<4 and ITERATION<33
      PNEW#=(P#*P#-Q#*Q#+A#)
      QNEW#=(2*P#*Q#+B#)
      P#=PNEW#
      Q#=QNEW#
      Inc ITERATION
    Wend
    Ink ITERATION mod 16
    Plot 160+X#*80,100-Y#*100
    Plot 160-X#*80,100+Y#*100
  Next Y#
Next X#
Shift Up SPEED,2,15,1

```

magazine. (If you're interested, write to the editor and ask him to cover this in the AMOS column!)

SCREEN-SWITCHING

Colour-switching is certainly an easy way to animate fractals, but this ease of implementation has made it a standard feature in most fractal generators. Much more impressive and unusual animations, involving changes in the actual shape of the fractal, can be created with only a little more effort using screen-switching. This is just like a high-tech version of a cartoon flip-book. First you prepare a series of pictures, called frames, which make up an action sequence. You then flip through them in sequence to create the impression of movement.

In AMOS you can open up to eight screens at once, which means you can have eight full-screen frames of animation. This may not seem like a lot, but it is still enough to produce a very impressive display. However, the problem is in determining how a Julia set can be subtly deformed to generate a series of frames which are similar enough to create a smooth animation. How you do this is really a process of trial and error, because there is more than one way to animate a Julia set. By way of example we'll use a method where the horizontal component (*a*) of the initial position of the point in the Mandelbrot circle, which determines the shape of the set (see AS 21 and 23 for details), is reduced by 0.1 in each successive frame. Starting with a set where $a = -0.5$ and $b = -0.11$ we get the sequence in table 1.

This sequence is shown pictorially on page 64. Clearly the

sequence is not cyclic – when we reach frame 7 we can't go straight back to frame 0. To get back to frame 0 smoothly, we have to go backwards through the whole sequence. The entire process, from frame 0 to frame 7 and back to frame 0, can then be repeated indefinitely, creating a never-ending smooth animation.

Putting all this into practice in AMOS is not difficult, although the initial plotting of eight Julia sets is necessarily time-consuming. A great deal of time can be saved on repeats of the animation by

saving all eight frames to disk when the program is first run and simply loading them, rather than plotting them, onto the eight screens whenever the animation is repeated.

So that you can get an idea of the scope and techniques of fractal animation without the tedium of waiting for the sets to be plotted, full screen IFF format plots of all the sets in the sequence in table 1 are provided on the cover disk. They are saved under the names **JuliaFrame 0** through to **JuliaFrame 7**. An AMOS program to load these into memory and then cycle through them at a reasonable speed is also provided, under the name **JuliaMovie.AMOS**. A listing of **JuliaMovie.AMOS** (with comments omitted to save space) is given as listing 2, to show how the animation is achieved.

Thanks to AMOS's convenient command names, most elements of

"Screen-switching is just like a high-tech version of a cartoon flip-book."

this program are self-explanatory. The first **FOR... NEXT** loop opens the eight low-resolution screens and loads the correct Julia set onto each one using the **LOAD IFF** command. The **HIDE** command is then used to hide the mouse pointer and the **REPEAT... UNTIL** loop is invoked. It is this loop which actually cycles through the sets in the right order at

the right speed. The **WAIT** commands in this loop are vital – without them the animation would just be too fast.

Note that having all these screens open at once uses a lot of memory, so you may not be able to run this program on a 512K Amiga or on other Amigas with a number of accessories or multi-tasking programs loaded.

Even though listing 2 is limited by the pre-drawn animation frames stored on the disk, there is still a lot of scope for experimentation. Colour cycling could be added, and the speed of the whole animation can easily be changed by altering the value assigned to the speed variable at the head of the program. Since the program is in AMOS you could even add your own sampled soundtrack.

If you are prepared to forget about the frames given on disk and produce a sequence of your own, then the scope for experimentation widens considerably, since there are many different ways in which the Julia set can be altered for each successive frame. For example, a different range of values for *a* could be used, or the value of the vertical component (*b*) of the starting point in the Mandelbrot circle could be changed as well as, or instead of, *a*.

OTHER FRACTALS

The emphasis in this article has been on animation of Julia sets. This is because, from the feedback I have received from this series, these still seem to be the fractals which people find most interesting. Obviously the only fractals that can make direct use of colour-switching are colour ones, of which we have only met a few. However, almost all fractals can take advantage of some kind of screen-switching. For example, the Lorenz attractor can be plotted in three dimensions and rotated. Eight frames is not really sufficient to produce a smooth rotation of the attractor through 360°, but a rotation of about half this is just possible. The difficulty here is the plotting of the attractor at different angles of rotation in three dimensions on the Amiga's two-dimensional screen, because it requires a reasonable understanding of three-dimensional mathematics.

WHAT NEXT?

Chaos is just one small facet of the

wider activity of "recreational programming". This is the name given to a loose array of amateur semi-scientific programming activities that don't usually result in any practical application, but can still produce some very interesting and educational results. Other areas of recreational programming include cellular automata, which is based on the simulation of an imaginary colony of bacteria cells. The latest offshoot of cellular automata is artificial life, where the aim is to produce self-replicating "creatures" within the computer that evolve, feed and die just like real creatures. Other areas

"Self-replicating 'creatures' that evolve, feed and die just like real ones."

of recreational programming have their professional parallels – for example artificial intelligence manifests itself recreationally as simple conversation programs, and in the real world it has found uses in route-planning and problem-solving. Environmental simulations have also leapt from the world of recreational programming to the world of professionals in recent years.

And as demonstrated in this series, the Amiga's processing power and its wealth of facilities make it an ideal machine for exploring the whole field of recreational programming. Creating chaos on your Amiga is only the beginning!

• Well, that's the end of this series – if you have missed any earlier instalments (the first was back in *Amiga Shopper* 18), turn to page 116 for our back issue service. **AS**

LISTING 2

```

SPEED=5
For N=7 To 0 Step -1
  Screen Open N,320,200,16,Lowres
  Palette 0,0
  Flash Off
  Load Iff "JuliaFrame"+Str$(N)
Next N
Hide
Repeat
  For N=0 To 7
    Screen To Front N
    Wait SPEED
  Next N
  For N=6 To 1 Step -1
    Screen To Front N
    Wait SPEED
  Next N
Until False

```


OPEN SUNDAY 10-3PM.

city centre

Odsal Top

New Wke Rd

Railway Bridges

A638 Bradford

M606

M62 Bull

A58 Leeds

A638 Dewsbury

A641

A58 Halifax

M62 Manchestr

We are here.

TRILOGIC

UNIT 1,
253 NEW WORKS RD,
BRADFORD, UK,
BD12 0QP Est 1984
FAX 0274 600150

SALES

0274 69 11 15

OPEN EVERY DAY

ACCESS VISA

SWITCH DELTA

CONNECT AMEX

FAST PROFESSIONAL MAILORDER SERVICE

SAMEDAY DESPATCH

- 1) Order by phone using your credit, cheque, or debit card.
- 2) Order by Mail - sending cheque bankers draft or postal orders payable to TRILOGIC.
- 3) Please add post postage & packing of £1.00 to small orders under £100 or £1.00 to small orders over £100. Large/heavy or fragile items sent by overnight carrier only +£15.50. Overnight carrier - any order +£5.50 UK Mainland only. Scottish Highlands £7.50. N. IRELAND +£10.00. EIRE +£20.00. UK Saturday delivery - add £12.00 (Not available to Scottish Highlands). Goods remain our property until paid for in full.

EXPORT ORDERS WELCOME

None EC countries - deduct £15 & add carriage. For EC Countries - UK vat must be charged from £1-93. Please contact us for carriage charges.
*AMEX SUBJECT TO 2% SURCHARGE
*Subject to goods being in stock.

MICE & JOYSTICKS

ULTIMATE PRO ANALOGUE JOYSTICK NOW £19.99

Superb low cost smooth action Analogue joystick with fire button on the end, plus pre-tensioned X & Y trimmers, Microswitch fire buttons; autofire (not all games support autofire) Ideal for flight simulators etc (Not all games support analogue joysticks)

MOUSE / JOYSTICK PORT SWITCH £12.99

- * Has sockets for mouse & joystick.
- * Push button selects mouse or joystick.
- * Uses no power unlike other types.
- * Saves wear & tear on mouse port.

AMIGA TRACKBALL £14.99

- BUDGET REPLACEMENT MOUSE £15.99
- OPTICAL MOUSE £37.99
- PIYOM JOYSTICK £9.99
- TOPSTAR JOYSTICK £19.99
- MEGASTAR JOYSTICK £21.99
- SUPERSTAR JOYSTICK £13.99
- ZIPSTICK AUTOFIRE £12.99
- SPEEDKING AUTOFIRE £11.99
- SPEEDKING ANALOGUE £14.99
- PRO 5000 BLACK £12.99
- SPEEDKING ANALOGUE £11.99
- MOUSE MAT £3.99
- MOUSE HOLDER £1.99
- JOYSTICK EXTENSION LEAD (3m) £7.99
- 2 PLAYER ADAPTORS £7.99
- PC ANALOG JOYSTICK CONVERTER £7.99
- Use PC analogue joystick on Amiga.
- PC ANALOGUE JOYSTICK £14.99

DISKS & BOXES

TOP QUALITY BLANK DS/DD 3.5" DISKS

- (D5) IN BOXES OF 10 WITH LABELS.
- 1 PACK OF 10 IN STORAGE BOX £6.99
- 2 PACKS OF 10 IN STORAGE BOX £11.99
- 5 PACKS OF 10 IN STORAGE BOX £29.99
- 10 PACKS OF 10 IN STORAGE BOX £54.99
- 1PK OF 10 DS/DD 3.5" DISKS £11.99
- ROLL OF 1000 DISK LABELS £12.99
- 3.5" LOCKABLE DISK BOXES ETC.
- HOLDS 40 DISKS HINGED LID £6.99
- HOLDS 80 DISKS HINGED LID £7.99
- HOLDS 100 DISKS HINGED LID £8.99
- HOLDS 260 DISKS DRAWER TYPE £25.99
- HANDY 20 SIZE FLIP TOP BOX £1.99
- 3.5" DRIVE HEAD CLEANER £3.99

BOOKS & VIDEOS

ABACUS BOOKS

- * DISK INTERVIEW FREE WITH THESE BOOKS
- AMIGA BOX BEGINNERS £14.99
- AMIGA BASIC INSIDE & OUT £21.99
- AMIGA GRAPHICS £21.99
- C FOR BEGINNERS £17.99
- DESKTOP VIDEO £18.95
- GRAPHICS INSIDE & OUT £31.99
- HARKING MUSIC ON THE AMIGA £12.99
- USER INTERFACE MANUAL £18.99
- HARDWARE REF MANUAL £21.99
- ROM KERNEL REF MANUALS - EACH £28.95

VIDEOS

- MIDI & MUSIC VIDEO £14.99
- DELUXE PAINT 4 VIDEO £14.99
- ADVANCED DELUXE PAINT 4 VIDEO £14.99

DIGITISERS, GENLOCKS, SCANNERS

- ROGGEN PLUS NOW ONLY £139.99
- A superb value Genlock with overlay & fader controls.
- ROC KEY Chroma keying unit £269.99
- The ideal partner for the Roggen Plus.
- ROGGEN TV TUNER NEW £119.99
- Picture in Picture, and remote control. MEMO SOUND
- WTCAM STEREO TV TUNER £154.99
- CONVERT YOUR 8833 OR 1084 INTO A STEREO TV WITH FULL REMOTE CONTROL. SUPERB PICTURE & SOUND.
- GVP GENLOCK with audio switching £339.99
- Composite or S-Video inputs & outputs; Keyer capability; Built in RGB splitter for use with video digitisers; audio input switching. Software & Amex controlled. SUPERB!
- VIDI 12 FRAMEGRABBER & RGB SPLITTER £84.99
- VIDI 12 + TARE 2 + MEGAMIX MASTER £164.99
- VIDEOMASTER SOUND & VIDEO DIGITISER £54.99
- SUPERIOR COLOUR FRAME GRABBER & GENLOCK £509.99
- COLORPAC COLOUR FRAME GRABBER/DIGITISER £409.99
- RENDAL SUPER 8802 SVIS GENLOCK £491.99
- RENDAL 8802PMC GENLOCK with faders & key modes £179.99
- RENDAL 8802 GENLOCK - LOW COST HI QUALITY £134.99
- GVP IV 24 24BIT GRAPHICS CARD FOR A1500/2000 £999.99
- CDM DISPLAY ENHANCER FOR A1500/2000 BARGAIN £99.99
- HAND SCANNER b/w upto 400dpi £114.99
- EPSON 67 6500 COLOUR SCANNER £849.99
- Professional quality A4 Flat bed Colour Scanner capable of resolving 16.7 Million colours; or 256 level grey scale at 300dpi resolution. Inc free Amiga driver.

SPECIAL PRODUCTS

SUPERFI 2 STEREO SYSTEM - HI FI QUALITY

A VERY HIGH QUALITY, PROFESSIONAL & POWERFUL STEREO BOOKSHELF SPEAKER SYSTEM.

Not a cheap 'gimmicky' toy. Perfect for use with most Computers, inc PC sound cards, keyboards, Stereo VCRs, Satellite Systems & Walkmans. Built-in mains supply - no external adaptors req'd. It has Bass, treble & volume controls & comes with connecting leads. ONLY £54.99

AMIGA ROM SWITCH SIMPLE TO FIT Only £27.99

Our Keyboard operated Two way Rom switch enables you to use either of 2 workbench roms. To switch over, just hold down Control/Amiga/Amiga keys until you hear a beep. (Release them before the beep - to warn start) with the current rom. Fits A500/500+/1500/2000. Fitting invalidates computer warranty unless fitted by us. Fitting charge £15.00. Please state which you have Amiga when ordering.

ROM SWITCH & 1.3 ROM only £54.99

ROM SWITCH & 2.04 ROM only £54.99

5 PORT PRO-MIDI INTERFACE £24.99

5 port Midi interface has 5 in, Out 4 thru sockets plus two additional switchable Out or Thru sockets for ingenious versatility. So you can have 1 in, 1 out & 3 thru, or 1 in, 1 thru & 3 out, or 1 in, 2 out & 2 thru 1. Fully compatible with all Amiga Midi gear. keyboard. Extra Midi leads 1.2m - £1.99 3m - £2.99

STEREO SAMPLER 2 NOW ONLY £34.99

Our Superb sounding STEREO SAMPLER 2 uses an expensive state of the art A/D chip which samples so fast, it captures every detail of the sound. Easily adjusted level control, connecting lead supplied. Fully compatible with all popular sampling software. FREE STEREO SAMPLING SOFTWARE. FREE 20 SIZE DISK BOX

AMIGA PRINTER PORT EXPANDERS

FOR USE WITH PRINTERS, SAMPLERS, VIDEO DIGITISERS, SCANNERS ETC. These compact fully Switched Expansion boxes enable you to connect up to four peripherals to your computer. The connectors on the units are the same type as the Computer's printer connector so your peripherals just plug straight in. A connecting lead worth £10.99 - 2m for use with printers only, or 300mm long if used with digitisers, scanners & samplers (state which req'd) is supplied free, to link the Expander to the computer. All 25 connections are switched. 36 way Printer share are also available - share one printer with 2 or more computers - phone for prices. 2way - £24.99 inc cable 3way - £27.99 inc cable 4way - £28.99 inc cable

PRO MAT SWITCH SWITCH £17.99

This compact switch box converts most Vcr & Tv monitors to DUAL SCART INPUT. Thus you can connect your Amiga & your VCR to the one scart socket on your Tv. A push button switch selects input one or input two - ie VCR or computer. RGB, Audio & Video inputs are switched. Also suitable for Satellite receivers.

SPARES, ACCESSORIES & MISC ITEMS

- KICKSTART 1.3 ROM £31.99
- KICKSTART 2.04 ROM £32.99
- TV MODULATOR (exchange) £19.99
- FATTER AGNUS 8372A £39.99
- SUPER DENISE £39.99
- GARY £39.99
- 8520A I/O CHIP £15.99
- IMC 8 5 SIMS £34.99
- 4MEG x 9 SIMS £139.99
- 256Kd DRAMS for A590 1meg £34.99
- AMIGA INTERNAL DRIVE £59.99
- MAINS SUPPRESSOR BLOCK 4WAY £12.99
- UPRATED A500 POWER PACK £44.99
- A590 REPLACEMENT PSU £49.99
- GVP REPLACEMENT PSU £49.99
- GVP GENUINE PSU £69.99
- EXTERNAL DISK DRIVE PSU £29.99

* Compatible type - Genuine replacements available - POA

AMIGA SERVICE DEPT

- AMIGA 500 REPAIR £49.99
- Includes parts & labour, excludes post, disk drive & keyboard faults. FAST TURNAROUND
- A520 MODULATOR REPAIR £19.99 NEW
- REPLACE INTERNAL DRIVE £69.99 inc drive
- A500 PSU REPAIR £29.99
- PIV HARD DRIVE TO 600/1200 £15.00*
- (NO charge if fitted at time of purchase.)
- Add £10 for same day turnaround (by prior arrangement only). *where spare parts available.
- Call in or send by Insured post enclosing return carriage - see 'How to Order' for carriage charges.

DUST COVERS

'SEAL N TYPE' TYPE THRU KEYBOARD SKIN. Don't risk spillages - they're guaranteed to 'write off' your Amiga. Waterproof & moulded to fit snugly over each key, but flexible enough to type thru.

AMIGA 500, 500+, 600, 1200, 1500/2000

- State which when ordering £12.99
- AMIGA 500 & 500 Plus £4.99
- AMIGA 600/600H/1200 £4.99
- AMIGA 1500/2000 2PIECE £12.99
- AMIGA 1500/2000 KEYBOARD £3.99
- 8833 /1084 MONITOR £6.99
- SWIFT X, LC200 PRINTER £6.99
- SWIFT 24/1224-200 £6.99
- CM1360/CUBSCAN 14" £7.99

CALLERS WELCOME - OVER 7 DAYS.

Open Mon Fri 8am-6pm, Sat 8am - 4pm, OPEN SUN 10-3PM. We're easy to find, just 1.5 miles from the M62. Easy parking. Leave M62 at junction 26, take A638 to Bradford, uphill, after about 1.5 miles, past the park & just over a railway bridge, turn left onto New Works Rd. We're on the left 400yds further on opposite a PO mail box. Please note to avoid disappointment: Our technical & customer services personnel are not available to answer your queries or assist with any problems on Sundays.

BACKUP UTILITIES

X COPY PRO NEW £34.99 Latest version - includes tool with NEW M62 Automatic Cyclone external drive adaptor. Highly successful.

Mk1 CYCLONE ADAPTOR £12.99

NB. Making backups without the permission of the copyright holder is illegal.

EDUCATIONAL

MANY TITLES REDUCED

- ADI ENGLISH: MATHS: FRENCH £18.99
- ANSWERBACK QUIZZES - EACH £14.99
- ANSWERBACK JUNIOR/SENIOR £14.99
- BETTER MATHS (12-16) £17.99
- BETTER SPELLING (+) £17.99
- DATAMARK £14.99
- DISTANT SONS V4.1 £52.99
- FUN SCHOOLS RANGE £17.99
- FUN SCHOOL SPECIALS £18.99
- FRENCH MISTRESS £15.99
- GERMAN MASTER £15.99
- ITALIAN TUTOR £15.99
- JUNIOR TYPIST (5-12) £19.99
- KIDS ACADEMY/PAINT POT 4/10 £14.99
- KIDS ACADEMY/PAINT POT 6/8 £14.99
- KIDS ACADEMY/SHOPPIN BASKET £14.99
- KIDS ACADEMY/WHICHWHERE 4/8 £14.99
- LETS SPELL SERIES £14.99
- LINGWORD LANGUAGES £21.99
- MAGIC STORY BOOK £18.99
- MATHS TALK (5-11YRS) £18.99
- MATHS TA PRACTICES £18.99
- MATHS MANIA £18.99
- MATHS ADVENTURE £18.99
- MICRO MATHS £18.99
- MICRO FRENCH £18.99
- MICRO ENGLISH £18.99
- MICRO GERMAN £18.99
- MICRO MATHS £18.99
- MONEY MATTERS (4-7YRS) £14.99
- NODDY'S PLAYTIME £18.99
- PLAYDAYS £18.99
- PICTURE BOOK £14.99
- PURPLE BOOKS 1 & 2 £15.99
- READING WRITING COURSE £18.99
- RHYMING NOTEBOOK £12.99
- SPANISH TUTOR £15.99
- TARGET MATHS (4+) £16.99
- VOYAGER 1.1 £54.99

EVEN LOWER PRICE

- * WORDS & NUMBERS * KID'S TYPE
- * GAME SET & MATCH * WEATHER WATCHER
- * WHAT IS IT WHERE * CALENDAR QUTZ
- * IS IT ?

'MIRACLE' KEYBOARD

"Teaches you how to play" Includes 4 octave FULL SIZE touch sensitive Keyboard, with Midi interface built-in. +100 Instrument sounds & effects. + Artificial intelligence software for the Amiga which customises the lessons to each individual.

CALL IN AND SAVE ANOTHER £1.00 OFF MANY AMIGA GAMES

TOP 50 GAMES

- A320 AIRBUS £25.99
- A TRAIN £25.99
- ABANDONED PLACES 2 £25.99
- ARCHER MACLEANS POOL £18.99
- ALIEN BREED SPEC RD £10.99
- ASSASSIN £18.99
- BEATERS £18.99
- BC EID £18.99
- BODY BLOWS £19.99
- B17 FLYING FORTRESS £25.99
- CAMPAIGN £25.99
- CHAOS ENGINE £21.99
- CHUCK ROCK 2 £21.99
- CHUCK ROCK £24.99
- COOL WORLD £18.99
- CREATORS £18.99
- CRAZY CARS III £18.99
- CURSE OF ENCHANITA £25.99
- CYTRON £21.99
- DESERT STRIKE £26.99
- EYE OF THE BEHOLDER II £26.99
- FANTASTIC WORLDS £26.99
- FORMULA 1 GRAND PRIX £25.99
- F15 STRIKE EAGLE II £25.99
- GOLBILITS 2 £21.99
- RECK FALDO'S CHAMPION GOLF £25.99
- HARRIER ASSAULT £25.99
- HISTORY LINE £24.99
- NEUMANS £21.99
- HUMANS 2 £21.99
- INDIANA JONES & PATR OF ATLANTA £18.99
- INDIANA JONES-ADVENTURE £26.99
- TIMMY WHITE'S SNOOKER £21.99
- RGB £22.99
- KNIGHTS OF THE SKY £26.99
- LETHAL WEAPON £18.99
- LEGEND OF KYRANDIA £25.99
- LEGENDS OF VALOUR £22.99
- LEMMINGS 1 £21.99
- LION HEART £20.99
- LINKS £24.99
- LINKS COURSES £12.99
- LOTUS TURBO 3 £18.99
- MORREY ISLAND 2 £26.99
- RECK FALDO'S CHAMPION GOLF £25.99
- NIGEL MANSELL'S WORLD CHAMP £21.99
- PGA TOUR GOLF £21.99
- POPULOUS 2 PLUS REDUCED £24.99
- PREMIERE £21.99
- PREMIERE MANAGER £18.99
- PROJECT X £18.99
- RECK FALDO'S CHAMPION GOLF £25.99
- RAMPART £18.99
- REACH FOR THE SKIES £22.99
- RED ZONE £18.99
- ROAD RASH £18.99
- ROBOSKAT £21.99
- ROME AD'92 £21.99
- SENSIBLE SOCCER 92/93 £18.99
- SIM ANT £25.99
- STIM EARTH £25.99

EVERYTHING YOU NEED FOR YOUR AMIGA AT LOW PRICES

ALL SOFTWARE UK VERSIONS

- ACTION REPLAY 3, A500 NEW £56.99
- ACTION REPLAY 3 A1500 NEW £66.99
- ADORAGE REDUCED £67.99
- ADVANTAGE REDUCED £42.99
- AMI BACK £44.99
- AMI SUPERCARD II £37.99
- AMOS REDUCED £34.99
- AMOS £134.99
- AMOS - EASY £25.99
- AMOS 3D £21.99
- AMOS COMPILER £21.99
- AMOS PROFESSIONAL - DOWN TO ART DEPT PRO NEW VERSION £169.99
- ART EXPRESSIONS NEW £145.99
- ADDITION 4 £37.99
- AUDIO ENGINEER 2 £165.99
- BBC EMULATOR V2 NEW £31.99
- BROADCAST TITLER 2 £169.99
- BROADCAST TITLER SUPERBIBLES £229.99
- CAN DO V2 NEW VERSION £34.99
- CASHBOOK CONTROLLER/FINAL A/C/S £54.99
- CROSS DOS V5 REDUCED £39.99
- DAY BY DAY £22.99
- DELUXE PAINT 4AGA NEW £74.99
- DELUXE MUSIC 2 NEW £54.99
- DELUXE VIDEO 3 £74.99
- DEVYAC 3 £51.99
- DIRECTORY OPUS V4 NEW £49.99
- DISK MASTER 2 REDUCED £44.99
- EASY AMOS £24.99
- EXCELLENCE 2 REDUCED £57.99
- FINAL COPY V2 NEW VERSION £74.99
- 86 ROUTE PLUS REDUCED £35.99
- GOLD DISK OFFICE REDUCED £49.99
- GALLERY - BARGAIN £37.99
- HIGH SPEED PASCAL £74.99
- HISORT BASIC £49.99
- HOME ACCOUNTS 2 £39.99
- HOMERUN 2 £22.99
- HOTLINKS REDUCED £47.99
- HOTLINKS EDITIONS REDUCED £64.99
- HYPERBOOK BARGAIN £44.99
- IMAGINE 2 REDUCED £164.99
- IMAGINE OBJECTS DISK £84.99
- IMAGINMASTER £129.99
- KINEMAX 3 NEW £36.99
- LATITE/SAS C V6 REDUCED £219.99
- MACRO 68000 ASSEMBLER £39.99
- MEDIA SHOW £51.99
- MINI OFFICE BARGAIN £42.99
- MORPH PLUS £13 OFF £142.99
- MUSIC - GREAT BARGAIN £24.99
- ON LINE PLATINUM £34.99
- ORGANISE £46.99
- PAGESTER 3 SAVE £58 £44.99
- PAGESTER 2.2 REDUCED £89.99
- PAGESTREAM BUSINESS FORMS £33.99
- PENAL STILL ONLY £35.99
- PERSONAL FINANCE MANAGER £39.99
- PRODATA REDUCED £69.99
- PROFESSIONALPAGE 4 NEW £129.99
- QUARTERBACK 5 £41.99
- QUARTERBACK TOOLS £37.99
- QUARTERBACK REDUCED £34.99
- REAL TIME PROFESSIONAL £179.99
- SCALA £174.99
- SCALA PROFESSIONAL £209.99
- SUPERJAM REDUCED £69.99
- SYSTEM 3e REDUCED £54.99
- TURBOPRINT PRO V2 NEW ONLY £35.99
- VIDEOMASTER REDUCED £39.99
- WORDKRAFT - NEW VERSION £34.99
- XCOPY PRO - LATEST VERSION £34.99
- XCD 2000 PRICE DOWN £99.99

SPECIAL OFFERS - LIMITED STOCKS

- GFA BASIC £9.99
- DELUXE PAINT II £9.99
- MUSIC X 1.1 £24.99

ENHANCED 1200 GAMES

- ZOO £19.99
- TROLLS £18.99
- WING COMMANDER £26.99
- SLEEPWALKER 1200 £25.99
- NIGEL MANSELL 1200 £21.99
- FOR EVERY STREETWALKER SOLD OVER £6.00 GOES TO THE RED ROSE APPEAL FUND
- MORE AMIGA GAMES...
- SHADOW OF THE BEAST III £21.99
- SPORTSMASTERS £21.99
- STREET FIGHTER II £21.99
- SLEIGH £21.99
- STRIKER £18.99
- SHUTTLE £22.99
- SUPERPROG £19.99
- SWORD OF HONOUR £18.99
- THE MANAGER £18.99
- TROGLUDERS £18.99
- VIKINGS £25.99
- WIKID £18.99
- WING COMMANDER £26.99
- WORLD CLASS CRICKET £21.99
- WWE £18.99
- ZOO £18.99
- ZOO £18.99

COMPLICATIONS

- COMBAT CLASSICS £21.99
- DREAM TEAM £18.99
- LEMMINGS TWIN PACK £22.99
- MAGE SPORTS £18.99
- QUEST & GLORY £22.99
- QUEST & GLORY £22.99
- SUPERFIGHTER £18.99

BUDGET AMIGA GAMES FROM £6.99

£5 OFF MOST MEGADRIVE GAMES

MEGADRIVE CD ROM £264.99

POPULAR PC GAMES

DISCOUNT PRICES EG:

- COMMANDER MAXIMUM OVERKILL £32.99
- STRIKE COMMANDER £35.99
- PC SERIOUS SOFTWARE
- WINDOWS 3.1 £94.99
- TIMBERWALKS £144.99
- PARADOX SR £69.99
- QUATTRO PRO FOR DOS & WINDOWS £109.99

ALL PRICES INCLUDE VAT

NOTE: If buying hardware or software for your Amiga as an easy as shopping at ASDA, you couldn't go wrong buying from the cheapest source. But if I had a tanner for every customer (ex-customer ?) of the 'box stuffer' up the road who've come to us for help, I'd never need to work again! As always, you get what you pay for & that includes after sales service.

OFFICIAL ORDERS FROM GOVERNMENT & EDUCATIONAL ESTABLISHMENTS WELCOME. PRICES WERE CORRECT AS OF 2-5-93, but as our crystal ball is broken, some may have changed by the time you read this, due to currency fluctuations & manufacturers' suppliers price increases. We do make mistakes from time to time too & BARE. Please phone if in doubt. (C) TRILOGIC 1993 All rights reserved. All registered Trademarks are acknowledged. Orders are most welcome but please phone first to check availability & avoid disappointment - we try to keep most items in stock unless one of our competitors will gladly put items aside for you to collect, but shortages of some items do occur from time to time.

AMIGA 1200HDs A1200

AT LOW PRICES.

A1200+40MEG HD	£499.99	SPECIAL OFFER	£939.99
A1200+60MEG HD	£559.99		
A1200+80MEG HD	£579.99		
A1200+120MEG HD	£689.99		
PRICES INCLUDE 2YR EXTENDED WARRANTY			

ANY A1200
COMPLETE WITH
BATTERY
BACKED CLOCK
- ADD £18.00

WITH CUBSCAN
MONITOR

AMIGA 1200
COMIC RELIEF
£369.99

VISIT OUR
NEWLY
REFURBISHED
&
ENLARGED
SHOWROOM

OPEN SUNDAY 10-3PM
TRILOGIC
est 1984
SALES: 0274 691115

NEW LOW COST AMIGA 4000⁰³⁰ RANGE

WITH 80MEG HD FROM £979.99
WITH 120MEG HD FROM £1079.99

* Please phone for exact spec.

LOWER HARD DRIVE PRICES

2.5" FAST ACCESS IDE HARD DRIVES FOR YOUR

	AMIGA 600 or 1200	
40MEG only	£119.99	£164.99
60MEG only	£169.99	£214.99
80MEG only	£199.99	£249.99
120MEG only	£299.99	£349.99

PRICE INCLUDES:

READY FORMATTED & PARTITIONED DRIVE; DRIVE CABLE; FULL FITTING INSTRUCTIONS & FIXING SCREWS + LEGAL FORMATTING DISK & RECOVERY HINTS.

MAILORDER COLLECTION & DELIVERY SERVICE JUST £19.99

FITTED FREE while U wait

FIT A HARD DRIVE YOURSELF - IT'S EASY AND WITH OUR 2 OR 3 YEAR WARRANTY PLANS, YOU'RE COVERED FOR BOTH BREAKDOWNS & ACCIDENTS.

OUR Specially Negotiated LOW COST NO FUSS Warranties cover BOTH COMPUTER & DRIVE FROM ONLY £27.99

- * COMPUTER & DRIVE BOTH COVERED
- * ACCIDENTS AS WELL AS BREAKDOWNS COVERED
- * COVERED EVEN IF DRIVE FITTED BY PURCHASER.
- * COVERED EVEN IF COMPUTER NOT PURCHASED FROM US
- * VERY FEW EXCLUSIONS
- * UNDERWRITTEN BY A LEADING UK INSURANCE Co.

COMPUTERS UPTO £600 - £27.99 for 2yrs or £42.99 for 3yrs.
COMPUTERS UPTO £999 - £32.99 for 2yrs or £67.99 for 3yrs.

Not available for Business users. Exclusions: theft; wilful damage; cosmetic damage - full written details on request. These are Return to Base warranties. Computer must be under 6 months old. Computer value used to calculate warranty cost must include cost of internal hard drive.

WHY NOT COVER YOUR AMIGA 500, 600, 1200STANDALONE OR 4000 - the prices above apply. Monitors & printers can also be covered - pos.

DON'T BE WITHOUT A WARRANTY.....

Commodore have told us that their On-site warranty will not apply if the Warranty seals are broken by ANYONE including dealers.

PRINTERS

NEW CITIZEN SWIFT 90 £199.99 or less (phone)
THIS BRAND NEW MODEL replaces the swift 9 COLOUR
3pin; Up to 240cps in high speed draft & 54cps NLO printing speed. 6 MEG built-in fonts. Friction & tractor feeds. Paper park. Low cost ribbons. 2 year warranty. Epson FX850 & IBM Proprinter III emulations. Low noise level, + 'quiet mode'.

CITIZEN SWIFT 9 COLOUR ONLY £179.99

3pin; 192cps draft, 48cps NLO printing speed. 4 built-in fonts. Friction & tractor feeds. Paper park. Low cost ribbons. 2 year warranty. Epson & IBM Proprinter emulations. Low noise level.
BURRY LIMITED STOCKS LEFT.

CITIZEN SWIFT 240C COLOUR £284.99

CITIZEN SWIFT 240 MONO £269.99

24 pin; 240cps draft & 80 cps letter quality print speed. 9 fonts, 2 scalable fonts. Paper parking, push & pull tractor feed, friction feed. Epson LQ570, NEC P20 & IBM Proprinter emulations. Ultra low noise level, + quiet mode for even lower noise. 2 year warranty.
128K RAM EXPANSION £33.99

CITIZEN SWIFT 200 SUPERB MODEL & ONLY £209.99

CITIZEN SWIFT 200 COLOUR £244.99

24 pin; 240cps draft & 80 cps letter quality print speed. Nine letter quality fonts, 2 scalable letter quality fonts. Paper parking, push & pull tractor feed, friction feed. Epson LQ570, NEC P20 & IBM Proprinter emulations. 2 year warranty.
128K RAM EXPANSION £33.99

CITIZEN PROJECT INKJET LASER QUALITY PRINT £309.99 INC VAT

300dpi Laser quality 50 nozzle ink jet printer. Fast & very quiet. 360cps draft & 240 cps letter quality print speed. Three letter quality fonts + optional font cards. HP Deskjet VPS emulation. Optional 128k & 256k ram cards. 100 sheet automatic feeder.
ink cartridges £13.99

SEIKOSHA OF 104 budget LASER PRINTER £559.99 inc vat

Four page per minute; HP Laserjet IIP emulation; 300x300 DPI; 1yr on site warranty.
Postscript version with 2meg ram £849.99 inc vat

RICOH LP1200 LASER PRINTER £799.99 inc vat

6 pages / minute; PCL5 with scalable fonts; upto 400dpi resolution (300 standard, 400 requires extra 2meg ram); 2meg ram as standard; straight paper path; resolution enhancement; flash ram for downloading new firmware; IC card slot for flash roms; serial & parallel ports; 1 yr on-site warranty.

FREE STARTER PACK

WITH ALL
CITIZEN
SWIFT
PRINTERS

1.8m
PRINTER
CABLE;
+
CITIZEN
PRINT
MANAGER
AMIGA DRIVER
SOFTWARE
+
250
(approx)
SHEETS OF A4
PAPER

AMIGA 500 HARD DRIVES

PRICES DOWN

FURTHER REDUCTIONS ON SOME ITEMS

GVP HD8 FOR A500 & 500+ - NO DRIVE £184.99
GVP SERIES II HD8+ 42 Meg for A500 - PRICE DOWN - £292.99
GVP SERIES II HD8+ 80 Meg for A500 £385.99
GVP SERIES II HD8+ 120meg for A500 - now only £485.99
GVP SERIES II HD8+ 210meg for A500 - now only £575.99
The HD8 series II can accept either 1 or 2 or 4, 1 meg simms;
OR two, 4 meg simms.

GVP SERIES II HC8 for A1500/2000 - NO DRIVE £119.99
GVP SERIES II HC8 + 42meg for A1500/2000 £285.99
GVP SERIES II HC8 + 80meg for A1500/2000 £334.99
GVP SERIES II HC8 + 120meg for A1500/2000 - now only £409.99
GVP SERIES II HC8 + 210meg for A1500/2000 - now only £559.99
The HC 8 Series II can accept upto 8, 1meg x9 Simms in 2 meg steps.

GVP A530 COMBOS with 42mb drive £475.99
GVP A530 COMBOS with 80mb drive £575.99
GVP A530 COMBOS with 120mb drive £677.99
1MEG x9 SIMMS FOR GVP DRIVES £34.99
1MEG 32 BIT SIMM £59.99
4MEG x9 SIMMS FOR GVP DRIVES £139.99
4MEG 32BIT SIMMS FOR A530 .. £179.99

EMULATORS & ACCELERATORS

VORTEX AT ONCE PLUS 286 PC EMULATOR FOR A500 £199.99
GVP PC286 PC EMULATOR CARD FOR SERIES II HARD DRIVES £147.99
GOLDEN GATE 386SX PC CARD FOR A1500/2000 £399.99
GOLDEN GATE 486SX PC CARD FOR A1500/2000 £749.99
OPTIONAL DRIVE CONTROLLER CHIP FOR GOLDEN GATE £34.99
IIT 80387SX25 CO-PROCESSOR FOR GOLDEN GATE £89.99
G-PORCE 010/25MHz FOR A1500/2000 others available £479.99

IDEAL
FOR
YOUR
A1200
OR 4000

CUBSCAN

MULTISCAN 14" MONITOR.

- * Dot pitch - 0.28mm.
- * Antiglare 14" hi-brightness screen.
- * Digital memory sizing - for automatic borderless display in all Amiga modes.
- * All controls at front.
- * VGA compatible for PC use.
- * 15-40KHz horizontal scan rate.
- * 45-90Hz vertical scan rate.
- * Tilt-swivel base included.

ONLY £469.99 INC AMIGA LEAD

OR £499.99 WITH SUPERFII 2 STEREO SYSTEM

** DEDUCT £20 IF BOUGHT WITH ANY AMIGA **

20" CUBSCAN MODEL ALSO AVAILABLE - POA

COMMODORE 1960

14" MULTISYNC COLOUR MONITOR

WORKS IN ALL A1200 MODES inc low res (15.6KHz modes)

SPECIAL OFFER - £399.99.

Price inc Productivity adaptor & cables

A1200 INTERNAL CLOCK

MODULE - £21.99

Plus into internal socket (not fitted to all 1200s) - fitting invalidates warranty. BATTERY BACKED.

COLOUR MONITORS

PHILIPS CM8933mk2 ONLY £229.99

- > 14" SCREEN
- > STEREO SOUND
- > RGB & COMPOSITE INPUTS
- > ON SITE WARRANTY
- > LOTUS TURBO CHALLENGE
- > OFFICIAL UK MODEL
- > CONNECTING LEAD FREE

COMMODORE 1084S

£199.99

- > 14" SCREEN
- > STEREO SOUND
- > RGB & CVBS INPUTS
- > SUPERB PICTURE
- > AMIGA LEAD FREE

FULLY
COMPATIBLE
WITH ALL
AMIGA1200
VIDEO
MODES

SHARPER
PICTURE
THAN THE
1960

AMIGA 1200 FAST RAM CARDS

A1200 PCMCIA 2 MEG 16BIT FAST RAM £149.99
A1200 PCMCIA C 4MEG 16BIT FAST RAM £224.99

Even 1meg of 32bit fastmem gives approx 100% speed increase.

LOWER PRICES
MICROBOTICS MBX range: No 68891 or memory £119.99
MICROBOTICS 14MHz inc 0 meg 32bit fast ram £139.99
MICROBOTICS 14MHz inc 1 meg 32bit fast ram £199.99
MICROBOTICS 14MHz inc 2 meg 32bit fast ram £239.99
MICROBOTICS 14MHz inc 4 meg 32bit fast ram £319.99
Available with or without 68891/2 PPU & fit in the underside trapdoor. Warranty is unaffected.
ALSO AVAILABLE WITH ON-BOARD CLOCK - ADD £20
FASTER 25MHz 68891 VERSIONS ARE ALSO AVAILABLE - PLEASE ADD TO ABOVE PRICES. £50.00
50MHz 68892 version also available. 5 meg £419.99

32BIT SIMMS FOR MBX / GVP / A4000 ETC.
1MEG 32BIT £59.99
2MEG 32BIT £99.99
4MEG 32BIT double sided £179.99
4MEG 32BIT single sided for A4000 £179.99

EXTERNAL DISK DRIVES

ROCLITE RF382av 3.5"

EXTERNAL DRIVE £67.99

WITH ANTIVIRUS & ANTI CLUCK FEATURES. RRP £79.99

OR WITH NEW XCOPY PRO £99.99

CUMANA CAX354 £56.99

MEMORY UPGRADES

A500 / 500+ 1/2meg upgrade without clock £24.99
A500 / 500+ 1/2meg with clock & battery £29.99
A500+ 1MEG UPGRADE £44.99
AMIGA 600 1meg upgrade + clock - now only £44.99
FOR A600 PCMCIA CARDS - SEE A1200 PCMCIA PRICES
SPECIAL OFFER - LIMITED STOCKS
COMMODORE A590 20MEG FOR A500 £177.99
Includes sockets for up to 2meg fast memory (£34.99 per meg extra. Upgradable with larger SCSI hard drives.

AMOS action

This month Jason Holborn brings you some hot news and shows you how AMOS Pro's powerful Interface language can be used to write some quite complex requesters.

After last month's look at AMOS Professional's ActiveLists and Scroll gadgets, no doubt you've probably already started to appreciate the power that Interface delivers. Before the arrival of AMOS Professional, application programmers were forced to handle the drudgery of creating and maintaining user interfaces themselves. Now, with Interface at your disposal, you can create some very complex user interfaces incorporating a whole range of different gadget types with a minimal amount of code and – more importantly – a minimal amount of hassle.

So far we've restricted our look at Interface purely to the odd demonstration program that shows Interface's various gadget types up and running, but we haven't actually created anything particularly useful. This month we'll be putting all that

practice to work by creating a fully-working file requester similar to that used by AMOS Professional itself. Many people have voiced concern at the fact that AMOS programs can easily be spotted by users whenever the standard AMOS file requester is used, so here's your chance to get your hands on a fairly usable file requester and learn more about AMOS Professional's Interface language to boot! Can't be bad...


QUESTIONNAIRE

So how do we go about writing a file requester? Well, the first thing we need to do is to sit down and analyse exactly how the file requester should work and what gadgets will be needed. Our file requester isn't going to be one of those "all-singing, all-dancing" affairs that other programmers boast about – nope, our file requester is a no-nonsense affair that gets the job done. First then, what's the aim of



our file requester? Well, that's easy – to allow the user to select the filename of any file on any device without having to resort to typing in complex path strings. Our file requester therefore needs to be as friendly as possible. What's more, let's make it as simple as possible – we won't therefore be including lots of complex buttons that might confuse some users – you can add these in yourself if you're feeling adventurous!

Now we need to decide what gadgets we will need. Well, obviously we'll need an **ActiveList** that will



It may not quite be up to the same standards as Commodore's own ASL file requester, but our file requester offers all the basic functions.

hold a listing of the current directory. We'll also need a scroll gadget that will enable the user to scroll back and forth through the directory listing whenever a directory is read that contains more files than can be displayed on-screen at once. Finally, we'll need a string gadget that will enable users to enter a path string manually should they feel the need. These three basic gadgets should be enough to give us the workings of a usable file requester. Obviously it won't quite be in the same league as

continued on page 74

CLOSE TO THE EDIT

Along with ActiveLists, scroll gadgets and buttons, AMOS Professional's Interface language offers an additional gadget type – the "text edit zone" – that is specifically designed to handle text. Whereas most gadgets are restricted simply to informing your program that they have been clicked upon, an edit zone can be used to enable the user to pass a text string to your AMOS program. A good example of an edit zone is the fields that you type into when entering a record within a database program.

AMOS Professional's edit zones are created using the **EDiT** command, and the syntax is as follows.

```
EDiT ZoneNumber, X, Y, Width, Max, Default, Paper, Pen;
```

The zone number is exactly the same as the zone number parameter that we pass to all other gadget creation commands under Interface. Because we have already created two other gadgets (and have therefore already used zones 1 and 2), we use zone number 3. This parameter is followed by the X and Y parameters that, not surprisingly, define the position of the string



Interface's Edit Zone gadgets, designed to handle text, can be used to create professional-looking front ends for your AMOS programs.

gadget on-screen using the conventional screen coordinate system.

Although the Y position can be any value, the X value must be an exact multiple of 16. If you don't enter an exact multiple, AMOS Pro will do the kind thing and automatically round down your value – often with unpleasant results.

Next we have the width parameter that controls the horizontal width of the string gadget. Unlike some gadget types, this is not expressed in terms of screen pixels. Instead, you must state the width of the gadget in terms of characters. For

example, passing a value of 20 will give you a string gadget that is capable of displaying a maximum of 20 characters at any one time.

The size of the string gadget doesn't control how many characters the string gadget can hold, though – you could, for example, create a string gadget that could hold up to 100 characters but could only display ten at any one time. This is where the **Max** parameter comes in – the value you enter here controls how many characters the string gadget is actually capable of storing.

The **Default** parameter is used to load the string gadget with a default string. In the case of our file requester, we'll be loading the string gadget with the device name of the default directory (df0:). Although the file requester will not read the directory listing, the user need only press the Return key and the default string is passed back to the main program. Note that the string that is to be used as the gadget's default value should be contained within single quotes ('df0:Pictures', for example). If you want to leave the string gadget empty when it is first created, just pass a couple of empty single quotes (''). Finally, we have the **Pen** and **Paper** parameters that control the colour of the string gadget.

THE AMIGA SHOPPER READER SURVEY

TELL US WHAT YOU WANT... AND WHAT YOU DON'T

We want to improve *Amiga Shopper* and to do so we need your opinions, so please help us decide what goes in future issues. If you can spare five minutes, just fill in this simple questionnaire, cut out the page and fold it up according to the instructions overleaf, then just put it in the post with a stamp on the front. Thanks for your time.

When filling in this questionnaire:

'□' indicates you should tick only one box;

'○' indicates you may tick any number of replies

0 How did you first hear of *Amiga Shopper*?

☐ Advertisement in *Amiga Format*

☐ Advertisement in *Amiga's* box

☐ Recommended by a friend

☐ Picked up a copy 'on spec'

1 How did you buy this issue of *Amiga Shopper*?

☐ Delivered by newsagent

☐ Reserved by newsagent

☐ Planned visit to newsagent

☐ Subscription

☐ Just saw it in the shop

2 Approximately how many issues of *Amiga Shopper* have you read?

.....

3 How many other people read your copy of *Amiga Shopper*?

.....

Overall, how do you rate (out of 10) *Amiga Shopper* compared to other *Amiga* magazines which you read regularly?

4 *Amiga Shopper*/10

5 *Amiga Format*/10

6 *Amiga Computing*/10

7 *Amiga User International*/10

8 *Amiga World*/10

9 *CU Amiga*/10

10 *Amiga Power*/10

For each of these sections in the magazine, would you like to see less, more or the same space devoted to it in future? (Bear in mind you can't have more of everything!)

	Less	Same	More
11 News	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
12 Letters	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
13 Amiga Answers	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
14 Video and Graphics	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
15 Education	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
16 Communications	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
17 AmigaDOS	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
18 DTP	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
19 AMOS	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
20 PD & shareware	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
21 Competitions	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
22 C Programming	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
23 ARexx	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>

Which of these would you like to see in the magazine? (Never, sometimes, frequently or every month)

	Never	Som	Freq	EvMo
24 Single product reviews	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
25 Comparative product reviews	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
26 Graphics tutorials	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
27 Music tutorials	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
28 DTP tutorials	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
29 Beginners programming tutorials	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
30 Advanced programming tutorials	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
31 Tutorials based on particular programs	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
32 General interest features	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
33 Show reports	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
34 Foreign news reports	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
35 Comms coverage	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
36 Book reviews	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
37 CDTV & its software	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
38 New PC/Mac software for Amiga emulators	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
39 Cover-mount booklets	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
40 Colour editorial pages	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
41 DIY hardware projects	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
42 Program listings	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>

43 How do you rate (out of 10) the usefulness of the cover disk?

...../10

44 Which of the following are reasons why you buy *Amiga Shopper*? (You may tick more than one)

☐ For the hardware reviews
☐ For the software reviews
☐ To find the best prices from advertisements
☐ To learn about my computer and how to use it
☐ For an interesting read
☐ It's cheap
☐ To buy through mail order advertisements
☐ It's the only one with no games
☐ For the cover disk

45 What model of Amiga do you own?

☐ A500 ☐ A1500
☐ A500 Plus ☐ A2000
☐ A600 ☐ A3000
☐ A1000 ☐ A4000
☐ A1200 ☐ None

Do you own or intend to buy in the next six months any of the following hardware?

	Own (46)	Intend to buy (47)
Monitor	<input type="checkbox"/>	<input type="checkbox"/>
Printer	<input type="checkbox"/>	<input type="checkbox"/>
Sound sampler	<input type="checkbox"/>	<input type="checkbox"/>
Video digitiser	<input type="checkbox"/>	<input type="checkbox"/>
Genlock	<input type="checkbox"/>	<input type="checkbox"/>

Hard disk	<input type="checkbox"/>	<input type="checkbox"/>
Graphics enhancer	<input type="checkbox"/>	<input type="checkbox"/>
Emulator	<input type="checkbox"/>	<input type="checkbox"/>
Floppy disk drive	<input type="checkbox"/>	<input type="checkbox"/>
Modem	<input type="checkbox"/>	<input type="checkbox"/>
Accelerator	<input type="checkbox"/>	<input type="checkbox"/>
Extra RAM	<input type="checkbox"/>	<input type="checkbox"/>
CD-ROM drive	<input type="checkbox"/>	<input type="checkbox"/>

Do you own or intend to buy in the next six months any of the following software?

	Own (48)	Intend to buy (49)
Word processor	<input type="checkbox"/>	<input type="checkbox"/>
Spreadsheet	<input type="checkbox"/>	<input type="checkbox"/>
Database	<input type="checkbox"/>	<input type="checkbox"/>
Painting program	<input type="checkbox"/>	<input type="checkbox"/>
Drawing program	<input type="checkbox"/>	<input type="checkbox"/>
DTP	<input type="checkbox"/>	<input type="checkbox"/>
Comms program	<input type="checkbox"/>	<input type="checkbox"/>
Sampler/sequencer	<input type="checkbox"/>	<input type="checkbox"/>
Progging language	<input type="checkbox"/>	<input type="checkbox"/>

50 Roughly how much do you expect to spend on hardware in the next six months?

☐ Nothing
☐ £1-£99
☐ £100-£199
☐ £200-£500
☐ More than £500

51 Roughly how much do you expect to spend on software in the next six months?

☐ Nothing ☐ £200-£500
☐ £1-£99 ☐ More than £500
☐ £100-£199

52 What is your age?

.....

53 What is your approximate annual income?

☐ Student grant/at school
☐ Other under £4,000
☐ £4,001-£7,000
☐ £7,001-£10,000
☐ £10,001-£15,000
☐ £15,001-£20,000
☐ £20,001-£30,000
☐ Over £30,000

54 Does your job largely involve working with computers?

☐ Yes ☐ No

The details given in this questionnaire will remain confidential, but if you wish to be informed of special offers and subscription opportunities, please fill in your name and address below.

Name

Address

.....Postcode

2. Fold back here

AFFIX
STAMP
HERE

Amiga Shopper Questionnaire
Future Publishing
29 Monmouth Street
Bath
BA1 2DL

3. Fold back here

1. Fold back here

CRAZY SUMMER OFFERS FROM BCS

**NEW SHOWROOM OPENING 1ST JUNE AT
295 DITCHLING ROAD, BRIGHTON**

DISKS ! DISKS ! DISKS !

100% CERTIFIED ERROR FREE PLUS FREE COLOUR CODED LABELS

50	3.5"	DS/DD	£23.99
100	3.5"	DS/DD	£41.00
150	3.5"	DS/DD	£58.99
200	3.5"	DS/DD	£75.99
300	3.5"	DS/DD	£112.50
400	3.5"	DS/DD	£150.00
500	3.5"	DS/DD	£176.99
1000	3.5"	DS/DD	CALL FOR LATEST PRICE

All prices include VAT/free labels.

REMEMBER, THESE PRICES INCLUDE FREE DELIVERY

PLEASE PHONE FOR LATEST PRICES DUE TO POSSIBLE INTRODUCTION OF EC TARIFFS ON DISKS

DISKS + 100 CAP LOCKABLE BOXES

100% CERTIFIED ERROR FREE PLUS FREE COLOUR CODED LABELS

50	3.5"	DS/DD + 100 cap box	£26.99
100	3.5"	DS/DD + 100 cap box	£44.00
150	3.5"	DS/DD + 100 cap box	£61.99
200	3.5"	DS/DD + 2 x 100 cap boxes	£81.99
300	3.5"	DS/DD + 3 x 100 cap boxes	£122.99
400	3.5"	DS/DD + 4 x 100 cap boxes	£160.99
500	3.5"	DS/DD + 5 x 100 cap boxes	£188.99
1000	3.5"	DS/DD + 10 x 100 cap boxes	£ call

All prices include VAT / free labels

REMEMBER THESE PRICES INCLUDE FREE DELIVERY

PLEASE PHONE FOR LATEST PRICES DUE TO POSSIBLE INTRODUCTION OF EC TARIFFS ON DISKS

DISKS + 80 CAP BANX BOXES

100% CERTIFIED ERROR FREE FREE COLOUR CODED LABELS

50	3.5"	DS/DD + 80 Cap Banx Box	£33.99
100	3.5"	DS/DD + 80 Cap Banx Box	£49.99
150	3.5"	DS/DD + 2 x 80 Cap Banx Boxes	£77.99
200	3.5"	DS/DD + 2 x 80 Cap Banx Boxes	£95.99
300	3.5"	DS/DD + 4 x 80 Cap Banx Boxes	£152.99
400	3.5"	DS/DD + 5 x 80 Cap Banx Boxes	£197.99
500	3.5"	DS/DD + 6 x 80 Cap Banx Boxes	£237.99

All prices include VAT/ free labels & free delivery

PLEASE PHONE FOR LATEST PRICES DUE TO POSSIBLE INTRODUCTION OF EC TARIFFS ON DISKS

DISKS + 150 CAP POSSO BOXES

100% CERTIFIED ERROR FREE FREE COLOUR CODED LABELS

50	3.5"	DS/DD + 150 Cap Posso Box	£37.99
100	3.5"	DS/DD + 150 Cap Posso Box	£55.99
150	3.5"	DS/DD + 150 Cap Posso Box	£73.99
200	3.5"	DS/DD + 2 x 150 Cap Posso Boxes	£106.99
300	3.5"	DS/DD + 2 x 150 Cap Posso Boxes	£144.99
400	3.5"	DS/DD + 3 x 150 Cap Posso Boxes	£196.99
500	3.5"	DS/DD + 4 x 150 Cap Posso Boxes	£241.99

All prices include VAT/ free labels & free delivery

PLEASE PHONE FOR LATEST PRICES DUE TO POSSIBLE INTRODUCTION OF EC TARIFFS ON DISKS

3.5" DELUXE STORAGE BOXES

10 Capacity	£1.00
40 Capacity (Lockable)	£4.10
100 Capacity (Lockable)	£4.50

STACKABLE BOXES

3.5" 80 Cap Banx Lockable Box	£10.95
3.5" 150 Cap Posso Box	£16.50
5.25" 70 Cap Posso Box	£16.50

3.5" HIGH DENSITY DISKS

100% ERROR FREE / FREE COLOUR CODED LABELS

60p EACH £61 For 100 incl delivery/labels/VAT

100% CERTIFIED ERROR FREE

5.25" DS/DD Disks.....21p each 5.25" DS/HD Disks.....39p each

BOX OF PAPER 11 X 9.5, 60GMS MICROPERF 2,000 SHEET...£11.75

BOX OF A4 PAPER, 70GMS MICROPERF 2,000 SHEETS...£12.95

PRINTER RIBBONS

PRINTER	BLACK RIBBONS		COLOUR RIBBONS
	BRANDED	COMPATIBLE	BRANDED
Citizen 120D	£3.40	£2.70	N/A
Citizen Swift 9	£3.40	£2.70	£15.30
Citizen Swift 24/24E/224	£4.70	£2.70	£15.30
Panasonic 1124	£8.50	£3.58	N/A
Star LC-10	£4.47	£3.06	£6.70
Star LC-20	£4.47	£3.06	N/A
Star LC200	£6.11	£4.70	£12.30
Star LC24 10/15	£5.58	£3.53	N/A
Star LC24-200	£5.58	£3.53	£13.25

CALL FOR PRICES ON ANY PRINTER RIBBON-HUNDREDS IN STOCK.

INKJET CARTRIDGES & REFILLS

BC01 BJ10E Cartridge	£16.99
BC02 BJ200 Cartridge	£22.91
BC01 Refill Black/Colours	£14.98
HP 51608A Black	£17.04
HP 51626A Dual Cap Black	£23.94
HP 51639 Colour for 500	£19.39
HP 51625A Tri Colour	£26.96
Refills for HP51608A	£14.98
Refills for HP51626A	£19.92
Refills for HP51625A	£29.85
Refills for HP51639	£14.98
Inkjet Transparencies Pack 20 sheets	£13.98
Inkjet Transparencies Pack 100 sheets	£59.99

ALL ITEMS IN STOCK. CALL FOR PAINT/JET SERIES AND MANY OTHERS.

ACCESSORIES/JOYSTICKS

1000 COLOURED LABELS	£8.00
1000 TRACTOR LABELS (WHITE)	£10.00
MOUSE MAT	£2.75
MOUSE HOLDER	£2.50
14" MONITOR STAND	£10.00
PRINTER STAND	£6.00
3.5" CLEANING KIT	£2.75
CHEETAH BUG	£12.99
PARALLEL LEAD	£8.00
ZIPSTICK	£11.50
QS PYTHON III	£9.50
A500 1/2MB UPGRADE	£34.00
A600 1MB UPGRADE	£45.99
3.5" CUMANA DISK DRIVE	£54.99
A500 REPLACEMENT DISK DRIVE	£54.95
A500 TV MODULATOR	£25.99

GVP A500 HARD DRIVES & ACCELERATORS

A500 GVP 42Mb HD8 II	£289.99
A500 GVP 80Mb HD8II	£359.99
A500 GVP A530 Combo 40MHZ+ 80Mb HD	£639.99

CALL FOR PRICES ON RAM AND OTHER GVP PRODUCTS

DUST COVERS

A500	£3.50	CITIZEN 9	£3.50
A600	£3.50	CITIZEN 24	£3.50
A1200	£3.50	PHILIPS MKI/II	£3.50
STAR LC200	£3.50	ATARI	£3.50
STAR LC-24 200	£3.50		

AMIGAS

A1200 Comic Relief Pack	£364.99
A1200 Standalone	£359.99
NEW A1200 + 80Mb Hard Drive	ONLY £585.99
INCL 1 YEAR ON SITE MAINTENANCE	



BCS LTD

349 DITCHLING ROAD, BRIGHTON, EAST SUSSEX BN1 6JJ

ADD £4 P&P UNLESS STATED. ADD £10 FOR NEXT DAY DELIVERY (MON-FRI) (UK MAINLAND ONLY)

ORDER HOTLINE 0273 506269/0831 279084

All offers subject to availability. E&OE. Prices/pack details may change without notice.
Due to currency fluctuations, all prices may change without notice - Please call for latest prices.



BCS ORDER HOTLINE 0273 506269 PHONE NOW

CALLERS WELCOME AT OUR BRANCHES OPEN 9-5.30, MONDAY TO SATURDAY, (10-4.30 SUNDAYS ST ALBANS ONLY)

WARNING

Due to the exchange rate, many items in this ad may increase in price - including some CBM + HP product. At the time of going to press we are unable to confirm the extent or date of the increases, therefore, all prices must be confirmed by telephone before ordering.

OLD AMIGA TRADE-IN

The best trade-in allowance, extra for peripherals and accessories. Trade in your old machine for a brand new A600/ A1500/1200/3000/4000/CDTV or even PC.

A limited number of refurbished A500/1500/3000s are available, complete with 3 months warranty.

A500s FROM £149
A1500s FROM £249

A600 1MB	199	1500 HD+Controllers	
A600 20HD	(mini) 279	40MB	FROM 199
A3000s	FROM 699	120MB	FROM 379
CDTV	FROM 249	Action Replay	39
A590 20/40MB	129/159	XT B Board	79
Flicker Fixer 1500	79	AT B Board	149

OTHER ACCESSORIES - PLEASE ASK.

AMIGA 500+ £179.99

LIMITED NUMBER AVAILABLE
- PHONE!

TRADE IN
AVAILABLE

AMIGA 3000

12 MONTH ON-SITE MAINTENANCE
WITH FREE AMIGA VISION

NEW PRICES!	52MB	120MB
1MB video + 1MB Fast Ram	999	1149
2MB video + 4MB Fast Ram	1149	1299

With extra 4MB Fast RAM (fitted if required) ADD £169.99
With Philips SVGA 28dpi inc. tilt & swivel ADD £309.00

WITH
FREE DPPOINT AGA
OR
WORDSWORTH AGA
AND STARTER PACK

AMIGA 4000/30

NEW MID RANGE AGA AMIGA

AGA Chip Set + 68030 processor, 68882 25/50 MHz co-processor option, 256,000 colours from 16.6M, scan doubling for flicker free display, Mouse, Amiga 3.5"/1.76 MB 3.5" drive, Hard Drive as below, Amiga DOS 3.0 system and utilities, Gold Service on-site warranty

68030	68882	2 + 2MB STANDARD VISION	2 + 4MB SUPER EXPANDABLE VISION
80MB HD	999*	1099	
80MB HD 25MHz	1129*	1229	
120MB HD	1099*	1199	
120MB HD 25MHz	1229*	1329	
120MB HD 50MHz	1349*	1449	
240MB HD avail	POA	POA	

With CBM 1960 multi sync colour monitor
inc tilt and swivel
ADD £349

Per extra 2MB fitted to standard machineADD £89
Per extra 4MB fitted to super exp. machineADD £159

***EXTRA 2MB FREE**
with every 2+2MB standard
version machine
LIMITED OFFER
THIS MONTH ONLY
WHILE STOCKS LAST!

NO OTHER DEALER CAN BEAT OUR CREDENTIALS

- Multi-million company with 9 years experience in Commodore product and here to stay
- Commodore trained staff are friendly and helpful and are parents, multimedia, educational, games, programming or technical specialists (usually more than one!)
- Open 9-6 pm Monday to Saturday and 10.00 am to 4.30 pm Sundays (St Albans only) for convenient shopping.
- Callers welcome for advice and demonstration at our 1600+ sq ft High St. Town Centre branches
- Same day despatch for most orders received by 5.30 pm; express am and Saturday services available
- Hardware carefully handled and delivered safely and reliably by caged, insured, top name courier service
- Pre-despatch testing on Amiga systems
- Free 30 day, next day courier collection and delivery of NEW replacement (except product with on-site maintenance)
- Hotline support and in-house engineers
- Upgrade and trade in offers to keep you up to date
- Exceptional after sales service
- BPPO and export welcome

NOT JUST ANOTHER MAIL ORDER COMPANY

For years a major player in Amiga Mail Order, Hobbyte also boast extensive expertise and experience in specification and support of multi-machine and specialist systems. Hobbyte have been recommended and trained by Commodore and successfully won major orders and support contracts from London Boroughs, MOD, educational establishments etc. We are pleased to be placed on tender lists.

This expertise is available to all our customers.

Hobbyte

COMPUTING
ESTABLISHED 8 YEARS

10 MARKET PLACE ST ALBANS
HERTS AL3 5DG TEL: (0727) 856005/841396
THE GALLERY ARNDAL CENTRE LUTON
BEDS LU1 2PG TEL: (0582) 457195/411281

AMIGA 600

A600, SD & HD versions with 12 month on-site warranty, 1MB, WB
2.05, 3.5" FD + Smart Card Interface Mouse and Manuals

ALONE	FREE PUBLISHER'S CHOICE RRP £99.99 inc.
A600	229
A600 20MB HD	349
A600 40MB HD	384
A600 85MB*	469
2MB VERSION ADD £25	

Kindwords - WP, Pagesetter - DTP, Artists
Choice - Art Pack, Headline Font Pack
Limited - While Stocks Last

SPECIAL THIS MONTH
on 1200 and 600 with starter pack
(see below)
ADD ONLY £15

Competitive no-deposit credit always
available - phone for written details.

AMIGA 1500 inc. on-site

Dual Drive	469.00	DD+GVP+120MB HD	872.00
DD+GVP+52MB HD	732.00	With 8833/10845T ADD	179.99
DD+GVP+80MB HD	799.00	With 7CM + M/W FF ADD	379.99
Per extra 2MB fitted to GVP		ADD	£60.00
Also with Kickstart 1.3 + ROM Shaver		ADD	£39.90
Also with Citizen 200 24 pin Col Printer + Starter Pack		ADD	£199.00

NEW PRICES AMIGA 4000/40

New AGA Chip Set + blistering 68040 processor, 256,000 colours from 16.6M, scan doubling for flicker free display, 25 MHz, Mouse, Amiga 3.5"/1.76 MB 3.5" drive Plus Cross DOS for transfer of files between Amiga DOS + MS DOS, 2 rear + 2 front 3.5" bays, 1x 5.25" bay, Hard Drive as below, Amiga DOS 3.0 system and utilities, Gold Service Warranty

FULL 68040	ALONE
120MB HD	2 + 4MB £1989
120MB HD	2 + 8MB £2139
240MB HD	2 + 8MB £2239
With CBM 1960 multi sync colour monitor inc tilt and swivel	ADD £349
Per extra 4MB fitted	ADD £159
4000/40T INC. SCSI - COMING SOON!	

AGA GG PACK (GRAPHICS + GAMES) FOR A1200, 4000 ETC.

	VALUE/RRP
Personal Paint AGA - Top reviews, impressive DP IV clone with additional features inc. image processing, paints in any screen mode	69.99
Your choice of - Wing Commander AGA	
or Zool AGA	
or Sensible Soccer AGA	34.99
5 'Hot List' games (AGA compatible) individually boxed	174.95
Microswitched Joystick	9.99
Mouse Mat + Dust Cover	9.98
10 Blank Discs + 80 capacity lockable disc box	16.98
Virus Killer	4.99
TOTAL VALUE	321.87
WITH AMIGA/CDTV SEPARATELY	89.99 109.99

STARTER PACK

	MAX VALUE/RRP
Microswitched Joystick	9.99
80 cap. lockable disc box PLUS 10 blank discs	16.98
4 great boxed games - See HOT LIST	159.96
Phone for current choice OR DPaint III + 700 Clip Art Pics/graphics	
Mouse Mat and Dust Cover	9.98
16 Days Free Hotel Accommodation in UK, Ireland or France - you pay only for meals	
TOTAL VALUE	196.91
WITH AMIGA/CDTV SEPARATELY	19.99 29.99

HOW TO USE THIS AD

For the first time ever, you can choose your own Amiga and software combination, and still benefit from the huge savings only available from package deals. Want an A500 with 1500 software? No problem! Like an A1500 without games? It's up to you!

WE WANT TO BEAT ALL PRICES! CALL US!!

AMIGA 1200

FREE SLEEP WALKER + £10 DONATION TO COMIC RELIEF
(WHILE STOCKS LAST)

1200 2MB SD	369	1200 2MB +80MB HD	*589 **595
1200 2MB +20MB HD	*495	1200 2MB +120MB HD	*669 **675
1200 2MB +60MB HD	*535	1200 2MB +207MB HD	*POA **895

SEE NEW AGA GG PACK BELOW

*1200 SD fitted with top quality 3rd party drives; install disc + full 12 months return to base warranty.

CBM APPROVED HARD DRIVES

1200s with hard drives marked ** include CBM approved drives fitted by CBM approved engineers, full legal installation/utility disc and documentation and come with CBM on-site warranty service. Extra 4MB + clock fitted to aboveADD £180

ALSO WITH
STARTER PACK
£19.99
EXTRA

CDTV

1MB, with Disc Caddy, Welcome CD + tutorial + remote control unit.
ALONE WITH MATCHING DRIVE
KEYBOARD, MOUSE + WB 1.3

As above £349* £389**
With Megachip 1MB upgrade plus Super Agnus £157.99 extra
* Plus Hutchinsons Encyclopaedia + Lemmings **plus FredFish CD

See below/across for
software packs

NEW PRICES!

WITH ANY COMPUTER

ZOOL, STRIKER, PINBALL DREAMS & TRANSWRITE
OR LEMMINGS, SIMPSON'S & CAPTAIN PLANET
ADD £19.99

THE HOTTEST LOT PACK

	VALUE/RRP
All as Starter Pack	203.90
PLUS:	
10 GREAT individually packaged games, BETTER THAN THE REST previous RRP's up to 39.99 each, phone to choose from HOT LIST, or leave it to us! Children's games available.	269.82
80 Prog. Hobbyte PD Greats Pack II - Includes top games like Battlecars, Star Trek, Computer Conflict, Megaball, dozens of arcade classics, board classics and 'shoot-em-ups', DPaint clip art, Utilities, Word Processor, Spreadsheet, Database + Desktop Publisher and the ultimate virus killers - a must for every new Amiga owner!	39.99
TOTAL VALUE	513.71
WITH AMIGA	49.99
SEPARATELY	69.99
SPECIAL: ALSO 10 extra 'Hot List' games	ADD 25.00

WWW EXTRA PACK

	VALUE/RRP
WWW games: Silly Putty	25.99
Formula 1 Grand Prix	25.99
Pushover	25.99
DPoint III with animation	79.99
700 clip art pics/graphics for DPoint III	9.99
3 disc Home Pack incl. W Processor, Dbase, Spreadsheet	9.99
Virus Killer	4.99
TOTAL VALUE	182.93
WITH AMIGA/CDTV SEPARATELY	29.99 49.99

EPIC PACK EXTRA

	Needs 1MB and Hard Drive	VALUE/RRP
Epic Pack: Trivial Pursuit, language Lab, Amiga text		29.99
Epic, Rome, Myth		77.97
DPoint III with animation		79.99
700 clip art pics/graphics for DPoint III		9.99
3 disc Home Pack incl. W Processor, Dbase, Spreadsheet		9.99
Virus Killer		4.99
TOTAL VALUE		212.92
WITH AMIGA/CDTV SEPARATELY		29.99 39.99

NO CREDIT CARD SURCHARGES

No deposit credit available (subject to status), 28.8% APR, written details on application. All major debit cards accepted.

PROFESSIONAL FAMILY PACK (1MB REQUIRED)

VALUE/RRP

Cartoon Classics Games: Lemmings OR Elf	25.99
The Simpsons Puzzle	24.99
Captain Planet Toki	25.99
Deluxe Paint III with animation + 700 Clip Art pics	89.99
Gold disc Office - WP + UK 'guess spelling' checker, spreadsheet, database, graphics + desktop publishing	169.99
Edd the Duck	29.99
OR GFA Basic OR Round the Bend	
Virus Killer Disk	4.99
80 Prog. Hobbyte PD Greats Pack - see 'Hottest Lot' Pack	39.99
4 disc DP pack inc. Fonts, Clip Art and Disc Tutor	9.99
Hobbyte Primary (specify) or Secondary Educational Pack	19.99
10 Blank Discs + 80 Capacity lockable disc box	26.98
Mouse Mat + Dust Cover and Joystick	19.97
TOTAL VALUE	488.85
WITH AMIGA/CDTV SEPARATELY	79.99
SEPARATELY	99.99

SPECIAL: Also with Citizen 200 24 PIN Colour Printer and Starter Pack ADD 199.00

ABSOLUTE BEGINNER'S PACK 3-13 YEARS

VALUE/RRP

- Your choice from:
 - Fun School 2, 3 or 4 (for 3-9 yrs - specify age, 9 diff. versions available) Up to 6 stunning UK educational games in each package, with beautiful pictures, exciting animation + music that helps to develop numbers, word + other skills. Up to 6 levels of difficulty. Conforms with National Curriculum.
 - OR Merlin's Maths (for 7-11 yrs) from the award winning 'Fun School' stable, 6 engrossing games to teach essential maths skills, in a way children will love.
 - OR Spelling Fair (for 7-13 yrs) all the fun of the fair on 6 levels - makes learning spelling addictive and fun, includes 6 games plus 3000 word dictionary + selection of words for dyslexic children. Parents can create own dictionary of words requiring special attention.
 - OR Any ADI Junior
 - Edd the Duck (7 yrs) OR Elf (7+ yrs) OR Round the Bend
 - Hobbyte Primary (specify) Educational Pack, featuring up to 12 'Learn while you play' games
 - Hobbyte 30 Easy Children's Games, 10 pack disc including Train Set and other top entertaining PD titles
 - Photon Paint II + 700 Clip Art pics
 - inc. children, Fairytale + Legend characters, Sport, Cartoons etc.
 - Joystick + 10 blank discs

TOTAL VALUE 197.92
WITH AMIGA/CDTV SEPARATELY 39.99
SEPARATELY 59.99

SPECIAL: Each extra title from first selection add just 15.00

TRAMPY'S, THOMAS'S OR NODDY'S PACK 2-8 YEARS

AT LEAST 57 EDUCATIONAL/FUN FILLED GAMES!

MAX VALUE/RRP

- Thomas the Tank Engine's Fun with Words - 6 separate easy to use learning programmes with animation and sound.
- OR Noddy's Playtime (to 7 years) - 8 magical learning games at 3 levels, PLUS Junior Art package inc. Colouring, electronic 'Fuzzy Felt', FREE Toy Town map, Keyboard overlay and wobbler.
- The Shoe People - 6 colourful and entertaining games featuring Trampy and friends to encourage early number reading and pre-reading skills. With Shoe People music
- OR Fun School 2 (for 3-9 years - specify age)
- Fun School 3 or 4 - the 'Fun School' suite have won just about every award going. 5 or 6 wonderful animated games.
- OR Picture Book: 4 colourful and amusing games from ex 'Fun School' design manager will delight young children
- Photon Paint II + 700 Clip Art pics inc. children, Fairytale + Legend characters, Sport, Cartoons, etc.
- Hobbyte Primary Educational PD Pack, containing 10 fun while you learn games
- Hobbyte 30 Easy Children's Games Pack
- 10 Blank Discs, Joystick, Mouse Mat

TOTAL VALUE 221.90
WITH AMIGA/CDTV SEPARATELY 59.99
SEPARATELY 79.99

SPECIAL: Each extra title from first selection add just 18.99

LIMITED ZOO GCSE 11-15 YEARS

+ SCHOOL PACK

- Zool - Number 1 Chartbuster
- Striker - 94% CU Amiga
- Pinball Dreams - 94% AU
- Transwrite UK WP + Spellchecker
- ADI French, Maths or English (11-15, specify age)
- ADI the lovable extra terrestrial gifted teacher, guides you through National Curriculum. Ideally complements school work. From the award winning Fun School team
- OR ADI Junior (under 5's)
- OR 6 HOT LIST Games
- Hobbyte 80 Programme PD Greats Pack - 'See Hottest Lot'
- Hobbyte Secondary Educational Pack
- Microswitched quality joystick
- TOTAL VALUE** 407.87
- WITH AMIGA/CDTV SEPARATELY** 49.99
SEPARATELY 69.99

ALSO WITH STARTER PACK £19.99 EXTRA

THE HOT LIST

GREAT individually packaged games, BETTER THAN THE REST (previous RRP's up to 39.99 each)

CURRENT TITLES VARY - INCLUDES:

- Paperboy II
- Colossus Chess
- Challenge Golf
- Neighbours
- Frankenstein
- Edd the Duck (under 12)
- Spiderman/Cptn America Thunderbirds
- Hunt for Red October
- Blinky's Scary School (under 12)
- Battleships
- Licence to Kill - Bond Game
- Silkworm Helicopter Jeep mission 93% CU
- Continental Grand - 8 Int race circuits 92% AA
- Xenon - C+VG Game of the Month
- Blade Warrior - A Power, A Format, A Action superb reviews

+ LOTS MORE - AT LEAST 25 TITLES TO CHOOSE FROM!

AMIGA 24 BIT - £BEST!

- A Video 24 with TV Paint for 500
- DCTV
- GVP IV + VIU-S
- GVP IV + VIU-CT
- Harlequin 4000 24 bit card
- Image Master
- Opal Vision 24 bit board + Opal Paint, Opal Presents, Karate 24 bit s/w
- Video Processor for Opal Vision
- Video Suite for Opal Vision
- Retina 24 bit graphics card + 1MB + VD Paint
- Refina 24 bit graphics card + 4MB + VD Paint
- V lab 24 bit real time digitiser 1200/600 external
- V lab 24 bit real time digitiser 1200/600 internal
- V Lab 4000/3000 internal SVHS

FOR SPECIALIST ADVISE PHONE JP ON 0727 856005

HARD DRIVES/ACCELERATORS A1500/2000/3000/4000

GVP HCB/II 40MB	278.99	G Force 030 40MHz 4MB	748.99
GVP HCB/II 80MB	314.99	G Force 030 50MHz 4MB	998.99
GVP HCB/II 120MB	358.99	G Force 040 33MHz 4MB	1398.99
GVP HCB/II 213MB	566.99	Prog Mercury 040 20MHz (3000)	1349.99
Extra 2MB fitted to any above	69.99	NEW!! SCSI II controller for 4000	139.99
G Force 030 25MHz 1MB	478.99	Sysquest removable HD 80MB	658.99

EXPANSION

A500 512k Ram Exp+Clock	21.99	NEW!! PC1204 4MB exp+clock	184.99
A500+ 1MB exp	29.99	PC1204 4MB exp + 68881 20MHz	239.99
A500+ 2MB exp. to 8MB	149.99	PC1204 4MB exp + 68882 25MHz	274.99
CBM A600 1MB exp + clock	27.99	PC1204 4MB exp + 68882 50MHz	244.99
A600/1200 2MB exp (card)	117.99	MBX 1200 4MB+68881 14MHz	268.49
A600/1200 4MB exp (card)	179.99	MBX 1200 4MB+68882 25MHz	334.49
CDTV 1MB exp + Super Agnus	157.99	MBX 1200 4MB+68882 50MHz	409.00
A500 Rom Sharer 1.3	37.95	8MB version MBX boards above	ADD 89.50
A500 Rom Sharer 2.04	38.95	NEW!! CBM 2.1 upgrade kit	74.99
A600 Rom Sharer + 1.3	49.95	A2065 Ethernet Card	229.95

Chip fitting and board upgrade available, by our qualified engineers.

EMULATION

G Gate 386sx 25MHz	386.99	386 Bridgeboard for 1500	238.50
G Gate 486SX	689.99	AT Once	214.99
GVP 286 for GVPH + 530	146.99	GVP 40/4 for 1500	945.99

GENLOCKS/MODEMS

Rendale 8802 (1200 compati)	139.99	Video Pilot v330	1094.94
NEW!! Rendale 8802 FMC	159.95	Rogent	131.50
Rendale 8802 SVHS/8860	469.99	GVP G-Link	328.99
Hama Genlock S290	689.99	Supra 2400 Modem	78.95

DISCS

10 Blank DS/DD discs in box	4.99	50 Blank DS/DD discs	17.99
10 Blank DS/HD discs	6.99	50 Blank DS/HD discs	27.99

2YR WARRANTY WITH CITIZEN PRINTERS

ALONE	WITH STARTER PACK	ALONE	WITH STARTER PACK
Citizen 120+D	108.99	Citizen S24x col*	296.99
Star LC20	116.99	HP Deskjet 510	319.99
NEW!! Citizen 90 mono*	156.49	HP Deskjet 500 colS	439.99
NEW!! Citizen 90 colour*	169.49	HP Deskjet 550C*	639.99
Star LC 100 9 pin col	158.69	HP Deskjet PortableS	339.99
Citizen Swift 9* col	163.49	HP PaintjetS	639.99
Star LC200 col	174.99	HP Deskjet 1200C	1349.99
Star LC 24-20 II	218.49	B110x Bubblejet port.	219.90
Star LC 24-100 24 pin	173.49	BJ 200	349.90
Star LC 24-200	209.99	BJ 330 A3	469.99
Star LC 24-200 col	248.49	BJ 300	389.99
Citizen 1240	176.99	Star SJ 48	198.99
Epson LQ 100	189.99	Panasonic KXP 4410	
Epson LQ 570	259.90	Laser Sppm	494.95
Epson LQ 870	469.90	Star LS 5 laser	616.95
Epson LQ 1170	569.90	HP Laserjet 4L	619.90
Citizen S200 24*	179.99	Star LS 5xx Sppm	729.90
Citizen S200 24 col*	194.99	Sharp JX 9500 Sppm	599.50
Citizen S240 24 col*	259.99	QMS Ink Jet col A4	4999.95
Epson Stylus 800	294.90		

*Studio driver/Utility (WB 2 & above) highly recommended ADD £39.95

STARTER PACK: 500 Sheets A4 paper, Amiga to printer lead, Universal Printer Stand & Driver *with Print Manager

SOFTWARE

GRAPHICS/CAD		Superbase Pro 4	148.99
Aladin 4D	213.99	Wordsworth AGA	72.90
AmigaVision	17.90	Works Platinum	38.99
Art Expression AGA	134.90		
Art Dept. Pro 2.3A	147.90	EDUCATIONAL	
Brilliance	143.90	Any Fun School 3 or 4	15.99
Caligari 24	234.49	Any ADI	16.99
Deluxe Paint IV	53.99	Marlin's Maths	16.99
Deluxe Paint AGA	64.90	Paint & Create	16.99
Distant Suns	49.49	Spelling Fair	16.99
Essence	35.99	See also software packs	
Expert Draw	48.99	UTILITIES/LANGUAGES	
Gallery	39.49	AMAX II Plus	249.99
Image FX	POA	Ami back	39.90
Imagine v2	109.49	Amos 3D	21.49
Image Master AGA	119.49	Amos the Creator	30.95
IntroCAD Plus	63.99	Amos Compiler	19.49
Pixel 3D Pro	119.95	Amos Prof.	43.50
Prodrow 4 AGA	POA	Easy Amos	22.49
ProVisio AGA	49.49	CanDo 2	77.50
Real 3D Turbo Pro	78.90	Cross Des v5	29.75
Scala 500 HVT	64.49	Directory Opus 4	47.49
Scala Pro 1.13	173.50	Disk Master II	43.75
Scala MM200	434.99	GB Route +	32.99
Sculpt Anim.4D	198.99	GFA Basic	8.99
Spectra Colour	57.99	Gigamem	89.90
Take 2	36.90	SAS/Lattice C	215.99
IV Paint	544.90	Quarter back	39.49
Vista Pro	49.99	Quarter back Tools	43.99
X CAD 2000	89.50	Xcopy Pro	34.95
X CAD 3000	245.99	APPLICATION	
		Arena Accounts	82.50
		Excellence 3	39.99
		Final Copy V2	64.99
		Kind Words III	32.99
		Maxipain Plus v4	34.50
		Mini Office	37.49
		Pagestream 2.2	149.90
		Pagesetter 3 AGA	42.49
		Pen Pal 1.4	34.50
		Pers Finance Man +	29.50
		Pro. Page 4 AGA	136.49
		Publisher	31.90
		Saxon Publisher	177.95
		THUNDERBIRDS!!	12.99
		Trivial Pursuit	9.99
		Wing Commander	19.49
		Zool	15.99

ORDERING:

TELESALES NO: 0727 856005 FAX: 0727 834944

Some day despatch for debit or credit card orders placed before 5pm subject to availability. Alternatively send cheque, postal order, bankers draft or official order (PLCs, Education and Government bodies only) to: Dept. AS, Hobbyte Computer Centre, 10 Market Place, St. Albans, Herts AL3 5DG. Please allow 7 working days for cheque clearance. Subject to availability, despatch is normally within 24 hours of receipt of cleared payment. Prices are correct at time of going to press, however, we are sometimes forced to change them, either up or down. Please check before ordering. Additional services and different packages may be offered in our showrooms, and prices may vary from Mail Order prices. Personal callers are asked to quote this ad to ensure Mail Order packages are offered.

DELIVERY CHARGES: UK MAINLAND (NOT HIGHLANDS)

Small consumables & software items
Despatched by post, please check charges when ordering
Other items, except lasers
Next day courier service, £10 per box
Offshore and Highlands
Please enquire
IN ADDITION WE OFFER THE FOLLOWING EXPRESS SERVICES:
Saturday deliveries
Normal rate plus £15
An next day
Normal rate plus £8

NO DEPOSIT CREDIT FACILITIES

Credit terms at 34.8% APR (variable) can be arranged for purchases over £150, subject to status. Competitive leasing schemes are also available for businesses, including sole traders and partnerships. Just telephone for written details and application form.

Amiga prices, except where stated are inc. VAT. E.&O.E.

HP AUTHORISED DEALER

CITIZEN DEALER PLUS •

NOTE SEE ACROSS

continued from page 68

Commodore's own ASL requester or even AMOS's sometimes quirky requester.

Right, now let's get stuck into the serious business of coding our requester. Because our file requester will be handled almost completely by AMOS's Interface language, let's start by coding our three gadgets into an Interface program. And, as they say on *Blue Peter*, here's one!

LISTING 1

```
Base 0,20;
ActiveList 1,16,16,30,15,0VA,0,4,0,3;
[ZoneChange 3,0VA ZonePosition ARray;]
VSlide 2,272,16,16,120,0,1,5,1;
[ZoneChange 1,ZonePosition;]
Edit 3,16,140,30,30,'DF0:',0,2;
Exit;
```

prepared earlier... Listing 1.

As you can see from our Interface program in Listing 1, it starts by offsetting the positions of all gadgets by 20 pixels along the horizontal using the Interface "Base" command. We haven't really covered this command in any great detail before, but it's a pretty simple instruction. Like all drawing operations, it positions gadgets according to an origin relative to pixel position 0,0 within the current screen. Using the Base instruction, however, you can reposition this origin, allowing you to move a whole series of gadgets in one operation

without having to manually recalculate the position of each yourself.

Next, our Interface program creates an ActiveList that is capable of holding a maximum of 30 different entries. Okay, so most file requesters handle considerably more than this, but 30 will serve as a nice easy-to-manage figure in the meantime. You can increase this yourself if you so wish – just check out last month's issue for a detailed description of the ActiveList command's complex parameter format. (If you missed that issue, turn to page 116 for the *Amiga Shopper* back issues service.)

The most interesting part of the ActiveList

command, though, is the [options] parameter on the next line. As you know, most Interface commands offer an [options] parameter which is essentially a section of embedded code that is executed every time the gadget is selected – in the case of our ActiveList, the [options] code will be executed every time the user clicks on an entry. In this particular case, we need our ActiveList to automatically transfer the entry that the user clicks on to the string gadget. We could have done this ourselves by having a section of code within the main program that monitored when the user clicked on

an ActiveList entry. We would then transfer the appropriate item from the ActiveList array (a 30-element dimension array containing the directory listing) into the string gadget using the "Dialog Update" command. We can, however, automate this process completely using the section of Interface code in the box to the left.

What it does is to use the ZoneChange command to copy the element that the user selected directly to the string gadget by plucking it directly from memory. (Don't forget that the OVA variable simply contains an address that points to the position in memory where the ActiveList array can be found.) The element that we're interested in is pin-pointed by the ZonePosition command, and this holds the number of the ActiveList entry that the user clicked on. Clever stuff, eh!

SLIPPERY VSLIDE

The VSlide command is then used to create a pretty bog-standard scroll gadget that runs down the right hand side of our ActiveList. It contains a handle (the bit that you drag with your mouse pointer) offering five different positions with a maximum



If you're feeling really adventurous, have a go at writing a fully-featured AMOS Interface file requester. We've provided the basics for you to work from, but we haven't done everything for you!

value range of 0 to 29 (don't forget that our file requester only displays 30 entries – remember to change this too if you decide to expand your file requester!). Once again, an [options] parameter is added to enable the scroll gadget to inform the ActiveList whenever the user drags the scroll gadget up or down, thus automatically scrolling the ActiveList's contents up or down.

Finally, we have another command that we haven't covered before – Edit. As its name suggests, the Edit command creates a string gadget – or a "Text Edit Zone", as AMOS prefers to call them. See the separate boxout on this page for a detailed description of this command. Anyway, let's move on by taking a look at the section of code that does the hard work of handling the workings of the file requester (Listing 2).

DOOM OR BOOM? WHAT'S

Life, eh? Funny old world, innit? Would you believe it? Who'd have thought... (*Get on with it – ed.*) Little more than a couple of weeks ago, I was struck down by the sort of gloomy feeling usually reserved for visits from relatives. It all started when I was chatting to a certain well-known AMOS personality – let's call him Mr X. (Names have been changed to avoid embarrassing the guilty.) He said he had heard that Europress were planning to pull the plug on AMOS now that work had started (or was due to start) on PCOS, the PC version of AMOS.

Even software that Europress had already planned to release, Mr X had heard, was supposedly either up for the chop or would be hacked together just enough to make it saleable. Among the packages mentioned was the AMOS Professional Compiler, which my source claimed would no longer undergo the sort of rigorous redesign that Europress had promised.

Instead, the compiler would simply be an extended version of the existing AMOS 1.35 compiler. As for the AMOS Pro AGA extension – well, so convinced was Mr X that this would be killed off that he had actually already started work on his own AGA extension!



The new AMOS Pro Compiler will produce compiled code that runs considerably faster than the current AMOS 1.35 compiler.

You can imagine how I felt when I picked up the phone to Europress to check the story. I wasn't really expecting them to come totally clean if I had rumbled their little game, but I was expecting some sort of evasive, non-committal answer. To my utter surprise, Europress not only put my mind to rest, but tucked it in and read it a bedtime story by revealing full unadulterated details of both the AMOS Pro Compiler and – wait for it – AMOS Professional 2.0.

PRO COMPILER LATEST

Contrary to recent rumours, Europress are soon to release the long-awaited AMOS Professional Compiler. Although the package was originally pencilled in for a February launch, Europress are now aiming for a launch date of 17 June. Anyway, here's all those juicy compiler-type details you've been eagerly awaiting.

- Compiles Easy AMOS, AMOS 1.35 and AMOS Professional source code – including AMOS Pro's



Look out for the AMOS Professional Compiler and AMOS Pro 2.0 on the 17th of June!

PSEUDO-CODE

```

Loop
Have any of the gadgets been selected?
If Yes, then
  Has the ActiveList been selected?
  If Yes, then
    Find out what ActiveList entry was selected
    Is this the second time this entry was selected?
    If Yes, then
      Was a directory selected?
      If Yes, then
        Read directory and redraw ActiveList
      Else
        Set filename to entry
    End if
  End if
Did the user enter a string into the Edit Zone?
If Yes, then
  Read string from Edit Zone
  Read directory and redraw ActiveList
End If
End If
Until filename has been selected
  
```

I know what you're thinking – what on earth does it do? Well, the file-requester code looks more complex than it actually is. Most of the code is there to help the file requester get around the limitations of AMOS's "Dir First\$" command, the instruction that is used to read in the directory listing. Let's make our AMOS code somewhat more readable by converting it into pseudo-code, as in the box above.

As you can see, the file-requester code suddenly becomes so much more readable once it has been translated to pseudo-code. Looking through our code, you may notice that there are some limitations with

entering a new pathname for the file requester to read. But what happens if the user wants to go back to a parent directory? Well, the simple answer to this is that you can't unless you enter the entire pathname for the directory you want to access.

Also, the string gadget handling code does not distinguish between filenames and pathnames. Even if you decided to enter the filename of the file that you wished to select instead of clicking on it, the file requester would automatically assume that you've entered a pathname. When the file requester then tries to reread the directory, the

the requester. Although the ActiveList works exactly the same as any other file requester that you may have used (even double-clicking on an ActiveList entry works!), the string gadget handling is somewhat weak. At the moment, our file requester does nothing more than treat the string gadget as the means for

file requester will crash. Although the foundations of a very workable file requester are undoubtedly there, there's obviously plenty of room for improvement with our file requester. I'm afraid that I'm not going to do the rest for you, though – that's your job! Try extending the file requester by enhancing the string gadget control code, and you could even add a couple of device buttons that enable the user to select any one of the more common devices (RAM:, df0:, dh0: and so on) without having to enter the pathname manually. Talking of the pathname, you could even split the filename into two separate edit zones – one for the pathname and one for the filename. What's more, the file requester code given here already has the facility to handle wildcards, so you may want to add an edit zone that would enable the user to control what files are read in... Give it a go and see what

LISTING 2

```

Repeat
DIAG=Dialog(1) : Rem *** Have gadgets responded?
If DIAG<>0

Rem *** if the ActiveList responded...

If DIAG=1
ACTILIST=Rdialog(1,1)
If ARR$(ACTILIST)<>" "
  If PREV=ACTILIST
    If Mid$(ARR$(ACTILIST),1,1)="*"
      ENTRY$=ARR$(ACTILIST)
      PATH$=PATH$+Right$(ENTRY$,Len(ENTRY$)-1)+"/"
      _READDIR[PATH$,PATH$]
      Dialog Update 1,1,0,
    Else
      FILENAME$=ARR$(ACTILIST)
      SELECT=1
    End If
  End If
  PREV=ACTILIST
End If

Rem *** If the string gadget responded...

If DIAG=3
PATH$=Rdialog$(1,3)
_READDIR[PATH$,PATH$]
Dialog Update 1,1,0,
End If
Until SELECT=0
  
```

you can achieve!

SOURCE CODE

Complete source code for our AMOS file requester can be found on this month's *Amiga Shopper* cover disk.

Note: the symbol in listings means do not type a return – the line is simply too long for our narrow columns

REALLY UP WITH AMOS

200-plus extra commands. Compiled programs can be run from within AMOS or separately from the CLI or Workbench.

- You don't even need AMOS Professional to use the AMOS Pro Compiler. Yep, you can now write your AMOS code using your favourite ASCII text editor (*EdWord*, for example – it was yours as part of the *Amiga Shopper Shareware Collection* volume 3, with AS 25) and then compile it directly without ever having to load up AMOS Professional. This enables you to create a development environment similar to C by running both the editor and compiler from the Shell.

- Optimisation of the compiler's internal expression evaluator makes compiled code even faster. According to Europress, code compiled with the AMOS Pro Compiler will actually run faster than code compiled using the standard AMOS 1.35 compiler. Now that's fast!

- Smaller compiled programs. Not only will the compiler automatically squash compiled programs by up to 80%, but compiled programs can also be made to use a special AMOS library file held in

your Workbench **LIBS** directory. This library will enable you to produce compiled code of only a few kilobytes in size.

- Not only will the AMOS Pro Compiler be powerful, but also very easy to use. Europress say it uses some more up-to-date and professional-looking graphics and offers a far more intuitive front-end that is a doddle to use. What's more, the press of a single key from within AMOS Professional is all that is needed to start the compilation process – the compiler will then compile the current program and place it into a new window. Clever stuff, eh!

PRO UPGRADE SOON

That's not all the news, though – not by a long chalk. Europress also revealed that compiler purchasers will also be given an extra disk containing AMOS Professional version 2.0. Before you hop out of your seat in excitement, though, it should be said that version 2.0 isn't as radical as its rather glorious name implies.

What it does offer is full support for the AGA chipset introduced with the launch of the Amiga A1200 and A4000. According to Richard Vanner,

project manager at Europress, AMOS Professional 2.0 will enable A1200 and A4000 owners to take full advantage of the AGA chipset's extended palette. (Don't forget that AGA offers a full 24-bit palette – that's 16.7 million colours – and new 256-colour and HAM8 screen modes.) Although Richard could not confirm whether the upgrade supported HAM8, he assured me that it would most certainly allow AMOS programmers to open and use 256-colour screens.

Even without HAM8 support, AMOS Professional 2.0 and the AMOS Pro Compiler look very attractive. Contact Europress on 0625 859333 for more information and watch for the full road-tests in *Amiga Shopper* soon. You can be sure we'll be buttering up Europress to get hold of a review copy as soon as it's finished!

TOME BOO-BOO

Oops! It looks like I made bit of a boo-boo when I recently told you that Shadow Software's TOME extension works with AMOS Professional. According to Aaron Fothergill, author of TOME and just about everything else from Shadow, TOME still doesn't work with AMOS Professional. Oh well, we all make mistakes occasionally...

THROUGH C SAILING

This month, Toby Simpson introduces the DICE C compiler as the mother of our bouncing baby Address Book application, and explains a little about it.

In keeping with the "upgrading" theme of this issue of *Amiga Shopper*, it's time to upgrade our C compiler from NorthC to DICE. DICE is Matt Dillon's Integrated C Environment. Why are we doing this? The bottom line is that we're going to be attempting some pretty high-powered stuff, and DICE is simply the best compiler for the job. It is also compatible with the latest version of C, the ANSI standard. Unfortunately it is far too big for us to give it to you on a cover disk, but it is available from PD libraries (see the directory on page 112), so you should be able to get hold of it easily and cheaply.

This month's C programming column will therefore be dedicated to getting you set up and working with the DICE C compiler. In future we'll feature fully DICE-compatible code. DICE code will work with little or no

alterations with the SAS C compiler. We'll be testing our programs on *both* packages, and we'll specify any changes you might need to make to get the programs working on the SAS compiler.

INSTALLATION

The first hurdle is to get DICE set up. It is supplied as a single archive of about 525K in size. This un-archives to about 1.4Mb. If you're a hard disk user, this is going to be really easy, so skip the next bit and go to "Installing for hard disk users". If you talk to the supplying PD library nicely enough, they may be able to supply DICE already un-archived on to two floppies. If you have more than 1.5Mb of RAM, you can un-archive DICE using popular utilities such as *Lha* to your RAM disk. Fortunately, there's a great deal of this archive that you won't ultimately need.

Format two floppy disks, and call

```

AmigaShell
> System3:1> dne
> System3:1> dice:
> Programs:Dice> ls
bin dlib dynamic include COPYRIGHT.DOC version.doc
cc doc examples
> Programs:Dice> cd examples
> Programs:Dice/examples> ls
deshan shared fib cat.c count.c hello.c
> Programs:Dice/examples> dne cat.c
0 39/43 1:cat
brk()
{
    puts("Well, if you insist...");
    return(1);
}

main(ac, av)
char *au[];
{
    short i;
    char buf[256];

    if (ac == 1) {
        puts("cat <file>");
        exit(1);
    }

    unbreak(brk);

    for (i = 1; i < ac; ++i) {
        char *filename = au[i];
        FILE *f1;

        if (f1 = fopen(filename, "r")) {
            while (!feof(f1)) {
                fputc(buf, stdout);
                fgetc(f1);
            }
            fclose(f1);
        } else {
            printf("Unable to open %s\n", filename);
        }
    }

    return(0);
}

```

Last month, we explained how programming was really not just writing code but thinking and planning. Of course, source code isn't the end of it either...

them **DiceIncs** and **DiceExec**. Now make a copy of your Workbench disk, and call that **DiceBoot** (as distinct from *Das Boot*, which was a cracking film with nothing in it about C programming). From the DICE archive, you'll need to put the following drawers onto **DiceIncs**:

- include
- dlib

If you have purchased the includes from Commodore, then you can copy them directly into the include drawer, superseding any files supplied with DICE.

Copy the following drawers from the DICE archive onto the **DiceExec** disk:

- cc
- bin
- doc

This might leave some bits and pieces, but don't worry about this. The **doc** drawer contains lots of useful documentation, and is well worth looking at if you have a problem.

That's the hard bit done. Now you'll have to set up some assigns and paths. This involves editing either your user-startup file (for Workbench 2 or higher users) or the startup-sequence (for 1.3 users). Consult your manuals for more information on how to actually do this. The procedure for this is described in the file "README" which is supplied with the DICE archive.

INSTALLING FOR HARD DISK USERS

This is going to be a breeze. Find a nice place to put DICE, and create a drawer called **Dice**. Now un-archive the entire DICE archive to this drawer. That's it. You're now ready to set up the assigns and a path. How

to do this is described in the file "README" which is in the archive.

HAVING SET IT ALL UP

Okay, you've got through the process of setting this up and you think you're ready to go. We'd better write a quick program to check how we're getting on then. Well, no first program could be anything other than "hello". So here we go. Use your favourite editor (or the DME editor supplied with DICE – documentation on how to use it is supplied in the documentation drawer) to create a file in the RAM disk called **hello.c**. Type in the following:

```

/* Our first DICE program */

void main(void)
{
    printf("Hello world!\n");
}

```

Now type in the following line exactly as it appears from the Shell:

```
dcc ram:hello.c -o ram:hello
```

After a short delay (a few seconds for an A4000 user with a hard disk, maybe a minute if you're having to work from a floppy!) the **dcc** command will return. If you've made any mistakes, DCC will point them out to you. If you're using a floppy-based system you might need to be the proverbial disk-jockey with the three disks. If all goes well, and you've made no mistakes setting up DICE, you should now have a 5K program in the RAM disk called **hello**. Type in this from the Shell:

```
ram:hello
```

With luck, you should get "Hello world" on the screen. Let's just try something a little more advanced to get the feel of it:

Note: the symbol in listings means do not type a return – the line is simply too long for our narrow columns

JARGON BUSTING

Archive – An archive is a collection of files all joined together into one single one. In most cases, these files will be compressed at the same time as creating the archive. This allows a number of related files to be sent as one smaller file. DICE, for example, takes up eight drawers, each containing several files. The whole lot added together is 1.4Mb, but supplied as an archive it's only one file and 550K. The archiving process can then be reversed (un-archiving), recovering the original files. The most common archiving program on the Amiga is called *LhA*.

Compiler – This turns the C programs you write in your text editor (the source code) into an object file which contains machine code instructions that your Amiga can execute. This then may need to go through a further stage, called linking, to turn it into a program that you can run from the Shell. (See **Linker**.) DICE can do the linking automatically for you.

Editor – You use an editor to write your C programs. DICE comes with one, written by the author of DICE, called *DME*. Instructions for using this are with the DICE archive. Your Workbench disks came with a rather less advanced editor, called *Ed*. A very capable editor called *EdWord* was yours on the *Amiga Shopper* cover disk with issue 25 (order a copy on page 116 if you missed it). Other editors worth thinking about if you're interested in buying a really good one are *CygnusED Professional* and *TurboText*.

Linker – A program which joins together the various segments of code produced by a compiler, along with any relevant library routines, and produces a finished, executable program that you can run from the Shell. Unlike some compilers, which need a separate linker program, DICE is capable of doing the linking automatically for you.

Shareware – Shareware is almost-free software. It is distributed like

PD – public domain – and will only cost you a couple of pounds to get hold of, usually from the same sources as PD. The difference between shareware and public domain is that if you intend to keep using shareware programs you're expected to register them by sending something to the author, usually money and usually less than a comparable commercial program would cost you. Not only does this make you feel incredibly virtuous, but it helps enthuse the author of the program you've just registered to continue updating and improving it, which is good for you. So look on registering shareware programs as an insurance policy for your future use of them, or as a kind of try-before-you-buy system. In the case of DICE, the registration represents superb value for money: for only \$US50 you get a complete working C compiler, of near-as-it-can-be to commercial quality, the includes, loads of utilities and other bits sent direct to your home. You don't get much fairer than that!

/* Our next DICE program */

```
void main(void)
{
    int loop;

    for (loop = 1; loop < 17;
loop++)
        printf("%ld x 16 = %ld\n",
loop, loop*16);
}
```

This one, when compiled and run, should simply produce the 16 times table up to 16x16.

Well done, you've got a working DICE C compiler environment. Further introductions to DICE are supplied with the compiler in the DOC directory, called *BEGINNER_README.DOC*. I strongly recommend that you read this file closely before really getting in to it. You might also like to get some of our examples from previous months working using DICE as part of your experimentation. Try to get yourself as familiar as you can with the DICE environment, and above all, *read the docs*.

Next month, we'll start our *Address Book* application and try to get some basic filing working. You *will* need the Amiga includes, so if you haven't already got them, read the next bit...

ONE LAST CHANCE AT THOSE INCLUDES

If you choose to register your copy of DICE, then the includes will be


supplied for you as part of the registration. However, this won't give you the rather large collection of really handy debugging tools and example C code that come with Commodore's Native Developers Toolkit. Since we first published the address of Commodore and information about this toolkit, demand has been incredible and Commodore are almost snowed under by requests from *Amiga Shopper* readers – which just goes to show how many people are interested in serious programming on the Amiga. If you haven't already sent off for the Toolkit, now might be the time. Send a cheque for £25,

made payable to Commodore Business Machines UK Ltd., to:

Developer Support,
Commodore Business Machines UK Ltd,
Commodore House,
The Switchback,
Gardner Road,
Maidenhead,
Berks SL6 7XA.

THE FOLLY OF THE FLOPPY

If you have only a floppy-based setup and you've already installed DICE, you've probably realised that this may involve quite a lot of disk



DICE at work: the fourth-last line here is the instruction to DICE to compile the code; the next line is the "execute" command; "hello world" is the output.

swapping. If you're serious about developing programs on your Amiga, you really ought to strongly consider upgrading your Amiga to one with a hard disk in it or adding an external hard drive. A hard disk is one of those things that once you've had it, you can't live without it. Simple as that! Prices are continually coming down, and you can get a 40Mb hard drive for an A500 for around £229 or a 20Mb IDE hard drive for an A600 for as little as £120 (see the feature on IDE hard drives in *Amiga Shopper* 23, or page 116 to order a copy if you missed that). For an idea of what's available, flip through the adverts in this issue or watch for the *Amiga Shopper* hardware Product Locator next issue. (To make sure of your copy – and score yourself a bargain in the process – turn to the AS subscription service on page 41 this issue. End of Public Service Announcement.)

WHERE TO GET DICE


DICE is available from all good PD libraries (see the directory on page 112), as Fred Fish disk 491. It will cost you around £2.50. DICE is shareware, which means that if you like the software you are expected to register it by sending the author some money.

DICE, as the author himself says, is the deal of a lifetime. For \$50, you can register DICE and get the Commodore includes (something we mention almost every installment of the C programming column). Once you've got your PD DICE, read the document supplied called "register.doc". This will describe in detail how to register your compiler. I do recommend you take the time to do this. The author, Matt Dillon, has invested a great deal of time and therefore money writing this compiler, which looks pretty impressive even next to some commercial compilers. Supporting him by registering your copy will help ensure that he continues to update and improve it in the future, which is good for all of us! Okay, preaching over. Now register it!

And by the way, if you have a CD-ROM drive or own a CDTV, you can also get DICE (and thousands of other goodies) off Almathera's CDPD disc. Contact Almathera on ☎ 081 689 8927.

As an alternative to DICE, if you're getting into C in a big way and you can afford it, you might like to buy the SAS C compiler from HiSoft. This rather weighty (and I mean heavyweight too, as well as expensive) package is the definitive C development environment for the Amiga. It's quite simply excellent. The latest version is v6.2; if you're interested in further information, contact HiSoft ☎ 0525 718181. **AS**

WTS ELECTRONICS LTD, CHAUL END LANE, LUTON



- 32-bit 68020 Full power
- On site warranty
- Two Python joysticks
- Free Paint package software
- Mouse mat

- A1200 Standalone **£369**
- A1200 with 20MB **£459**
- A1200 with 40MB **£499**
- A1200 with 60MB **£539**
- A1200 with 80MB **£559**
- A1200 with 120MB **£629**
- A1200 with 200MB **£699**




- AGA Chip set
- 68030 processor
- Co-pro option
- 4MB RAM

- A4000 030 with 80MB & hard drive **£918**
- A4000 030 with 120MB & hard drive **£1024**
- A1200 040 with 120MB & hard drive **£2139**

A500 Plus

- Amiga 500 Plus **£187**
- Cartoon Classic pack **£217**

A1200/A600 Hard Drives



- 20MB HD Upgrade Kit **£95**
- 40MB HD Upgrade Kit **£135**
- 60MB HD Upgrade Kit **£169**
- 80MB HD Upgrade Kit **£189**
- 120MB HD Upgrade Kit **£269**
- 200MB HD Upgrade Kit **£329**

A1200/A600 Upgrades

- A1200 PC1204 4MB + clock (Co-pro option) **£178**
- ProRam 2MB PCM-CIA A600/A1200 **£118**
- ProRam 4MB PCM-CIA A600/A1200 **£172**

Amiga 500 Hard Drives



- GVP 80MB hard drive A500 **£349**
- GVP 120MB hard drive A500 **£439**
- GVP 500MB hard drive A500 **£989**
- GVP 120MB hard drive A1500 **£382**

Internal Hard Drives for A500

- Easy to install - Full instructions
- ICD technology

- Pro Internal 20MB hard drive **£175**
- Pro Internal 80MB hard drive **£325**
- Pro Internal 120MB hard drive **£178**
- Pro Internal 200MB hard drive **£475**
- A570 CD drive **£149**

Monitors




- Commodore 1084s **£194**

- When purchasing with an Amiga deduct **£10** from above pricing

- Dust cover for the above **£5**

SVGA Monitors




- A1200 SVGA Monitor (Displays high productivity modes) **£228**

- A1200 SVGA Monitor (Displays all modes high and low) **£389**


- A1200 SVGA plus 20" Monitor (Displays all modes ideal for DTP, CAD etc.) **£1044**

Workstations




- A500 Workstation **£36**
- A600 Workstation **£36**
- A1200 Workstation **£36**
- Workstation dust covers **£9**

Peripherals



- Vast range of leads
- Please call**


Scanners



- **Power Hand Scanner**
- 64 greyscales 100-400 DPI
- Thru'port to printer
- Fully compatible with Delux Paint 4, etc.
- Advanced software

- Power Hand Scanner v3.0 **£105**
- Power Hand Scanner Colour **£229**


Pro ROM Swapper




- Pro ROM Swapper **£18**
- Pro ROM Swapper + 1.3ROM **£37**
- Pro ROM Swapper + 2.04ROM **£40**
- Workbench 2.04 plus manuals **£49**

Information at your fingertips!


At last – all the Workbench/AmigaDOS info you need in one handy volume! It's small enough to fit in your pocket and wi-ro-bound so it stays open on your desktop. And it explains all this...




Workbench windows and 'gadgets': what they are, what they do and how to use them.




The Workbench menus: every menu option and its function explained.




Workbench tools, commodities and utilities: what they are, where to find them, what they do and how to use them!



Routine Workbench tasks made easy: renaming, moving, copying and deleting.



Workbench preferences: using the preferences tools to set up Workbench to suit you.



AmigaDOS reference: a list of all AmigaDOS 2 & 3 commands, including function, command syntax, and simple instructions.



The Amiga Format Pocket Workbench & AmigaDOS Reference is designed to provide Amiga owners with the information they need in the form they need it!

No more clumsy, heavyweight manuals – quite often you don't need a wordy lecture, just a quick reminder.

No more fumbling around in half a dozen books for information that can easily be packed into one.

No more emptying the garage/loft/wardrobe for documentation and manuals you thought you wouldn't need again.

Why? because it's all here!

**Only
£9.95!**

160+ pages packed with day-to-day reference for all Amiga owners, beginners or experts!

* Contains some material also published in *Get the Most out of your Amiga 1993*.

Pocket Workbench & AmigaDOS Reference

Order Form

The **Pocket Workbench & AmigaDOS Reference** will be available in the shops, but you can order a copy of this book right now, direct from our own Mail Order department. Postage and packing is **FREE** – you don't even need a stamp to send this order off!

Please send me: (tick as appropriate)

.....copy/copies of The **Pocket Workbench & AmigaDOS Reference** at £9.95 each

Method of payment (please tick one):

VISA ☐ ACCESS ☐ CHEQUE ☐ P/O ☐

CARD NUMBER

□□□□ □□□□ □□□□ □□□□

Expiry date: □□□□

Please tick here if you do not wish to receive direct mail from other companies: ☐

Your name

Your address

Your signature

Now send this form to:

**Future Leisure Books Offer
Future Publishing Ltd
Freepost
Somerton
Somerset TA11 7BR**

For office use only:

ORDER CODE: FLB017A


Readers' listings

Our listing this month comes from Mark Thomas of Cardiff. It's called *Vectobject* and is a simple three-dimensional vector graphics manipulation program. Mark originally wrote the program in GFA Basic, and his listing appears first. We've also provided you with an AMOS version of the code to make this useful little routine accessible to a wider audience.

We've picked out this program because it offers a good entry-level beginning to vector graphics processing. The user is offered the choice of two objects, a cube and a pyramid, to manipulate. Moving the mouse causes the object to rotate, and holding the left mouse button down while moving the mouse pointer up and down the screen allows the object to be resized.

This is a simple piece of code

Have you always wanted to make money out of programming? Whatever your language, this is the place to do it! We pay £25 for each listing published. This month, we present Mark Thomas's *Vectobject*, a useful utility that enables you to manipulate 3D shapes.

Note: the symbol  in listings means do not type a return - the line is simply too long for our narrow columns

but it provides lots of opportunities for the enthusiast to fiddle with 3D shapes. Currently, the objects are animated in only two planes - why not expand the program to rotate the shapes in three planes? They'll then appear to "tumble" as well as rotate. The code can easily be expanded to incorporate further objects and features, such as a menu-driven object requester - in fact, you could

use the code for the file requester that is featured in this month's AMOS column on page 68. Or the code could be modified to perform hidden line removal - that is, make objects appear more realistic by concealing planes that are not visible from the current display angle.

• We're always interested to receive listings from readers - and remember, any that we print earn the

sender the grand sum of £25. Send a listing of the program along with a disk with copies of all the files on it (source code, object code if you have a compiled version, plus any documentation required) to:

**Listings
Amiga Shopper
30 Monmouth Street
Bath
Avon, BA1 2BW**

```
REM Vectobject V1.47a
REM 3-D object manipulation program.
REM Written by Mark Thomas.
REM
REM Open up window
OPENS 1,0,0,320,256,2,0
OPENW #0
REM set up variables
n%=0
INPUT "Enter 1 for cube and 2 for
pyramid",n%
vars
```

Here Mark is using a procedure to initialise the program variables. It's quite reasonable style to do this - especially if you want to re-initialise the variables at some later stage, although in this program it's unnecessary because the procedure is called only the once.

```
REM main loop
REPEAT
  checkmouse
  REM calculate the 2-D coordinates from
  REM the 3-D positions
  calc
  CLEARW #0
  REM draw the 2-D positions
  IF n%=1
    drawcube
  ELSE
    drawpyr
  ENDIF
  xturn%=(mx-160)
  zturn%=(my-120)
UNTIL 0
PROCEDURE vars
  DIM p%(8,1)
  dist%=1000000
```

```
dstep%=0
scale=0.75
sstep%=0
xturn%=0
xstep%=3
zturn%=0
zstep%=3
RETURN
PROCEDURE checkmouse
  REM read mouse position
  tmy=my
  mx=MOUSEX
  my=MOUSEY
  mk=MOUSEK
  REM Adjust scale as appropriate
  IF mk=1 AND tmy<my
    scale=scale+0.05
  ENDIF
  IF mk=1 AND tmy>my
    scale=scale-0.05
  ENDIF
RETURN
PROCEDURE calc
  LOCAL x%,y%,z%,xts,xtc,zts,ztc,r
  REM Restore the chosen object
  REM coordinates
  IF n%=1
    RESTORE objcube
  ELSE
    RESTORE objpyr
  ENDIF
```

Mark has listed the origin co-ordinates for each object in a series of data statements - a perfectly sensible approach, but he then goes on to restore and read the data each time it is required. It would have been much more efficient to read the data once into an array and then manipulate it

there. This is the method that we've adopted in our AMOS version of the program listed on the next page.

```
xts=SIN(RAD(zturn%))
xtc=COS(RAD(zturn%))
zts=SIN(RAD(xturn%))
ztc=COS(RAD(xturn%))
REM set number for loop corresponding
REM to the number of points defined
IF n%=1
  numofpoints=8
ELSE
  numofpoints=5
ENDIF
FOR i%=1 TO numofpoints
  READ x%,y%,z%
  r=dist%/(dist%+x%*zts*xts-
y%*ztc*xts+z%*xtc)*scale
  p%(i,0)=(x%*ztc+y%*zts)*r+160
  p%(i,1)=(y%*ztc*xtc-
x%*zts*xtc+z%*xts)*r+120
NEXT i%
RETURN
PROCEDURE drawcube
  COLOR 1
  REM join all the points on the cube
  REM join all the bottom points
  LINE p%(1,0),p%(1,1),p%(2,0),p%(2,1)
  LINE p%(2,0),p%(2,1),p%(3,0),p%(3,1)
  LINE p%(3,0),p%(3,1),p%(4,0),p%(4,1)
  LINE p%(4,0),p%(4,1),p%(1,0),p%(1,1)
  REM join one bottom to top
  LINE p%(1,0),p%(1,1),p%(5,0),p%(5,1)
```

It may appear strange that Mark has decided to join the points in this order - but by so doing he improves the appearance of the animation on the

screen. If he had connected, say, all the bottom points together, then connected all the top points and then joined them together, the cube would appear "disjointed". If you want to see how this would work, move the above **Line** statement to the end of the procedure.

```
REM join all the top points
LINE p%(5,0),p%(5,1),p%(6,0),p%(6,1)
LINE p%(6,0),p%(6,1),p%(7,0),p%(7,1)
LINE p%(7,0),p%(7,1),p%(8,0),p%(8,1)
LINE p%(8,0),p%(8,1),p%(5,0),p%(5,1)
REM join remaining top and bottom
REM points
LINE p%(2,0),p%(2,1),p%(6,0),p%(6,1)
LINE p%(3,0),p%(3,1),p%(7,0),p%(7,1)
LINE p%(4,0),p%(4,1),p%(8,0),p%(8,1)
```

```
RETURN
PROCEDURE drawpyr
  COLOR 1
  LINE p%(1,0),p%(1,1),p%(2,0),p%(2,1)
  LINE p%(2,0),p%(2,1),p%(3,0),p%(3,1)
  LINE p%(3,0),p%(3,1),p%(4,0),p%(4,1)
  LINE p%(4,0),p%(4,1),p%(1,0),p%(1,1)
  LINE p%(1,0),p%(1,1),p%(5,0),p%(5,1)
  LINE p%(5,0),p%(5,1),p%(2,0),p%(2,1)
  LINE p%(5,0),p%(5,1),p%(3,0),p%(3,1)
  LINE p%(5,0),p%(5,1),p%(4,0),p%(4,1)
```

```
RETURN
objcube:
REM x,y,z coordinates for each point of
REM cube
DATA 50,50,-50
DATA -50,50,-50
DATA -50,-50,-50
DATA 50,-50,-50
DATA 50,50,50
DATA -50,50,50
DATA -50,-50,50
DATA 50,-50,50
objpyr:
REM x,y,z coordinates for each point of
REM the cube
DATA 50,50,-50
DATA -50,50,-50
DATA -50,-50,-50
DATA 50,-50,-50
DATA 0,0,50
```

NOW FOR SOMETHING ALMOST COMPLETELY IDENTICAL...

Here's a version of the same program in AMOS.

```
REM Vectobject - A 3D object manipulation
REM program
REM AMOS version based on design by
REM Mark Thomas
REM
REM Open a lores screen window
Screen Open 0,320,256,2,0
Dim P(8,1),X(12),Y(12),Z(12)
REM Initialise variables
REM
DIST=1000000 : DSTEP=0 : SCALE#=0.75 :
SSTEP=0
XTURN=0 : XSTEP=3 : ZTURN=0 : ZSTEP=3
Global SCALE#,XTURN,ZTURN,MX#,MY#,
REPLY$, BEGIN, NUMPOINTS
REM
For I=0 To 12
  Read X(I),Y(I),Z(I)
Next I
```

The above loop reads the data for the origin points of both objects into three arrays - X(), Y() and Z(). This is more efficient than the Read and Restore

approach Mark used in his GFA Basic version.

```
REM
REM Data for cube
Data 250,250,150
Data 150,250,150
Data 150,150,150
Data 250,150,150
Data 250,250,250
Data 150,250,250
Data 150,150,250
Data 250,150,150
REM
REM Data for pyramid
Data 250,250,150
Data 150,250,150
Data 150,150,150
Data 250,150,150
Data 200,200,250
REM
Radian
```

The Radian command allows us to specify the angles that we're going to use in the trig functions (SIN, COS, etc) directly in radians - rather than have to perform a conversion each time, as was necessary with the GFA version.

```
Do
  Cls
  Print "Type C to animate a (C)ube, P
to animate a (P)yramid, or Q to (Q)uit"
  Clear Key
```

Clear the keyboard buffer before checking whether a key has been pressed.

```
Repeat
  REPLY$=Inkey$
Until REPLY$<>""
REPLY$=Upper$(Mid$(REPLY$,1,1))
If REPLY$="Q"
  Exit
End If
If REPLY$="C"
  BEGIN=0
  NUMPOINTS=8
Else
  BEGIN=8
  NUMPOINTS=5
End If
```

The above **If** structure sets up the offset pointers so that they point to the correct addresses in X(), Y() and Z() for the origin data for the selected object. We can then use **BEGIN** to select the chosen object for animation.

```
REM Main program loop
REM
Do
  CHECKMOUSE
  CALC
  Cls
  If BEGIN=0
    CUBEDRAW
  Else
    PYRDRAW
  End If
```

The two procedures **DRAWCUBE** and **DRAWPYR** have been renamed in this AMOS version of *Vectobject* because **DRAW** is a reserved AMOS command, which means you can't start the names of your variables or procedures with it.

```
XTURN=(MX#-160)
ZTURN=(MY#-120)
```

Modifying the values of XTURN and YTURN gives

us the new angle of rotation for the next frame of the animation.

```
Loop
Loop
End
REM
Procedure CHECKMOUSE
  REM store the previous y co-ordinate
  REM position for the mouse
  LASTMY#=MY#
  REM get the current mouse positions
  MX#=X Mouse
  MY#=Y Mouse
  MK=Mouse Key
  REM If the left mouse button is being
  REM pressed increase or decrease the
  REM scale of the shape
  If MK=1
    If LASTMY#<MY#
      SCALE#=SCALE#+0.05
    Else
      If LASTMY#>MY#
        SCALE#=SCALE#-0.05
      End If
    End If
  End If
End Proc
REM
Procedure CALC
  Shared X(),Y(),Z(),P()
  XTS#=Sin(ZTURN)
  XTC#=Cos(ZTURN)
  ZTS#=Sin(XTURN)
  ZTC#=Cos(XTURN)
```

The above four lines are used to calculate the angles for the next rotation position of the object.

```
For I=BEGIN To BEGIN+NUMPOINTS-1
  R#=DIST/(DIST+X(I)*ZTS#*XTS#
Y(I)*ZTC#*XTS#+Z(I)*XTC#)*SCALE#
  P(I-BEGIN,0)=(X(I)*ZTC#+
Y(I)*ZTS#)*R#+160
  P(I-BEGIN,1)=(Y(I)*ZTC#*XTC#
X(I)*ZTS#*XTC#+Z(I)*XTS#)*R#+120
Next I
```

The **For/Next** loop is used to calculate the new 2D co-ordinates from the 3D co-ordinates stored in the arrays X(), Y() and Z().

```
End Proc
REM
Procedure CUBEDRAW
  Shared P()
  Polyline P(1,0),P(1,1) To
P(2,0),P(2,1) To P(3,0),P(3,1)
  Polyline To P(4,0),P(4,1) To
P(1,0),P(1,1)
  Polyline To P(5,0),P(5,1) To
P(6,0),P(6,1) To P(7,0),P(7,1) To
P(8,0),P(8,1) To P(5,0),P(5,1)
  Draw P(2,0),P(2,1) To P(6,0),P(6,1)
  Draw P(3,0),P(3,1) To P(7,0),P(7,1)
  Draw P(4,0),P(4,1) To P(8,0),P(8,1)
End Proc
,
Procedure PYRDRAW
  Shared P()
  Polyline P(1,0),P(1,1) To
P(2,0),P(2,1) To P(3,0),P(3,1) To
P(4,0),P(4,1)
  Polyline To P(1,0),P(1,1) To
P(5,0),P(5,1) To P(2,0),P(2,1)
  Polyline P(3,0),P(3,1) To
P(5,0),P(5,1) To P(4,0),P(4,1)
End Proc
```


FED UP WAITING?

JUST ADD £2.00 TO YOUR TOTAL
ORDER FOR A GUARANTEED
*NEXT DAY DELIVERY TO YOUR DOOR

(*ORDERS MUST BE PLACED BEFORE 3.30pm excluding weekends)



COMPUTERMATES (UK) LTD.

All disks can be supplied formatted
and ready to use for any IBM
machines for as little as 4p per disk



CHEQUES/POSTAL ORDERS TO:
COMPUTER MATES (UK) LTD.
PINWOOD STUDIOS, IVER HEATH
BUCKS, SL0 0NH

TEL: 0753 553535 (3 lines) FAX: 0753 553530

ALL PRICES INCLUDE V.A.T. & DELIVERY

FUJI FILM BRANDED DISKS

5.25"	5.25"	3.5"	3.5"
DSDD	DSHD	DSDD	DSHD
£5.00	£7.00	£6.50	£12.00

LOOK GREAT DEALS ON FUJI!!!!

3.5" DSDD 5 BOXES (50 DISKS)	£29.50
3.5" DSDD 10 BOXES (100 DISKS)	£55.00
3.5" DSHD 5 BOXES (50 DISKS)	£50.00
3.5" DSHD 10 BOXES (100 DISKS)	£95.00

AND £2 OFF ANY STORAGE BOX
WITH PURCHASE ABOVE £6.50

3.5" TOP QUALITY JAPANESE MEDIA - BULK DISKS LIFE TIME WARRANTY

	DSDD	DSHD
50 DISKS	£23.00	£35.00
100 DISKS	£42.00	£65.00
200 DISKS	£77.00	£127.00
500 DISKS	£177.00	£297.00
1000 DISKS	£330.00	£590.00

SUPPLIED WITH LABELS

5.25" TOP QUALITY JAPANESE MEDIA - BULK DISKS LIFETIME WARRANTY

PACKED IN 25'S WITH ENVELOPE
LABELS + W/P

	48TPI	96TPI	H.D.
25 DISKS	£8.50	£8.75	£12.00
50 DISKS	£16.00	£16.25	£23.00
100 DISKS	£28.00	£28.25	£36.00

DATA CARTRIDGES

DC600A	£15.50
DC6150	£17.50
DC6250	£24.00
DC6320	£24.00
DC6525	£28.00
DC2000	£13.50
DC2080	£16.50
DC2120	£16.50

OTHER SIZES AVAILABLE
QUANTITY DISCOUNTS

SPECIAL OFFERS THIS MONTH!!!

50	3.5" DSDD DISK WITH 100 CAPACITY BOX	£26.50
100	3.5" DSDD DISKS WITH 100 CAPACITY BOX	£45.50
50	3.5" DSHD DISK WITH 100 CAPACITY BOX	£38.50
100	3.5" DSHD DISKS WITH 100 CAPACITY BOX	£68.50

DUST COVERS

AMIGA
CPU + MONITOR£6.00

PRINTERS
50 OR 132 CLM
LASER£6.00

84 OR 102 KEY
KEYBOARD£6.00
TOWER CPU£6.00

COMPUTER PAPER

2000 SHEETS PER BOX

80GSM	1 BOX	2 BOXES	3 BOXES
80CLM	£21.00	£38.00	£55.00
132CLM	£39.00	£75.00	£110.00

PAPER TRIMMER £5.00

COMPUTER DISK LABELS
(MULTICOLOURED)
3.5" OR 5.25" (WITH W/P)

100	£1.00
1000	£8.00

QUICKSHOT JOYSTICKS

MULTI-SYSTEM

QS11A Turbo 2	£9
QS149 Intruder 1	£25
QS128F Maverick 1	£14
QS155 Aviator 1	£27.50
QS131 Apache 1	£7
QS130F Python 1	£9.50
QS127 Starfighter Pair Remote Control	£36.50
NINTENDO	
QS130N Python 2	£9.50

UP TO £3.00 OFF ABOVE JOYSTICKS WITH ANOTHER
PURCHASE ABOVE £15.

ACCESSORIES

CLEANING ACCESSORIES

MINI-VAC	£7.00
HEAD CLEANER	£2.50

3.5" OR 5.25"
MONITOR SOLUTION£3.00

ALL THE ABOVE + MORE£11.00
3" CLEANER£3.00

SAVE YOUR EYES

14" MESH FILTER	£13.99
14" OPTICAL GLASS	£25.00
20" OPTICAL GLASS	£35.00

COMPUTER ACCESSORIES

COMPUTER DESK	£90.00
COMPUTER CHAIR	£40.00

RETAIL PACKED BLUE BOX DISKS

ALL BLUE BOX DISKS ARE COMPLETELY PACKED IN BLUE PRINTED
CARDBOARD BOXES WITH LABELS, 100% GUARANTEED.

3.5" 720/580K

MF2DD 10'S	
1 BOX	£5.00
MF2DD 30'S	
1 BOX	£14.00
BAMBI-2DD	
25 DISKS IN 25	
CAPACITY STORAGE BOX	
1 BOX	£14.00

3.5" 1.44 MEG

MF2HD 10'S	
1 BOX	£8.50
MF-2HD 30'S	
1 BOX	£21.50
BAMBI-2HD	
25 DISKS IN 25	
CAPACITY STORAGE BOX	
1 BOX	£21.00

5.25" DISKS

M-2D 48PDI 360K	
1 BOX (10)	£4.00
M-2DD 96TP 720K	
1 BOX (10)	£4.75
M-2HD 1.6 MEG	
HD 1 BOX (10)	£5.00

10% DISCOUNT GIVEN ON 10 BOXES OR MORE

STORAGE BOXES

3.5" DISKS

140	£11.50
120	£9.50
100	£7.90
80	£7.50
50	£6.50
40	£6.00
10	£1.50
5	£1.15
1	£0.50

ALL BOXES 40 CAPACITY AND
ABOVE - LOCKABLE + 2 KEYS

5.25" DISKS

140	£9.00
120	£8.50
100	£7.50
50	£6.50
10	£1.50
5	£1.15

STACKABLE BOXES

3.5" BANX	
80 CAPACITY	£12.99
DUAL BANX	£14.99
130/180 CAPACITY	
3.5" BIMBY	£18.99
200 CAPACITY	
5.25" BIMBY	£18.00
200 CAPACITY	

£2.00 OFF STORAGE BOX WITH
100 DISKS OR MORE

CALL OUR
SALES
HOTLINE
NOW!!!

WE ALSO STOCK
MOTHERBOARDS, CASES ETC.
FULL DETAILS AVAILABLE
TEL: 0753 553535

MICE/TRACKBALLS

AMIGA MOUSE	£20.00
AMIGA TRACKBALL	£22.00
MOUSE MAT	£2.50
MOUSE MAT (hard)	£3.50
MOUSE STAGE	£9.00
MOUSE POCKET	£2.50

PRINTER STANDS

(5 DIFFERENT TYPES PLEASE CALL)
80 OR 132 COLUMN (FEET)£8.00
IBM PRINTER LEADS£5.00

DATA SWITCH BOXES CENTRONICS OR SERIAL

2-WAY	£15.00
4-WAY	£20.00
DATA SWITCH LEADS	£8.00

COPY HOLDERS

A4 DESKTOP	£15.00
A4 DESKTOP G-CLAMP	£15.99
A4 DESKTOP	£8.00
PAPER CLIP MONITOR SIDE	£4.00
PAPER CLIP MONITOR TOP	£5.00

ALL ORDERS NORMALLY DISPATCHED SAME DAY BY 3-DAY COURIER

Improve your

The latest addition to the Amiga premier division comes from American big-league players GVP with ImageFX, which combines image processing, morphing, "compositing" and more besides. Gary Whiteley checks the plays.

What's the use of it all? What can a program like ImageFX (or, for that matter, Art Department or ImageMaster, its long-established rivals) be used for? And why would you need it?

There are as many answers to this as there are functions in the software. You might need to process scanned images prior to a printing process, perhaps to colour-separate images before making printing plates or to adjust the density of a monochrome image. Sometimes images also need to be cropped, scaled or resized. Or you may want to prepare composite pictures which could be used in animation, video output, slide-making or presentation work. Perhaps you need to create a morphing sequence or adjust a few pictures – even a relatively simple process such as retouching a 24-bit image needs some capable

software. Image format conversion is yet another common requirement, allowing images from one computer platform to become available on another. The great thing is, all of these uses are addressed by ImageFX.

IN THREE PARTS

ImageFX consists of three main programs – the Image Processor, the Morpher and the Multi-Effects processor – and all can be interlinked for even greater flexibility.

Unlike the opposition, ImageFX has a user interface which is both extremely flexible and can easily be customised. This applies not only to remapping the keyboard commands but also to changing the functions of some of the screen gadgets. There is also the option of entering control parameters directly via a command line interface – for instance, the command "Grid 0 0 80 64" sets up a grid with a width of 80 and a height



ImageFX struts its stuff in this obligatory effects image – halftone, explode, distort, bas-relief and, in the centre, a feathered composite.

of 64. This configurability sets ImageFX apart from both ASDG's Art Department Professional and Black Belt's ImageMaster and, with a little practice, can help to make operations reasonably simple. And if this weren't enough, there is a set of commands to keep even the most die-hard AREXX programmer happy.

INS AND OUTS

ImageFX supports an impressive number of external devices and tons of image formats, both for input and output. There is direct support for flatbed image scanners such as Sharp's JX100 and Epson's ES300G, as well as Progressive's Frame-grabber and the framegrabber functions of GVP's own Impact Vision 24 card, enabling high-quality input directly to the program.

For disk-based operations and format conversions a very wide range of input formats is supported, including all the standard IFF (and AGA) ones plus Alias, GIF, TIFF, PBM, PCX, Autodesk Flick, BMP, ANIM, JPEG, Targa, Rendition, Impulse, PPM & PGM and RAW. Many of these are also available as output formats.

ImageFX can render directly to many display devices as well as all the Amiga's native display formats. Supported boards currently include IV24, HAME, Firecracker, DCTV, DMI Resolver, Opalvision and GVP's mythical EGS card. The first three can also be used for direct previews, though no doubt more will follow. Oh yes – there's also a choice of screen preview modes (including HAM, Greyscale and Dithered), which will at least keep those who have no AGA,



Yet more effects from ImageFX – this time a selection from the Colour effects functions. (Colour? In Amiga Shopper? Well, we had to show you, didn't we.)

JARGON BUSTING

ALPHA CHANNEL – An 8-bit (256-greyscale) buffer used as a mask when "compositing" images together – for example, an alpha channel containing a smooth white to black gradient will cause one image to fade smoothly across into another when used for "compositing". Alpha channels can be used to great effect for overlays, fade outs and so on, especially if a sequence of frames is effected over time.

MORPHING – A process that essentially shape-shifts and dissolves one image (or sequence of images) into a second image (or sequence of images) – you usually define the start and end points, and let your Amiga calculate and render the intermediate steps. Morphs are extensively used in TV and film advertising because they are visually very striking.

image

CONFIGURABILITY

Many aspects of *ImageFX* are fully reconfigurable by making simple adjustments to one or two text files. If there is a keyboard shortcut that you need to add, simply choose your key, find the command you need to add, change the definition file and you're in business. The same applies to the gadget menus. If you want a gadget to do something different from its default state – change it. Configuration changes can really save a lot of trips through the gadgets looking for the one you need.

24-bit or other special display devices moderately happy – though probably not ecstatic.

PAINT AND PROCESS

Once you have an image to play with, *ImageFX* can pull any number of cunning stunts to make an old image into something new. Take the processing effects, for instance: just employing a bas-relief effect can turn the mundane into the magical. Composite a new image over the top, add some text (*ImageFX* can do this too – though only with bitmap fonts), create a nice gradient-filled border and you could be on to a killer image. And all without ever swapping software.

The range of paint and drawing tools provided is very wide and most

can be mixed with the majority of *ImageFX*'s other tools to achieve some stunning effects. How about putting rain on a windowpane? No problem – knock up a quick 8-colour greyscale image, turn it into an Alpha channel image, pick out the area to be "rained on", apply the Distortion effect and Bob's the brother of one of your parents. Well, maybe not so easy but certainly far easier than doing it all by hand! The now-usual ripple effects are also included, plus several others, so you won't be stuck for choice.

Colour balancing, "convolve" effects, brush transformations, image rotation, printer output, ARexx control, halftone effects, colour effects, dithering effects – they're all there. So is a very handy image conversion feature.

GET CONVERTED

Many people have access to (or alternatively need to output) images which are in non-Amiga formats, whether through work, electronic media, bulletin boards or software outputs. Sometimes these need to be changed from one format to another – for instance from an Amiga format into one which can be displayed on a Mac or PC. This is where format conversion comes in. Of course, there are PD programs which can do limited format conversions, but only commercial software like *ImageFX* can deal effectively with such a variety of formats – for both input and output. Conversion is simplicity itself: just



Just a part of *ImageFX*'s main user interface – clear, concise, and not too hard to understand, even if you're new to all this image-manipulation stuff.

load the image (its format will usually be automatically recognised if it is supported by *ImageFX*), render as necessary – which might mean using the Foreign render module to force it into 256 colours, for instance – and then save it out again, choosing the appropriate save format as you go. Copy the image onto a PC-formatted disk and you're all done.

Of course you can also use format conversion on Amiga-Amiga images too, maybe to convert a 24-bit image into a 16-colour dithered one for use with *Deluxe Paint* or *Scala*. So instead of being the limit, the sky may just be the beginning.

(CINE)MORPH ON

Regular readers of this column will find *ImageFX*'s morphing software rather familiar – it is a slightly extended version of GVP's own stand-alone *CineMorph* software (as reviewed in AS 23), though the

ImageFX version can also be linked directly to the image-processing software so that further effects can be automatically added during morphing operations.

While there have certainly been some overall improvements (particularly with the addition of a Dissolve-only command to enable time-based mixing, rather than morphing, between two images) I'm still not too enamoured of *CineMorph*, and once again I had great problems successfully producing an acceptable sequence morph. I find the grid system obstructive and, although there is now a zoom facility – which certainly helps accurate point placement – the continuing lack of "onion-skinning" still makes *CineMorph* a pig to use, at least in my opinion. As you can guess, it would not be my first choice as an Amiga morphing program, even though this version (which cannot work without *ImageFX*) now has full AGA support.


MULTIPLE PROCESSING

Despite only being given a cursory two pages in the manual, the Multi Processor hook program (known familiarly as *IMP*) is one of this package's hidden gems. *IMP* is a very powerful piece of software which can be used to batch-process sequences of frames and then composite, effect and compile them into animations or other single images. Sadly, the manual gives very little insight into any of this, but users of the excellent *Rend24* shareware program, also written by *ImageFX*'s author, Tom Krehbiel, will quickly recognise the similarity.

In simple terms you could, for example, take a sequence of 24-bit images, convert them to 256 colours and compile them into an animation which can be played back on an AGA

IMAGE PROCESSING FEATURES AT A GLANCE

	ImageFX	Art Department Professional	Image-Master	Notes
Version	v1.03	v2.1.3	v9.20	
Load formats	Many	Many*	Many	*Some require optional Pro Conversion Pack
Save formats	Many	Many*	Many	*Some require optional Pro Conversion Pack
24-bit operation	Yes	Yes	Yes	
AGA support	Full	256/HAM8	256	
Painting tools	Yes	Yes	Yes	None with direct 24-bit operation
Brush tools	Yes	No	Yes	
Scanner support	Yes	Yes*	Yes	*With optional Scanner Drivers Pack
Framegrabber support	Yes	Yes	No	PP&S and IV24
Morphing	Yes (1)	Yes (2)	Yes (3)	(1) <i>CineMorph</i> incl; (2) <i>Morph Plus</i> extra; (3) integral
Colour operations	Yes	Yes	Yes	
Image compositing	Yes	Yes	Yes	
Alpha channel	Yes	Yes*	No	*Limited
Alpha channel effects	Yes	No	No	
ARexx support	Yes	Yes	Yes	
Multi-image processing	Yes	Yes	Yes	
Printer output	PS/PF	PS/PF	PF	PS = PostScript, PF = Preferences
Colour separation	Yes	Yes	Yes	
Dithering effects	Yes	Yes	No	



Beneath this mild-mannered requester lurks a processing powerhouse. For this is the ImageFX Multi-Effects Processor – the key to automated batch processing.

Amiga. Or maybe take an image sequence and composite it onto a single background image while stripping away the single-coloured background from the foreground sequence by using transparency and matting commands, and then render and save each new frame as GIF files. You could even use an Alpha channel to affect the "compositing". With a little application many strange

SHOPPING LIST

ImageFX £269.95
by Great Valley Products Inc.
600 Clark Avenue, King of Prussia,
Pennsylvania 19406, USA
☎ 0101 215 337 8770

Distributed in UK by:
Silica Systems, 1-4 The Mews,
Hatherley Road, Sidcup,
Kent, DA14 4DX.
☎ 081 309 1111

and wonderful things are possible.

In fact it is even possible to instruct IMP to wait for frames which are being generated by an external program (for example, *Imagine*) and each time a new frame is produced it will be automatically processed into an animation (or whatever). I found that I could run two copies of IMP and have the first process the frames in once and then have the second process them again and then save them. IMP is, without doubt, very powerful – but frustratingly under-documented.

Overall, I have to say that

CHECKOUT IMAGEFX

Features ●●●●●
Packed to the gills with useful tools – possibly more so than either of its rivals.

Documentation ●●●●○
Well-presented and extensive but still very sketchy in places – too many potatoes and not enough meat, if you ask me.

Ease Of Use ●●●●○
Generally quite easy to use, though more specific tutorials would help. Good, well presented, user interface.

Speed ●●●●○
Mostly quite nippy, though some very intensive processes – like MotionBlur –

can be very slow, even with the benefit of an accelerated machine.

Value for money ●●●●○
Overpriced, compared to its *ImageMaster* rival, though significantly cheaper than an equivalent *ADPro/MorphPlus* combination. Might be better value if *CineMorph* were an optional extra.

Overall rating ●●●●○
I've not been overly impressed with the finish of some of GVP's recent products, but *ImageFX* is a well-put-together, powerful, flexible and, above all, useful package which will take care of all but the most esoteric image-processing and manipulation needs.

ImageFX provides a comprehensive suite of programs and tools which are, in general, excellent – though rather let down in the morphing department. Otherwise the impression I got is of professional-quality software which benefits enormously from being run in a high-powered environment. Although *ImageFX* is the new brat of the image processing pack, I think it stands

every chance of doing very well for itself. Impressive.

REQUIREMENTS: At least 3Mb memory. Recommended: hard drive (using a floppy can be excruciatingly slow), Workbench 2.x or greater (will work under 1.3), accelerator, 24-bit card or AGA Amiga.

Full installation requires around 2.4Mb of hard disk space. **AS**

BROADEN YOUR CHIP MEMORY

The original DKB MegAChip has been redesigned and is now significantly smaller than its predecessor, while still offering a convenient (if fairly expensive) way of upgrading any Amiga 500, 1500 or 2000 to a full 2Mb of Chip Memory, providing far more flexibility for video, graphics and sound applications.

Installation in most Amiga 1500s or 2000s is very straightforward, though a few older ones (rev 4.x) will require that a solder trace is cut. If you are competent with a screwdriver, have a steady hand and a reasonable amount of patience, the whole procedure should take around 20 minutes. The

power supply unit has to be removed (and all peripherals too, for easier access) and the original Agnus chip has to be carefully removed from its motherboard socket. DKB recommend a proper chip puller be used, but a small screwdriver, great care and a strong elastic band wrapped around the socket have worked fine for me in the past and didn't fail me this time either.

Once this is done, the whole MegAChip card easily locates into the empty socket and a gentle downward push seats it correctly. A small clip-on lead has to be connected to either pin 48 of the 68000 CPU chip or pin 36 of the Gary chip. I opted for my namesake.

Just to make sure all was well, I partly reassembled the machine and booted up. Success! No problems and all the Chip RAM appeared to have been configured okay.


After reassembly, I set about trying to cause the MegAChip to fall over. In fact, the only sign of trouble was when I really pushed the multi-tasking (I've also got 10Mb of

Fast RAM installed) and had two large *DPaint* screens open and a big brush, as well as *ProPage 4* running too. The worst I could get to happen was that the brush left a few artifacts on the *DPaint* screen when it was being moved about. Fingers crossed, I'm happy to report that otherwise all seems hunky-dory and I've had no cause to worry in the month or so that I've had the MegAChip installed.

The procedure for Amiga 500s is a little different, and various revisions require that certain jumpers and solder traces be removed and cut. With care most people should be able to manage this installation. However, the cost of the MegAChip may make it a more attractive proposition to buy a new A1200 than try to upgrade an old A500 – unless you have a load of A500-specific peripherals which

obviously won't work on an A1200. Note that the MegAChip will not work with A501 slot RAM expansions which carry more than 512K of RAM because these do not operate as true Fast RAM and interfere with the Chip RAM addressing.

WARNING. Great care is needed while working on your computer innards. If you are at all nervous about it, or want to avoid any chance of damaging your Amiga, it may be better to get a qualified professional to do the job for you. **AS**



Thought you'd got through all the upgrading stuff this issue, did you? No chance. You see, your video applications could benefit from DKB's MegAChip...

CHECKOUT DKB MEGACHIP

Documentation ●●●●●
No worries with these instructions.

Installation ●●●●●
Most users should be able to do it. No soldering required.

Ease Of Use ●●●●●
In use it is completely transparent to the operating system.

Value for money ●●●●○
The pound-dollar exchange rates mean the cost has recently soared.

Overall rating ●●●●○
A must for those who want to keep up with the A3000 and 4000 in terms of memory power but want to keep their peripherals and pockets reasonably intact.

SHOPPING LIST

DKB MegAChip £250
(subject to US exchange rates)
by DKB Software
50240 W. Pontiac Tr.,
Wixom, MI 48393, USA
☎ 0101 313 960 8751

Available in the UK:
From most good dealers.

Reader Ads

...or how you can reach 50,000 fellow Amiga owners for only a fiver.

FOR SALE

Amiga 1500, 1084S Monitor, SwitchSoft input output port. Dist covers, three joysticks, 110 original and PD disks, manuals, Abacus books, loads of magazines. All for £500. ☎ 0484 641533

Amiga 500 Plus, 2Mb RAM, GVP 52Mb hard drive, Philips CM8833 MK2 monitor, external drive. Sampler, joysticks, mouse, over £600 software, only £600 ONO. ☎ Mark 0908 674228 anytime.

A500 Plus, 2Mb, 8833 Mk II monitor, external disk drive, hand scanner, *PageStream 2.2*, games, PD, business software, all boxed. £450, with HP Deskjet 500, £675 ONO. ☎ 031 669 9085

A1500, 5Mb RAM, Supra 120Mb hard drive, Commodore Flicker Fixer, Kickstart Sharer, Workbench 2.04/1.3, boxed, with original software and manuals, £399 ONO. ☎ 0529 413407

Amiga 3000, 6Mb, fully loaded 105Mb hard disk, NEC multisync monitor, PC emulator, mouse, joystick, MIDI interface, manuals, lots of software, serious and games. £1,500. ☎ 0483 769139

A500, Workbench 1.3 with 1Mb RAM, Naksha mouse, joystick, manuals, modulator and software (including *Zool* and various PD and other games). Only £175. ☎ 0260 299619 after 6 pm.

ICD Adspeed accelerator for A500, 6 months old, boxed with manual, £65. AMOS Basic ver 1.34, and *Sequencer One Plus*, both originals with manuals etc., £18 each ONO. ☎ 0308 56945 evenings.

GVP 120Mb hard disk with 4Mb RAM, 8 months old. £400 ONO. ☎ 0383 880607

A1500, DOS 2.04, 9Mb RAM, 52Mb Quantum hard disk, £550. AOC multisync monitor £250. Deskjet 500 printer £200. Genlock £50. *VIDI* £50. Dr T's *KCS* £100. £900 the lot! ☎ 0332 882044

GVP Impact Vision IV 24 hardware and software £800. ☎ 0889 584492 evenings.

Bare 52Mb Quantum SCSI HD £120. Auto/manual parallel port expander, 4 outlets, £40. ☎ Phil 0322 279297 (after six)

Amiga 1500, Workbench 1.3, 20 games, 2 joysticks, 2 mice, utilities, PD disks, disk box, manuals, boxed as new, worth £750+, accept £265. ☎ Uxbridge 0895 252905

GVP 52Mb with 4Mb RAM £300. ☎ Blackpool 0253 868954

Amiga 1500+ GVP 52Mb HD and 2Mb fast memory, GVP 68030 accelerator at 40MHz, FPU and 4Mb 32-bit memory, 3 months old, 3 disk drives, £300+ software, £1,100. ☎ 081 309 1587

GVP IV24 with Pro transcoder £700. PP+S O/40 Mercury £650. Rambrandt from PP+S £1,000. Rendale Pro Genlock £300. All items as new. ☎ Joe on 0279 730020

A1500 1.3/2.04, 5Mb RAM, GVP II 52Mb 2x3 drives, manuals etc., £650 ONO. Swift 24 colour, £150. ZVP Videostudio £50. Pro version (1.3 only) £100. ☎ Steve 0264 355399 after 6 pm

Amiga A1500, 105Mb Quantum hard drive, 4Mb RAM, Golden Gate 25MHz 386SX PC emulator, Citizen 224+ printer, various games, £800. ☎ 081 543 9519 after 6 pm.

Amiga 500, Wbench 1.3/2.04, ECS, 1Mb Chip, 1Mb Fast, 20Mb A590 hard drive, plus 14 top

games, £300. Star LC24 printer £100. ☎ 081 207 2075

Atonce Plus 16 MHz 286 £100. Lattice C-5.1 £100. Action Replay, latest version, £40. Wanted: hard drive controller, Visionary software. ☎ after 8 pm only Robert 0875 613793. Also prefer before 10 pm Thanks!

A500, 2.5Mb RAM, 60Mb GVP hard drive, all boxed, excellent condition. Will accept any reasonable offer. ☎ Neil 0993 778596

Amiga 500, Workbench 1.3, 52Mb GVP hard drive, 4Mb Fast RAM, Power external drive, joystick, games, excellent condition, £600. ☎ 081 778 4677 after 7 pm

KCS PC power board for Amiga 600/1200 including DOS 4.01 and 5.0, used once, £135. Also Amos Pro (latest version), unused, £40. ☎ 0255 220247. Visa payment possible.

HP Deskjet 500c Inkjet printer plus cable, drivers etc. Only 3 months old. Quick sale required, £400 ONO. ☎ Chris Lewthwaite 0602 625150 (anytime).

A500, Wbench 1.3, GVP 52Mb hard drive, 1Mb Chip RAM, 2Mb Fast RAM, external floppy drive, TV monitor, stereo speakers, software etc. £500. ☎ 0702 341895 (evenings)

Commodore 1084sdl monitor £120, floppy drive £25, SAS/Lattice C V5.10B £80, all excellent condition. ☎ Paul 0452 507539

Blizzard Turbo Memory Board, 14MHz boxed as new, half meg populated, £130. Datachat modem, £25. Amiga 500 software included. New titles - *Dune*,

Kyrandia, *Photon* video etc. from £5. ☎ 0838 743718

A500 V1.3 1Mb Chip, modulator, £150. GVP 52Mb HD + 2Mb £250; GVP PC286 emulator £100; CM8833 monitor £100; SAS 'C' + RKM's £100. All GC, boxes and manuals. ☎ Chris 0400 61691 (Lincs)

Amiga CSA Mega Midget Racer accelerator 68030/33MHz for 500, 1500, 2000. Cost £465, want £230. Commodore MPS 1230 pinter, 9 pin, £65, both as new with boxes. ☎ Phil 021 382 4153

Vortex G Gate 386SX emulator, 8Mb memory, VGA Card and monitor, less than 1 year old, £400. ☎ 0530 815907

Amiga 2000, 52 Mb Quantum hard drive, Wbench 1.3, 2.04, 1Mb Chip, 4Mb Fast, flicker fixer, XT bridge board, VEA card, £100 ONO. ☎ 0730 264637

Amiga 500, 1Mb RAM, modulator, 1.3 Workbench, needs power supply, mouse, £100. Also *Amiga Format* issues 12 - 24 with disk/s £3.50 each. Binders £3.50 each. ☎ 0527 852771 after 6pm

Amiga 1500 + Wbench 2.04, GVP 52Mb hard drive, 5Mb RAM, all docs and software, Philips 8833 monitor, all for £650 cash. ☎ Peter on 0277 363351 Essex.

A500 1Mb, two D-Drives, £1000's software pro/games, £230. Vortex PC-286 VGA hardware emulator, lots software, £150. Slight fault Swift printer, £60, £370 the lot. ☎ Mark 0602 664393 for much more info!

Accelerated A500, Workbench 1.3 with 1Mb Chip-RAM, B5000 68030-25 with 4Mb 32-bit RAM,

104Mb fasttrack hard drive (870k/sec), ext. floppy. All boxed as new. Cost £1,800, sell £750 ONO. ☎ 081 6749497. Will split.

Amiga 500+, 2Mb RAM, hardware PC emulator, stereo sound sampler, joystick and some software, everything boxed and in very good condition. All for only £290. ☎ Steve 0702 461334

A1500, 52Mb GVP Quantum HD, 3Mb RAM, colour monitor, Action Replay, Naksha mouse, free software, coverdisks and magazines. Excellent condition, boxed with manuals. Only £600. ☎ Yatish 0533 707908 after 5 pm

GVP 52Mb HDs, 7 months old. Perfect condition, boxed as new. £240 ONO. ☎ 0903 762306 (West Sussex)

Amiga 1500, Wbench 2.04, 3Mb RAM, 1084S monitor, business software, DTP, games, loads of utilities, manuals, books, magazines, boxed, hardly used. Bargain at £700 ONO. ☎ Richard 0444 245102 (Sussex)

Citizen Swift 240C colour printer with starter kit and print manager. Brand new. Unwanted gift. £250 ONO. ☎ 0525 220486

GVP 52Mb hard drive, 2Mb RAM, £250, ProGen genlock £30, VIDI+ splitter (digitiser) £30. AMOS 1.21, AMOS 3D, AMOS PD £30; Spectracolor 3.2 £30; PenPal £30. ☎ 0850 211087 after 7pm.

A2286 Bridgeboard, PC 40Mb hard disk, SVGA adaptor for A1500, A2000, £330. *ProPage 2*, manual with upgrade pack to version 4, PAL-AGA, sealed supplement manual and disks, £80 ONO ☎ 0252 20221 (Hants).

GVP A530 120Mb hard disk,

40MHz 68030, 1Mb 32-bit RAM, see ads elsewhere for specs. Costs up to £899 new, only four months old, yours for a mere £649. Matt ☎ 0262 851108.

Amiga 2000 ROM 2.04 ECS 9+Mb, flicker-free video, SVGA monitor, Deskjet 500 printer, hand scanner, GVP 80Mb HCII+ 2 floppy drives, £1,500. ☎ Chris 0407 762241 x 7444 weekdays.

Olivetti ET121/ETV300 word processor in good working order. Hutchinson, 34 Alty's Lane, Ormskirk L39 4RQ ☎ 0695 577966.

A1500, 2.04, GVP II 105Mb hard disk, 4Mb RAM, Philips 8833II monitor, Power 1.76Mb dual floppy disk drive, stereo sound system, VGC with *Wordworth*, *Home Accounts 2*, *Superbase 2*, all £775 ☎ 0491 411624 evenings.

Amiga A1200 + 60Mb hard drive £500, Scala 500 £45, Citizen Swift 200 colour £170, all mint condition. Contact Steve ☎ 0892 538645.

Amiga 2000 3Mb 20Mb Hard Disk, 2x3.5 disk drives, 1084S monitor, Kickstart and Workbench 1.3, printer, programming software, manuals, 20+ games, mouse, *Music Studio*, *Photon* and *Deluxe Paint*. Only £850 ☎ 0602 765138.

FANZINES

Trojan Phazer owners! Marksman Disk 2 now available. Reviews, samples, hints, Phazer-compatible games, £1 only to David Green, 67 Thicket Drive, Maltby, Near Rotherham, South Yorks S66 7LB

It's only £5 to sell your used hardware and software in Amiga Shopper

Sell your excess hardware and software with *Amiga Shopper* Reader Adverts. Just fill in the form and send it to us along with a cheque (made payable to Future Publishing) or postal order for £5. But **BE WARNED**. This magazine is not a forum for selling pirate software or other illegal goods. Software must include all issue disks, manuals and

a signed statement that all other copies have been destroyed. Please advise us if you are offered pirate or copied software by advertisers. All ads are accepted in good faith. The editor reserves the right to refuse or amend ads. We accept no responsibility for typographical errors or losses arising from the use of this service.

Trade ads will not be accepted, including anyone advertising the sale of PD software.

Name Issue 27

Address (not for publication)

Postcode Date

Tel.

Tick one box to show required section heading

For sale ☐

Wanted ☐

Personal ☐

Fanzines ☐

Use one space for each word. Only the words in this section will be printed.

Return with your cheque to:
Reader Ads,
Amiga Shopper,
30 Monmouth
Street,
Bath,
Avon BA1 2BW

Unfortunately we cannot guarantee insertion in a particular issue.
I have read and understood the conditions for the inclusion of my ad.

Signature

Getting to know

Dave Winder takes a look at archiving while doing some bedtime reading and logging on to the Amiga Swopshop, all at once. Talk about multi-tasking!

Now that more and more people are discovering the Internet, more and more people are also discovering what a vast and sometimes difficult place it is. At last someone has written a book aimed squarely at the newcomer to the Internet, and I've been doing some intensive bedtime reading to bring you this review.

The Internet Companion (A Beginner's Guide To Global Networking) is quite a mouthful of a title, but it does describe the content of this book very well. The author, Tracey LaQuey, obviously knows her subject matter very well indeed. The book is a paperback, in "pocket" format (you know, tall and slim, just like Sigourney Weaver), and it has the complete lowdown on that huge international comms network. I was immediately impressed by the fact that the foreword was written by Senator Al Gore – yes, in America senior politicians are involved in comms! (And yes, I suppose I am

pretty easily impressed.) The book has a very logical structure to it, starting off with the reasons why you should want to know about the Internet and then sketching a brief but very complete history of the network. I found this section quite fascinating, and it goes to show that this book has something to offer even to people who are in no way new to the Net.

Tracey manages to combine the technical intricacies of this subject with examples of Internet life, and she does this very well indeed. There are many boxed-out examples in the book – such things as a marriage made on the Net, Internet in the classroom, and even Sightings of Elvis on the Net. It isn't all just jolly anecdotes, though – the technical details that people really need to know are all here as well. Explanations are given on what FTP is, for example, and how to do it. EMail, Usenet, Telnet, and Gopher are all also covered.

Although this book has a

somewhat natural American bias, that doesn't mean it is not just as useful in the UK. Similarly, the bias is towards the PC and the Mac, but that doesn't make it any less useful to the Amiga user.

The one area of the book that I found lacking is that there is no glossary. I am amazed that this is missing in what is meant to be a beginner's handbook. The text is littered with all sorts of comms and Internet technical terms, as well as all the "in words" that tend to mean nothing to those outside this world. So I would have to say that if you really are a complete beginner to comms, you might find the book heavy going because you won't understand half of what is being referred to. However, provided you are already using comms, this book really is the best introduction to the Internet that I have seen so far. I heartily recommend it.

• Thanks to Gordon Hundley for drawing my attention to this book and lending me his copy to review.

SHOPPING LIST

The Internet Companion (A Beginner's Guide To Global Networking)£9.95
by Tracey LaQuey with Jeanne C Ryer
ISBN 0-201-62224-6

Available from all good bookshops

WAVEY'S BBS GUIDE, PART 2

This month I am continuing my look at some of the Amiga-orientated Bulletin Boards that deserve attention, and the deserving BBS this time around is Amiga Swopshop (☎ 081 986 5964).

Amiga Swopshop is unusual in that the Sysop really makes an effort to make contact with his users, and not just on the BBS. Now I don't mean to say that most Sysops don't try to do this, but Jim Hendry appears to try just that little bit harder than most. For example, Jim does not validate new accounts on Amiga Swopshop until he has actually made voice contact with the user. He really does phone up and check that the user is genuine – I

• NEWS • NEWS • NEWS •

One of the most useful utilities available for the Amiga, in my opinion, is *SnoopDos*. This program enables you to see exactly what programs are doing at AmigaDOS level, and therefore trace problems, snags, and so on. Its author, Eddy Carroll, recently became aware of a hacked version of his program that was becoming available on some BBSs. The latest official version of *SnoopDos* is 1.7 but a version 2.0 had started to appear.

Eddy, being a comms enthusiast himself, used this medium to warn people about the bogus file. He posted a warning message urging anyone who sees *SnoopDos*

2.0 to inform the Sysops concerned and not to download it. Word has spread around the networks, not just in the UK but worldwide, and as a result, with luck, the fake version (which could contain anything – viruses are quite commonly spread in this way) will not be allowed to spread.

Just goes to prove the power of comms, if used correctly.

Please note, once again, that the last official version is *SnoopDos* 1.7 and the fake version that you should avoid is *SnoopDos* 2.0.

THE NEXT VOICE YOU HEAR...

The comms world at last has a co-ordinated voice to safeguard its interests. CommUnity (The Computer Communicators Association) is being set up even as you read this. Representatives from the major Networks are forming the initial steering committee, including FidoNet, InterNet, CIX and GT-Power, with Janet to follow soon. It is a big job to set up an organisation such as this and the steering committee certainly have a lot of hard work ahead of them. They hope to schedule an inaugural meeting of CommUnity for September.

I will keep you informed of progress, and when such things are finalised I'll let you know how to join and help to ensure that comms continues to grow and prosper in the UK.



SnoopDos 1.7 is the genuine article, seen here doing its stuff, revealing all about what your Amiga's up to.

THE VERY

Here's a chance for me to tell you about a really useful utility if you ever want to transfer binary files by EMail. Oh yes, it can be done, but it involves something called "uuencoding" and "uudecoding". It all sounds very Secret Squirrel, doesn't it (I know, I'm showing my age again), but it really is quite straightforward. Basically what is happening is that when you uuencode a program file it is converted into printable, ASCII, characters so that the program can, in effect, be sent as a message. Of course this means that the program is useless to the recipient in this format. So the person receiving the program uudecodes it to convert it back into binary form.

The main problem with this is that the uuencode/decode programs available are not exactly user-friendly, and I have lost count of the number of people who have begged me for help in getting the

you

know, because Jim phoned me after I logged on for the first time to look around for this article. By doing this Jim can ensure that users are genuine, which results in much less likelihood of abuse of the system and its other users.

The Swopshop runs on an Amiga 3000, a total of just under 500Mb of hard disk space and 6Mb RAM, and a Miracom HST Dual Standard modem. Although the name may suggest otherwise, this BBS has a very strict no-piracy rule – as all BBSs worth using should have. After all, piracy is theft and that's all there is to it. There are also rules concerning bad language and pornography. This would appear to be a very above-board Bulletin Board. (Try saying that after a few pints down the local.)

So who is behind the screen? Jim Hendry is a 32-year-old handyman who started out in computers with a 16K Spectrum back in 1981. It wasn't until 1990 that Jim got really interested in comms though, and his explorations led him to the conclusion that he didn't really feel that Sysops were helping new users enough. This was enough to prompt him into action, and Amiga Swopshop was born. All

COMMS COST CUTTERS

- 1 Save money by using the "capture" facility of your terminal software program to study the menu options and file lists of the Bulletin Boards you log on to. This way you can get to know your way around the BBS and decide which files you want without paying excessive telephone charges.
- 2 Buy the fastest modem you can

afford. The slower the modem, the more time you spend actually on-line, and so the more money you pay in telephone charges.

- 3 Because keeping telephone charges down is the best way to save money, try to keep your comms explorations to off-peak times. Learn to do without sleep...
- 4 Think about using Mercury for

long-distance calls. If you make a lot of them, you should find that you can make considerable savings when compared to Telecom charges (but it does cost £11 a year).

- 5 Finally, don't archive text files. Although text files are bigger than the archived versions would be, plain text travels much faster, so the balance ends up in your favour.

new users are treated to a phone call so Jim can chat with them to check they are who they say, and this usually happens within 24 hours of you asking to join the BBS. Jim also prides himself on answering 100% of EMail enquiries within 48 hours, and 99% within 24 hours. He believes it is vital to make users feel welcome and at home straight away if they are actually going to participate on his BBS, and of course he is right.

To give you an idea of how much work has gone into the Swopshop, here are some statistics. There are currently 92 EchoMail Areas covering just about every topic you can think of, including the Real 3D and Imagine mail and file areas. In total there are 58 different file areas, and a totally amazing 38 on-line games to choose from. (Not that *Amiga Shopper* readers ever play games, do they?) There is a live teleconferencing facility, an on-line IQ

test (I've carefully avoided this. I'm not stupid, you know. No, that's not right...), and even a fun life-expectancy test. Future plans include more dedicated lines for the BBS – Jim hopes for at least three – CD-ROM on-line (I think all Sysops would rank this high on their wish-lists), and the takeover of *Amiga Shopper*, although I'm not sure if he really means this.

CIX TRICKS 'N' TIPS

The *Amiga Shopper* "Cix For Free" offer in AS 24 has been a roaring success. In fact the powers that be at the Compulink Information eXchange tell me that ours has been the most successful offer they have ever been involved with. Of course, what this means is that more and more Amiga users are now Cix users and have access to many of the Amiga Answers Panel. I've been flooded with questions in the last

month – not that I'm complaining. (Not that anyone would listen if I did.)

The Internet gateway has proved very popular among the *Amiga Shopper* readers who have joined, and the question I have been asked most about this has been, "How do I write to a Usenet Newsgroup?" Well, the answer is quite simple. By the time you read this the new Cix Newsreader should be up and running. This is a version of the very popular TRN Newsreader, and gives the user read/write access to all the Usenet Newsgroups available via the UKNET feed. There will be an informative on-line manual and also on-line help, so it really will be easy to use. I've been playing with it for a few weeks now and it is brilliant. There is, of course, no charge for this excellent service over and above the normal on-line charges.

Watch this space for more Cix tricks and tips. **AS**

USEFUL COMMS UTILITY CORNER

right syntax to actually do the business. *UUCoderWindow* solves these problems by creating a simple window interface for the *UUEncodeX* and *UUDecodeX* programs. The interface really is quite intuitive, and if you do have any problems, the documentation, although brief, is very pertinent and easy to understand.

Full marks to the German author


on this one. (Okay, okay, so my puns are getting worse, I admit it.)

The second utility I'm going to look at is something that any user of comms really cannot do without: an archiver – in fact the archiver. Yes, it's true, in the wonderful world of Amiga comms these days there really is only one archiver that people are using, and that is *LhA*. It is one of the quickest


archivers available and also one of the best at getting those files reduced to the smallest possible size.

So why use an archiver, you may be asking, and I'm going to tell you, oh yes! Simple: sending a file over a telephone line costs money, and the smaller the file the less time you are using the telephone and therefore the less it is going to cost.


LhA is run from the Shell, using a command line interface. Although this is really quite straightforward, and there is a helpfile for all the commands, some people do find it a bit confusing. If you prefer selecting a button with a mouse, fear not, there is a utility out there just for you. It's called *LhA-Win*, and it provides a basic mouse-controlled environment for *LhA*.



Secret Squirrel makes short work of a difficult job. No, wait – it's really UUCoderWindow giving you a more user-friendly interface for uuencoding and uudecoding. UU could do a lot worse.



LhA's Command Line. The archiver is great, but does having to type in commands look confusing to you? Well, there is a solution for people who never got to grips with typing...



And here it is. A nifty little utility called LhA-Win replaces that difficult Command Line Interface with a slightly less difficult point-and-click environment. Your choice, really.

Evesham Micros

JOINT WINNER OF
COMPUTER SHOPPER'S

'Best Customer
Service'

- AWARD FOR 1991 -




PRICES INC. DELIVERY & VAT @ 17.5%

HERE TODAY ~ HERE TO STAY

Evesham Micros First. First for choice, price and service. Established for over ten years, with a strong financial status and secure future. Our Computerised Telesales Order Processing investment means fast, efficient service. Well appointed Retail Showrooms with large product range on display. Our huge Customer database, high percentage of repeat custom and personal referrals underlines our popularity. REMEMBER - when you need us, we will still be here. Our extensive expansion program means we could eventually be there as well...

HOW TO ORDER



Call us now on
0386 765500

TELESALES OPENING TIMES:
9am - 7pm Monday-Friday
9am - 5.30pm Saturday



Send Cheque, Postal Order or
Access/Visa/Switch/AmEx
card details to:


Evesham Micros Ltd.,
Unit 9, St Richards Road,
Evesham, Worcs. WR11 6TD



..... or FAX your Order with
Access, Visa, Switch, AmEx
card details to us on:
0386-765354

Government, Education & PLC orders welcome • Same day despatch whenever possible • Prices include delivery (UK Mainland only) • Express Courier delivery (UK Mainland only) £6.50 extra • Please note that 5 banking days must be allowed for cheque clearance. Immediate clearance on Bank Drafts • Credit card orders: We do not charge the card until the goods are despatched.

Cards Welcome



Always A Good Sign

RETAIL SHOWROOMS

Normal Opening times: Monday-Saturday, 9.00-5.30
Late Night Opening Until 7pm Wednesday-Friday

EVESHAM

Unit 9 St Richards Rd,
Evesham
Worcs WR11 6TD
☎ 0386-765180
fax: 0386 765354

BIRMINGHAM

251-255 Moseley Rd,
Highgate
Birmingham B12 0EA
☎ 021-446 5050
fax: 021 446 5010

CAMBRIDGE

5 Glisson Road,
Cambridge
CB1 2HA
☎ 0223-323898
fax: 0223 322883

MILTON KEYNES

320 Witan Gate,
Milton Keynes
MK9 2HP
☎ 0908-230898
fax: 0908 230865

TECHNICAL
SUPPORT

☎ 0386-40303
Monday to Friday, 10.00 - 5.00

1 YEAR WARRANTY ON ALL GOODS

Details correct at time of going to press • All goods subject to availability

AMIGA 500 SOLDERLESS RAM UPGRADES

**A500 512K
RAM/CLOCK
UPGRADE**

ONLY £19.99
INC. VAT AND DELIVERY

ALSO WITHOUT CLOCK
FOR ONLY:
£16.99


★ CONVENIENT ON / OFF MEMORY SWITCH ★ AUTO-RECHARGING
BATTERY BACKED REAL-TIME CLOCK ★ COMPACT, ULTRA-NEAT DESIGN

**'A500 PLUS'
1MB RAM
UPGRADE**

**THE FASTEST AND EASIEST WAY TO
UPGRADE YOUR A500+ TO 2MB RAM!**

Simply Plugs into trapdoor expansion area ★
Increases total RAM capacity to 2Mb 'ChipRAM'
★ RAM On/Off Switch ★ Compact unit size ★
Only 8 low power RAM IC's ★ High reliability

ONLY £42.99



**UPGRADE
TO 2MB FOR
ONLY £69.99!**



1.5MB RAM BOARD

Fully populated board increases total RAM in A500 to 2Mb! ★ Plugs into trapdoor area, & connects to 'GARY' chip ★ Includes Battery-Backed Real-Time Clock ★ Socketed RAM ICs on 512K / 1Mb Versions

Unpopulated RAM board with clock £34.95

With 15Mb FASTRAM installed £69.99

N.B.: The expansion board requires Kickstart 1.3 to operate - Kickstart 1.3 upgrade available from us for £29.95



'MEGABOARD'

With our MEGABOARD, you can further expand your A500's memory to a total of 2MB without disposing of your existing 512K upgrade (must be 4 x RAM-chip type, or not exceeding 9cm in length).

ONLY £47.99

**CONNECTS TO YOUR
512K RAM UPGRADE
TO GIVE 1.5MB**

MEGABOARD needs Kickstart 1.3 to operate (Kickstart 1.3 upgrade available from us for £29.95). Installation requires connection to the GARY chip. Easy to follow instructions provided.

ROCGEN GENLOCKS

OFFERING EXCEPTIONAL
VALUE FOR MONEY, the
Rocgen Genlocks offer levels
of quality, function and
sophistication not normally
available in this price category.



Genlock Plus

SPECIAL OFFER! ROCGEN MK.II INCLUDES 'HOME TITLER' SOFTWARE FOR A500

GENLOCK MK.II

ONLY £79.99

GENLOCK PLUS

ONLY £149.99

NEW PHILIPS TV/MONITOR



With its dedicated monitor input, this model combines the advantages of a high quality 15" medium resolution colour monitor with the convenience of remote control Teletext TV - at an excellent low price! Features dark glass screen for improved contrast.

£249.00 Including VAT, delivery & cable

Philips CM8833 Mk.II Monitor (Genuine UK version), includes cable, 1 Year on-site maintenance and 'Lotus Esprit Turbo 2' game £229.00

PRINTERS

Prices Include VAT, Delivery
and Connection Cable

**ALL EVESHAM MICROs STAR PRINTERS INCLUDE
12 MONTHS ON-SITE WARRANTY**

Star LC 20 Successor to LC 10, 4 fonts, 180/44cps	£129.99
NEW! Star LC 100 Entry level 9-Pin Colour, 4 fonts	£168.03
Star LC 200 9-Pin Colour, 4 fonts, 180/44cps	£198.58
NEW! Star LC 24-100 24-Pin, 5 fonts, 192/64cps	£196.23
NEW! Star LC 24-200 Mk.II 24-Pin, 210cps high speed draft	£229.13
Star LC 24-200C Superb 24-Pin Colour, 5 fonts, 200/67cps	£276.13
Automatic Sheet Feeder for 10" LC printers (pls state model)	£64.95
Star XB24-200 COLOUR 24-pin, 80 col. power printer	£405.38
Star XB24-250 132 column version of XB24-200	£492.33

Citizen 240 COLOUR printer	£299.99
Hewlett-Packard Deskjet 500	£351.33
Hewlett-Packard Deskjet 500C (Colour)	£445.33
NEW! Hewlett-Packard Deskjet 550 Colour	£445.08
Canon BJ-105X Inkjet Printer	£233.83
NEW! Canon BJ-200 Inkjet Printer 360dpi, upto 240cps, 8 fonts, 80-sheet feeder, IBM and Epson emulation	£339.58
Epson LX400 budget 10" carriage 9-pin 180/25cps	£139.00
Epson LQ100 24-pin 180/60cps, 8k buffer	£205.00
Panasonic KXP1124i updated 24-pin model 300/100cps	£279.00
Panasonic KXP2123 good value 24-pin colour model	£269.08

3 1/2" EXTERNAL FLOPPY DRIVES

AMAZING LOW PRICE!

£52.99

including VAT & delivery

- Very quiet
- Slimline design
- Suits any Amiga
- Cooling vents
- Sleek, high quality metal casing

**REPLACEMENT A500
INTERNAL 3.5"
DRIVE KIT**



Fully compatible, with 1Mb unformatted capacity. Straightforward installation procedure. Kit includes full fitting instructions.

**ONLY
£44.99**

TOP VALUE 400dpi HANDY SCANNER

QUALITY SCANNING - AT THE RIGHT PRICE!

At a genuine 400dpi scanning resolution, this scanner produces truly superb quality scans. Has a full 105mm scanning width, variable brightness control and 100 / 200 / 300 / 400dpi resolution. **Datascan Professional Version 3** - scanning and editing software allows real-time scanning in either line art or in up to 64 simulated grey scales. Provides powerful editing features and excellent compatibility with most DTP and Paint Packages, eg. Deluxe Paint 4, Touch-Up. Also supplied is **The Publisher DeskTop** Publishing package, ideal for incorporating your scanned images into flyers and newsletters.



STILL ONLY £99.99

TRUEMOUSE



WE GUARANTEE that this is the smoothest, most responsive and accurate replacement mouse you can buy for the Amiga. Excellent performance, now with a 300dpi resolution. Amazing new price!

£14.99 SATISFACTION GUARANTEED

GOLDEN IMAGE OPTICAL MOUSE Amiga/ST compatible - excellent travel-accuracy assured. **NEW LOW PRICE!.. £29.00**

TRACKBALL



High performance trackball, directly compatible to any Amiga or Atari ST. Plugs into mouse or joystick port. Super-smooth and accurate - you probably won't want to use a mouse again after using this Trackball! Full one-handed control. Top quality opto-mechanical design, giving high speed and accuracy every time. No driver software needed!

ONLY £29.95

NEW! A500 ROM SWITCHER

SWITCHING BETWEEN VERSIONS OF KICKSTART ON YOUR A500 IS EASY WITH OUR NEW ROM SWITCHER!

You can improve software compatibility on your A500 Plus! By fitting our ROM switcher, you can alternate between the Kickstart 2 already resident and another version of Kickstart ROM chip, giving you the freedom of choice. Fitting is very simple indeed, and requires no soldering or special technical knowledge. Fitting allows two methods of switching: either by keyboard reset, or by an external toggle switch. **N.B. Kickstart ROM not supplied. A500 Revision 5 boards will require circuit modification.**

ONLY £24.95

Kickstart 1.3 ROM supplied separately.....only £29.95
Kickstart 2.0 ROM supplied separately.....only £39.95
A500 Revision 5 PCB Circuit Modification Service.....£29.95

ZY-FI Amplified Stereo Speakers

REALISE THE TRUE SOUND POTENTIAL OF YOUR AMIGA WITH THIS PAIR OF FULL RANGE SPEAKERS!



Your Amiga produces fine quality hi-fi stereo sound. Enjoy quality stereo sound reproduction to the full with this new design twin speaker system! Incorporates a built-in amplifier with separate adjustable volume controls for each speaker unit. Runs from PSU (supplied) or from batteries (not included).

Speaker Dimensions 160x95x105mm (HxWxD)

ONLY £39.95

REPLACEMENT POWER SUPPLIES



Genuine Commodore Amiga A500 type replacement Power Supply Unit. Good quality 'switch mode' type. Super low price!

ONLY £39.95

Replacement Power Supply for A590 Hard Disk.....£49.95

ACCESSORIES

MIDI Interface connects to serial port.....£19.95
Virus Protector fits to last drive in system, protecting all drives.....£6.95
VIDI-12 Amiga video digitiser package Inc. VIDI-Chrome.....£110.00
Amiga 500 Dust Cover.....£4.95
Amiga 600 Dust Cover.....£4.95

SOFTWARE

Digital Wordworth.....£99.00
Kind Words 3.....£49.95
Protext V5.5.....£120.00
Home Accounts V2.....£49.00
Deluxe Paint 4.....£79.99
Deluxe Video 3.....£84.95
MR Backup.....£29.95
AMOS.....£37.50
HiSoft Lattice C.....£199.00
GFA BASIC Compiler.....£24.95
Devpec 2.15.....£44.95
Workbench Management.....£9.95

R A500 HARD DISKS

Reference All the features without the price

AMIGA March 1985 FORMAT

Verdict 84%

"Very attractive indeed - you get a good deal for a decent drive."

- ★ SCSI HARD DISK MECHANISMS for optimum performance, fast Access Time & Autoparking
- ★ Includes its own DEDICATED PSU. CBM recommends against use of Hard Disks without independent power supply.
- ★ Option for up to 4MB additional easy RAM EXPANSION, using 'SIMMS'
- ★ COOL... by popular demand, we have fitted a Cooling Fan!

- ★ GAME SWITCH allows Games to be loaded without disconnection
- ★ Includes SCSI THROUGHPORT at rear for further expansion
- ★ Compatible with Reference Add-On Hard Drive and Reference RAM unit
- ★ High quality metal casing, colour and style matched to the Amiga 500
- ★ Includes 'HD Setup 3' (external SCSI low level format and partition utility) and 'MRBACKUP PRO' (backup utility)

40Mb MODEL ONLY £229
100Mb MODEL ONLY £329

2Mb RAM Version: ADD £70.50
4Mb RAM Version: ADD £141.00

Reference Add-On Hard Drive
Cased Hard Disk with power supply
40Mb...£199 100Mb...£299

R A500 RAM UNIT

Reference

- ★ RAM access LED
- ★ RAM test/run switch
- ★ Uses 1Mb 4-bit ZIPS
- ★ Style matched to the A500
- ★ Very low power consumption
- ★ Throughport for further expansion
- ★ Compatible with A590 and most other SCSI Hard Drives (please call to check)
- ★ Optional PSU (allows Amiga to power other devices)
- ★ Available fitted with 2Mb, 4Mb, or fully populated with 8Mb

Incorporating the latest 'ZIP' DRAM technology, our External Memory Upgrade allows the A500 / A500+ to be upgraded by up to a further 8Mb of auto-configuring FASTRAM.

N.B. Any memory fitted to this unit is in addition to that on your machine already, to a maximum of 8Mb on the external unit.

With 2MB fitted...£112.99 with 4MB...£159.99 with 8MB...£259.99

PARTIALLY POPULATED UNITS EXPAND TO 8MB WITH 2MB MODULES, AVAILABLE SEPARATELY AT ONLY £89.99 PER 2MB • OPTIONAL POWER SUPPLY £14.95

AMIGA 600 AMIGA 600

STANDARD PACK

With 12 months on-site maintenance

ONLY £244.99


2MB RAM/CLOCK VERSION £284.99

WILD WEIRD WICKED PACK

Features: 20Mb Hard Disk • Push-over • Grand Prix • Putty • Deluxe Paint III • 12 months on-site maintenance

ONLY £294.99

2MB RAM/CLOCK VERSION £334.99



- Built-in TV Modulator • Built-in IDE Hard Disk Controller • Kickstart 2 • 1Mb ChipRAM • Accepts Memory Cards

4MB RAM CARD

For any A600.....£189.00

STANDARD PACK

Special Hard Disk Model

Supplied with Evesham Micros fitted 60Mb Hard Disk.

Please note that the Hard Disk installation is not covered by on-site maintenance

ONLY £409.99

2MB RAM/CLOCK VERSION £449.99

EPIC PACK

40Mb Hard Disk • 12 months on-site maintenance

ONLY £449.99

2MB RAM/CLOCK VERSION £489.99

AMIGA 1200

KickStart/Workbench 3.0 • Fast 68020 processor • AGA chipset • CPU/DMA expansion port • PCMCIA expansion slot

£379.99

Hard Disk Model

With Evesham Micros fitted 60Mb Hard Disk.

£549.99

UPGRADE YOUR OWN A600/1200 TO HARD DISK

Bring the benefits of a Hard Disk installation to your existing Amiga 600/1200 with our easy to fit upgrade.


60Mb kit....£229.00

A600 1MB RAM/CLOCK UPGRADE

UPGRADE YOUR NEW A600 TO 2Mb WITH THIS SIMPLE PLUG-IN MEMORY UPGRADE!

- ★ Simply Plugs into the A600's trapdoor expansion area
- ★ Increases total RAM capacity of A600 to 2Mb 'ChipRAM'
- ★ RAM Enable / Disable Switch
- ★ Battery-Backed Real-Time Clock

ONLY £44.99



Talking Shop

Welcome to the Amiga world's liveliest letters pages - where you get the chance to speak your mind. So join your host, the editor, Cliff Ramshaw, for some more no-holds-barred bantering. All you have to do to be included is send your missive to: 'Talking Shop', *Amiga Shopper*, 30 Monmouth Street, Bath, Avon BA1 2BW. Get to it!...

"IN EFFECT, UNFINISHED"

I am sorry to have to write concerning an article in the last issue of *Amiga Shopper* which angered me. The article in question was the review of *Clarity 16* from Microdeal. The reviewer did well to point out the fact that the software crashed. What is totally unacceptable, though, is the manner in which the reviewer condones this, passing it off as being par for the course.

An unstable piece of software in constant use is more trouble than it's worth. I realise that the multitasking environment of the Amiga makes it a difficult machine to program for, but properly tested software could put an end to the days when the Amiga was seen as a quirky little games machine. If serious Amiga users were sure that they had a solid base to work with, they would be far more likely to invest in their machine. Investment is what the Amiga needs to make it a real success.

Surely the software companies would gain more in the long run if a reviewer could say that after a week of intensive use a program hadn't stepped out of line once? I realise that testing takes time, and time costs money, but I would much rather pay a fair price for a stable piece of software which does the job that it set out to do, than pay for one which is in effect unfinished!

Jason Dilling
Chatham

Point taken, Jason, although since the review mentioned that there were

bugs in the software it is up to the potential buyer to decide whether or not this is acceptable. Any remotely complex program has flaws, and the only advice that can be offered to the more wary user is to wait until a program has been on sale for some time before buying it. That way you can be sure that most bugs have been removed.

It would be nice if software were more carefully tested before release, but as you say this costs more money and denies the manufacturer its edge over the competition, as well as delaying the release of new technology to the consumer.

"ORIGINAL PURPOSE"

Can you please explain why the words "From the Makers of *Amiga Format*" have appeared on your cover? This, along with the inclusion of the odd cover disk and glossy covers, gives me the impression that *Amiga Format* is not so much your "sister" magazine but you are becoming a "doppelganger" magazine. Thankfully the excellent contents of your magazine have remained faithful to the original purpose, that being to act as a no-nonsense no-frills informative guide to the whole area of Amiga computing, but for how long?

Personally I would have thought that it was unnecessary to try and "ride on the back" of *Amiga Format* when what really sells your magazine is the contents. I would prefer not to have a cover disk because the software it contains is easily available, and I wonder how

long it will be before a cover disk is provided every month.

Paul Matthews
East Sussex

Let me first stress that we are completely independent of *Amiga Format*. The reasoning behind the "From the makers of..." text is as follows: *Amiga Format* is the world's best-selling Amiga magazine, and if we can convince some of its readers to try *Amiga Shopper* on the understanding that we maintain the same high standards of production, then we can only benefit.

As you say, our editorial content and style are quite different from those of *Amiga Format*, and they will continue to be.

The cover disk is something that has proved very popular, and we're currently debating whether or not to make it a permanent feature. If any readers have strong feelings on the question, do write and let us know.

"BUT HOLD ON"

Soon after the A500's appearance, third-party manufacturers began creating peripherals that could be added externally and keep the machine's guarantee intact. To offset this, Commodore produced the likes of the A2000 that catered for internal expansion. Commodore blatantly advertise this machine, and others such as the A4000, as containing internal Zorro slots for the addition of extra memory and so on. Great stuff, but hold on - if you open the machine to insert your extras into the slots, then your machine is no longer covered by the guarantee. Even if you take your machine to an authorised dealer to do the job, the same rule applies.

If Commodore are advertising the machines as upgradable, and then saying that opening a machine will invalidate its guarantee, then this must contradict the claim of the advertisement that the machine is upgradable. If this is so, why don't Commodore just produce a system whereby machines can be upgraded via a rack-mounted modular system?

D R Thompson
Norwich

This is an important issue. Posing as a customer, I phoned Commodore and spoke to a person who confirmed that opening up my A4000 would invalidate its warranty. It was suggested that I contact my dealer, who would fit any expansions for me, and then replace any warranty seals that got torn when the case was opened, so no-one would be any the wiser. When I asked what would happen if I bought an expansion card via mail order and my local dealer didn't care to fit it, I was told that I

could write to Commodore explaining the problem and I would probably be sent some spare warranty seals.

Some time later I phoned Commodore again, this time identifying myself as a journalist and asking for the company's official position. I was eventually assured that opening up an A4000 in order to install expansion cards would not void your warranty. Mike Goshon, Commodore's multi-media sales manager, told *Amiga Shopper* on the record that "the machine is a workstation that's designed for users' ungradability."

Despite this official statement, there's clearly still some confusion about warranties. I'd be interested to hear of any readers' experiences.

"THINGS LIKE PRINTFS"

Just a little note to sort out a few of the problems that some people have written in about concerning *NorthC*. People say that things like `printfs` and `puts` don't send their output to the screen immediately. What you have to do is:

(a) Open up your "clibs" drawer and load the file called "defaults.c" into a text editor. Scroll down and find the line that says:

```
"int stdoutunbuffered = 0"
```

and change the 0 to a 1.

(b) Move the file into the "Include" drawer.

(c) Put at the top of every C program you write this line:

```
#include <defaults.c>
```

By the way, it says how to do this in the documentation.

Jonathan Levell (aged 14)
Ringwood


So now we know.

"DARE I SAY IT"

In these recession-hit times, don't you think it would be a good idea to concentrate on ways to save and even, dare I say it, make money with your Amiga, rather than printing loads of articles telling us what to buy with money we don't have?

Leopold Bloom
Dublin

Yes. Next month we'll be printing a mammoth article all about how you can make money with your machine. We'll be covering just about every conceivable application, from basic typing through desktop publishing to video and graphics work, not forgetting commercial programming and music. We'll also be offering lots of useful advice on things like tax and grants, and giving you a whole load



When Clarity 16 was first released it suffered from a number of bugs. Should reviewers condemn this sort of thing, or just accept it as normal?

of useful contacts. (To make sure of your copy and save yourself some money to boot, see page 41.)

Incidentally, if any of you have ideas for what you would like to see in the magazine or, just as valuable, comments to make about articles we've already published, then don't hesitate to write and let us know.

"MOST OF THE TIME"

I am replying to a letter from Jonathon Williams regarding downloads from bulletin boards, printed in the May issue [AS 23].

I run a BBS in Birmingham called Bright Lights BBS (☎ 021 325 1723, 7pm-7am every day) and once users have become members they get a ratio of 4/1. If this ratio is not suitable, then users have only to explain that they are new to comms and an agreed ratio can be arranged. As regards connecting at only 2,400 most of the time, the user will have to shop around for the 14.4 BBSs like my own - it is as simple as that.

If Jonathon wants to give me a call on my BBS, I will give him any help I can. We all started somewhere.

Alan Clarke
Birmingham

Thanks for that.

"OUTLINED ABOVE"

I read with interest the article on Commodore's new Amiga 4000-030; at under £1,000 it really is a stunning machine and worth every penny. It makes the A4000-040 look prohibitively expensive - surely its faster processor doesn't warrant an extra £1,000?

The most interesting thing about issue 26 was the proposed Amiga CD. For it really to take off, it must be well advertised. Just how many adverts on the telly have you seen for any Amiga? Not many, that's for sure. As for the machine's

technical specification, Commodore have achieved a correct balance of hardware trickery and price. It sounds far superior to Sega's Mega CD and is far cheaper, too. I know which machine I would rather buy.

For CD-ROM to take off on the Amiga, CD-ROM devices need to be made available for all Amigas, including the A600. In the CD-ROM box should be the AGA chipset to enable advanced graphics to be displayed on earlier Amigas. I feel this could be done, since GVP have produced a hard disk with an accelerator in the same box.

Once CD-ROM has been established with all Amigas, software support needs to be much better than was the case with CDTV. For Amiga CD to be taken seriously it should include an internal IDE hard disk with a minimum capacity of 40Mb. Amigas at present are criticised for lack of built-in hard disks as standard in the low-end machines. A hard disk would enable Workbench and applications software to be used.

If Commodore don't take the measures outlined above, then the Amiga CD will die just like CDTV, and PCs and other machines will overtake the Amiga again. The Amiga has only just managed to get back on top because of the AGA chipset and the A4000-040.

One last thing: where is the assembly language tutorial? I enjoyed the first installment and expected to see it every month.

Andrew Smith
Tamworth

Well, an '040 processor costs significantly more than a 68EC030, but you're right -

it's not £1,000 more. I expect the price of that one will be dropping soon enough.

Remember that when you talk about Commodore getting the balance between specification and price right on the Amiga CD, they haven't done so yet. £250 is the price we believe that Commodore are aiming to bring the unit out at - it may well change between now and Christmas. Furthermore, Sega have recently dropped the price of the MegaDrive and Mega CD to £75 and £175 respectively, so the competition is already hotting up.

I agree about the necessity for CD-ROM technology across all Amigas, and so do Commodore. They have stated that this is one of their aims.

Because of the growth of interest in CD-ROM on various platforms, I think that Commodore are unlikely to suffer again from the shortage of software that beset CDTV. It will be relatively easier to convert titles from the likes of the PC and Mega CD to work with the Amiga (admittedly games, but they are, after all, what made the Amiga so successful in the first place).

I can't see Commodore putting hard disks into low-end machines, simply because the majority of people who buy those machines simply don't want hard disks. They want to play games.

I'm glad you liked the assembler

article; if more people write in requesting another, we'll do one.

"WITHOUT CHARGE"

I would like to sing the praises of DAVAL Electronics, my (relatively) local computer shop.

I have had cause to use their repair skills on a couple of occasions since buying my Amiga 500 from a friend, knowing it to be faulty. They fixed the original fault and, when it re-appeared a few days later, re-investigated and found the loose connections causing the failure. This second repair was done free.

A further repair was completed within the promised ten days. Yet another fault surfaced a few days later, quite independent of the others [was this cheap A500 such a bargain? - ed], and when I took my machine into DAVAL it was repaired within ten minutes without charge.

In these difficult times for businesses it is really refreshing to come across a company with such an honourable attitude towards their customers.

K I Dickinson
Lincolnshire

It's always good to hear of a reputable dealer. May I also point out that I've had nothing but exemplary service from my parents' computer shop, Marcliff computers in Sunderland.

AS

future
PUBLISHING

WANTED!

Salary according to experience

Editors • Deputy Editors • Art Editors Production Editors • Art Assistants

Europe's biggest publisher of computer and console magazines is once again on the lookout for first-class talent. The company responsible for such market-leaders as Amiga Format, Total, GamesMaster, Sega Power, MEGA and Super Play is gearing up to launch yet more worldbeating magazines onto the market.


If you're already an **Editor** with experience in Future territory and you're hoping to join us, we want to hear from you. If you're an experienced, ambitious **Deputy Editor** keen to move on and up, we want to hear from you. If you're an **Art Editor, Art Assistant or Production Editor** working with Quark XPress and desperate to get on, we want to hear from you. If you don't work for a magazine but would dearly love to, and know Sega and Nintendo consoles and console games inside and out, we want to hear from you. If you really, seriously believe you have something to offer Europe's market leaders, we could well have something serious to offer you.

Write now, enclosing a CV, an example of work published or unpublished and Five Good Reasons Why Future Needs Me to:- Annie Chalmers, Future Leisure, at the address below:

Future Publishing, 30 Monmouth Street, Bath, BA1 2BW
Tel: 0225 442244, Fax: 0225 446019



Make tracks with OctaMED



OctaMED's file panel at the top left of the screen. This is where you load and save all songs and instruments, as well as delete any unwanted files on disk.

Trackers have long been an alternative to sequencers for making music on the Amiga. They are convenient because they use the internal sound capabilities of the Amiga, meaning that you don't need any external hardware to make music. **MED** and its successor **OctaMED** have established themselves over the last few years as the best trackers around, and on this month's cover disk we've supplied you with **OctaMED** version 2.

Although initially intended for those with little or no knowledge of more professional music software, **OctaMED** has amassed loads of features since its conception, and if you've never seen a tracker before it may look a little complicated on first sight. But it's really quite easy to use, as you'll see.

First a few notes about trackers and what they do. With a tracker program, you can use IFF samples

and string them together into sequences to play music. In most cases the number of samples you can play together at the same time is restricted to four – the number of sound channels in the Amiga. **OctaMED**, however, can play up to eight samples at a time by a clever bit of jiggery-pokery which enables two samples to play on each channel. The only downside is that when you're using more than four sounds at once there is a degradation in sound quality.

There are all sorts of other features in **OctaMED**. The sound sources are not just limited to IFF samples – you can use Synthsounds, which are built up from simple waveforms, and even output notes over MIDI to play any MIDI instruments you may have. It also enables you to view and edit music as standard musical notation, which can be printed out on a printer.

You can run **OctaMED** by double-

clicking on the **OctaMED** icon.

However, you may want to make your **OctaMED** disk bootable, which enables you to boot straight into the program from the **OctaMED** disk. First, follow the instructions on the disk pages on how to de-archive **OctaMED** from your cover disk onto its own disk. Then open a CLI or Shell window and type the following:

```
Install "OctaMed v2.00:"
```

You need to put quotes around the name of the disk, because it has spaces in it. If you have only one drive you will be asked to put the **OctaMED** disk in drive df0:, otherwise you can put it in any drive. Once it's finished the Install process you can turn off your Amiga and re-boot using your newly-bootable **OctaMED** disk.

If you want to install the program onto a hard drive, copy the entire contents of the **OctaMED** disk to its own drawer on the hard drive. You then have to assign the name of the original disk to the name of your drawer, so that **OctaMED** knows where to look when it's trying to find files and things. You have to edit your start-up sequence to do this. Assuming you put them in a drawer called **OctaMED** on dh0:, add the following to the list of assigns in your start-up sequence:

```
assign "OctaMed v2.00:"  
dh0:OctaMED
```

Again, don't forget the quotes.


Now's your chance to get started in making music on your Amiga. All you need is OctaMED v2.0, and it's yours on this month's cover disk – no extra kit required! Tim Tucker shows you how to get going.

Before we get started with the specifics, let's take a brief look at all the functions of **OctaMED**. In the top left of the screen is the user interface panel, and this is where you issue commands to the program. There are ten panels that can be displayed here, but only one can be displayed at a time. You bring up the other panels by clicking on one of the ten gadgets immediately to the right of the panel, marked **FILES**, **MISC**, **PLAY**, **VOL**, **INSTR**, **MIDI**, **BLOCK**, **TRANS**, **EDIT** and **RANGE**.

When you load the program, the panel **FILES** is highlighted and this is where you load and save files, including songs, samples and hybrid sounds. Next to it is **MISC**. Click on this and a panel appears which enables you to set up certain preferences, such as screen colours and mouse pointer – if you don't like that little man pointer, click on the **OFF** gadget next to **JUMP**. It's also here that you clear songs from memory and Quit the program.

Next down is **PLAY**. This is not only where all the play options are, but also tempo and channel information. The **VOL** panel enables you to adjust the relative volumes of each track. The **INSTR** panel is where you can load samples and alter some of their characteristics, including how long they play for, how loud they are and any transposition values. The **MIDI** panel takes care of all the commands you might want to output to a MIDI instrument.

The **BLOCK** panel deals with manipulation of Blocks. A Block is a



If you prefer working with music notation, you can edit and create tracks using the notation editor. You can also print it out.

section of music, which we'll look at in more detail shortly. **TRANS** enables you to transpose larger sections of music as a whole, including Tracks, Blocks or the entire song. **EDIT** is where you set up parameters for entering and editing music in the tracker, and finally, **RANGE** enables you to perform cut and paste operations to existing pieces of music.

To the right of the ten gadgets we've just looked at is another column of five gadgets. These switch between the five main screen displays below the top panel. The top gadget, marked **==**, shows the main tracker editing display, which is where you do most of the entering and editing of music in *OctaMED*. Below that is a gadget marked with various musical symbols. Clicking on this brings up the Notation editor. Here you can edit and enter music with standard music notation if you prefer, and print out the music on your printer. The gadget **SYNTH** is used to design and edit sounds using simple waveforms as components. This is a powerful feature which enables you to create some very interesting sounds of your own. An extra advantage is that the sounds themselves take up less memory than normal samples.

The next gadget, marked **SMPED**, brings up the sample editor. Here you can sample sounds (as long as you have a hardware sampler) and edit existing samples. Finally the gadget **SLIST** brings up a list of all your sample disks and directories and the samples themselves. This makes file manipulation a lot easier when you're loading samples from lots of different disks and directories, and helps to minimise disk swapping.

Underneath the main display are two graphs which display notes as they are played from the keyboard and tracker. This helps you to see what notes are being played, how loud they are and what channel they're on. It will become more clear once you start playing music.

MAKING A TRACK

Before you start making your own

music, take a look at the demo Track supplied with the program. Click on the **FILES** gadget in the top right hand panel, and the files panel will be shown to the left of it. Click on the **CURDIR** gadget and a list of the directories on the *OctaMED* v2.00 disk is displayed in the window to the left. Click once on **Demos** in this window and the file **Esc2Heaven** is shown. Click once on its name. Now click on the gadget **LOAD: SONG** to load the demo tune.

Make sure you've got the gadget marked **==** in the top right hand corner selected to display the tracker editing page in the main display. Now click on the **PLAY** gadget beneath **FILES**. A new panel is displayed which controls how to play the music. Click on **PLAY SONG** in this panel to hear the demo. The demo plays through the song, and when it's finished loops back to the beginning. When you've heard enough, click on **STOP** in the **PLAY** panel. If you pressed **STOP** in the middle of the song, you can continue playing from where you stopped by clicking on **CONT SONG**. Clicking on **PLAY SONG** again plays the song from the beginning, regardless of where you stopped.

Above the **CONT SONG** gadget is a gadget marked **SPEED**: with two numbers, **033/04**, next to it. These are the primary and secondary tempo displays. You can change either of these while the music's playing by using the two sets of arrows and slider bars directly above them.

Experiment with them. You'll notice that the secondary tempo control (04) changes the tempo by much larger increments and the music gets faster the lower the number (setting the number to 02 makes the track exactly twice as fast), whereas the primary tempo is a much finer control and the music gets faster the higher the number.

Now you've heard the demo track, it's time to enter some music of your own. Click on the **MISC**

gadget in the top right panel to bring up the "miscellaneous" panel. Click on the **CLEAR SONG ONLY** gadget in the panel and click on **CONFIRM** to perform the command – all operations in the **MISC** panel have to be confirmed, to stop you making a mistake and erasing something you really want to keep. A message appears in the title bar at the top of the screen asking "Flush unused instruments (Y/N)?" This is where all the messages from *OctaMED* to you are displayed. Press **N** on the Amiga keyboard to answer No. All the note information disappears, leaving just the samples in memory. We can now use these samples to create our own track.

You can play the samples using the Amiga keyboard (it's also possible to use a MIDI keyboard to enter notes). The keys on the Amiga are ordered in the way a piano keyboard is arranged, thus:

2 3 5 6 7 9 0 = \
Q W E R T Y U I O P []
S D G H J L ;
Z X C V B N M , . /

Z is the lowest octave of note C, and **Q** is C an octave above. Play




You can edit samples in OctaMED's sample edit screen, which saves you having to quit the program.

them now to hear what they sound like. You should hear the notes being played by the sample **JPBass2.u20**, which is the currently-loaded sample. You can transpose the keyboard up to higher octaves too. Click on **EDIT** at the bottom of the panel in the top right hand part of the screen and you'll see the Edit panel appear to the left of it. Use the gadgets marked **OCTAVE: 1+2, 2+3, 3+4, 4+5**, to access the higher octaves of the sound from the keyboard.

Between the top panel and the main block display is the status bar. This displays information which it's useful to see at all times. Notice on the right of the status bar is a gadget marked **01 JPBass2.u20**. You can change the current sample to another in memory by clicking on the second of the two numbers (the 1,

not the 0) with the *left* mouse button. This changes the number to **02 SlapBass**. Keep clicking on the second number to scroll through all the samples in memory, and play them on the keyboard to hear what they sound like. To go back down the list, click on the second number with the *right* mouse button. (If you accidentally clicked on the first number with the left button, use the right mouse button to bring it back to 0.) The instruments are numbered thus: 01 – 09, 0A – 0V, 10 – 19 and



Create your own custom synth sounds by combining simple waveforms in the synth screen.

1A – 1V.

So much for playing the sounds, now we want to actually put them into some music. For this we use the main Block display. A "Block" is a section of music – it could be a verse or chorus for instance. You compose songs by creating a number of Blocks and then playing the Blocks in sequence. You'll notice that the Block is split into four columns, each column representing a Track – in eight-track mode there would be eight columns. There can actually be up to 16 tracks, but *OctaMED* can only play four of them at the same time in four-track mode, and eight of them in eight-track mode. Down the left hand side of the block is a column of numbers – 000, 001, 002, etc. These are known as Lines, and you can enter a note per Line on any of the four tracks. Each Line represents a sixteenth note, and you can leave Lines blank to create the rhythms you want. The best way to understand this is to enter some music, so we're going to start by entering a simple bass drum pattern.

First, select the bass drum sample by left clicking on the sample number until it reads **05 BassDrum.u20**. Now click on the **EDIT** gadget in the top right hand panel. This brings up the Edit panel, which you use to enter notes. Click on the gadget marked **EDIT** to the far right of this panel (notice that the E in the status bar below is also highlighted when you do this – you can enter **EDIT** mode by clicking on the E symbol at any time). Below it is a gadget marked **SPC**, with a numeric field beside it. Change the number from 2 to 4 by clicking on the number, using the **Del** key to erase the old number, and then typing in

WHEN YOU GET HOOKED...


The *MED* Users Group (or MUG for short) aims to provide a service for all users of *MED* and *OctaMED*. Members can send in their problems or ask for advice about any aspect of *MED* or the Amiga, and there's a bi-monthly disk-based magazine called *Total Irrelevance*. This contains demos, modules, samples, features, a small PD section, and reviews of readers' original and "covered" modules. As a special offer to Amiga

Shopper readers, MUG will send you a free copy of *Total Irrelevance* if you write a nice letter and enclose a disk of your own mods for the club to listen to. A blank disk will suffice, it says here, "but we'd rather have some mods!"

If you're hooked on *OctaMED*, or just curious, contact Richard Bannister, The *MED* Users Group, 6 Glevum Road, Stratton St Margaret, Swindon, Wilts SN3 4AF.

the new value. Click on the **SPC** gadget to highlight it. (Again, notice the SP box on the status bar is also highlighted.)

Move the edit cursor box (the red outline box), using the cursor arrow keys, to the top of the first track in the field marked with three dashes, =. Now press the **Q** key on your Amiga keyboard. You'll see the note



Once you get used to OctaMED's method of entering music it will become second nature to you.

C-2 entered on line 000, with the field beside it showing the number 5000. The 5000 indicates a number of things. The first number (5) is the number of the instrument (remember this is **05 BassDrum**). The next three numbers can be used to add certain effects to the sounds, which we needn't go into right now. You can edit these fields by moving the cursor over them and typing in new some values.

Notice also that the edit cursor jumped four spaces forward to line number 4. This is because we set the **SPACE** value to 4. If you turn off **SPACE**, the cursor moves to the next consecutive line after a note is entered. You can use the **Del** key on the Amiga keyboard to enter a space, but if you're entering a part with regular spaces it's easier to use the **SPACE** function.

Now type in **Q** until you reach the end of the track - line 60 should be the last field you enter. If you make any mistakes, move the cursor to the line and enter the note again, or use the **Del** key on the Amiga keyboard to delete it. You've just entered the bass drum part in your first block.


Click on the **PLAY** gadget, and click on **PLAY BLOCK** in the **PLAY** panel. You should hear a bass drum played on each beat of the bar. If you don't hear anything, check that you haven't inadvertently muted the Track. To the left of the sample name on the status bar is a group of 16 little blocks coloured red. Each block represents a Track, and if the block is black it means the corresponding Track is muted. The top left block is Track one - if it's black, click with the left mouse button on the column you've just been entering notes into.

To create the next section of our Track we need to create a new Block. Click on the **BLOCK** gadget in the right hand panel and then click on

NEW BLOCK in the bottom left hand corner of the Block panel. You'll see the second gadget from the left on the status bar beneath it change from reading 000/000 to 000/001.

The first number of these two is the current Block selected, the second is the total number of Blocks in memory. To move between the

Blocks in memory, click with the left mouse button on the third digit of the first number (000) and it will change to 001. At the moment the Block is empty, so go back to Block 000 by clicking on the third digit with the



if you have lots of samples on different directories, the Sample List helps you organise them.

right mouse button (remember, to go back you have to use the right mouse button).

We want the bass drum part to continue in the second section, so we need to copy it from the first Block into the second. Move the mouse pointer to the top of the first Track (line 000) and click on it with the right mouse button. Now click on the **RANGE** gadget in the top right hand panel. In the panel to the left of it, click on **SELECT TRACK**. The whole of the first track is highlighted. Click on **COPY** to copy the track. Now move to Block 001 by clicking on the number in the status bar, and click



In eight track mode OctaMED displays eight racks on screen. Use the Edit panel to change this.

on **PASTE** in the **RANGE** panel. You can choose smaller sections to copy and paste by clicking on a Track with the right mouse button and drag selecting the notes you want.

Now we need to enter a new part in the second Track of this Block. Click on line 000 of the second

column with the right mouse button.

Choose sample number **08**

CloseHiHat.u20, go to the **EDIT** panel and turn **SPACE** off (Click on the **SPC** gadget so that it's not highlighted). Press the **Y** key on the Amiga keyboard repeatedly until you've filled the track. Select **PLAY BLOCK** to hear the bass drum and hi-hat play together. Go to the **RANGE** panel, click on **SELECT BLOCK** followed by **COPY**. Create a **NEW BLOCK**, in the **BLOCK** panel, and move to it using the numbers in the second gadget from the left on status bar (they should read 002/002). Right click on the top of the first track and choose **PASTE** from the **RANGE** panel. The bass drum and closed hi-hat part are copied into the new block. Move the

cursor to the top of the third column in this Block, choose sample number **09 OpenHiHat.u20** and press the following key sequence:

Del Del P Del Del Del P Del

until you reach the end of the Track (make sure **SPC** is not turned on in the **EDIT** panel). There should be the note E-3 entered on line numbers 002, 006, 010, 014, 018, 022, 026, 030, 034, 038, 042, 046, 050, 054, 058 and 062. Now choose sample number **06 SnareDrum.u20** and move the edit cursor to the fourth column. Enter the note E-3 by pressing the **P** key on the following lines: 004, 009, 012, 020, 025, 028, 036, 041, 044, 052, 057, 060, 062, 063. You can use the **Del** key or the down arrow cursor key to create the spaces.

Finally we're going to add a bass part. We want to copy the Block

again to keep the drums playing. There's a quick way to do this from the **BLOCK** panel. First click on the **BLOCK: COPY** gadget, then select the **NEW BLOCK** gadget in the

bottom left of the panel. Move to the new block (003) using the numbers on the status panel and click on the **BLOCK: PASTE** gadget. We've used all the available Tracks in four-track mode, so we have to create some more Tracks for our bass part. You will notice a change in the quality of the sound when adding more than four Tracks.

To make this block an eight-track block, first go to the **BLOCK** panel

and click on **TRKS: 8**. There are now eight columns in the Block, but you can still only play four at a time. To increase the number of channels available for playing tracks, go to the **PLAY** panel and click on the **CHANNELS: 5** gadget. A message in the message bar at the top of the screen asks you if you want to halve your samples. Answer no (press the **N** key). We can now add a bass part to the drums. The tempo is reduced as a result of this operation. In the **PLAY** panel change the secondary tempo to 05 to bring it back to normal speed.

Choose sample number **02 SlapBass**. Go to the **EDIT** panel, click on **SPC** and change the number in the box next to it to 2. Move the cursor to the top of the fifth column in the main display and type the following key sequence on the Amiga keyboard:

C Del C Del B C Del Del M N Del B Del G.

This should take you up to line 026. Drag-select lines 000 to 026 using the right mouse button. Go to the **RANGE** panel, select the **COPY** gadget. Now move the cursor to line 032 and click on **PASTE**. Go to the **PLAY** panel and click on **PLAY BLOCK** to hear the resulting bass line in time with the music.

Finally, we're going to create a song by putting together all the Blocks we've used so far. Go to the **PLAY** panel by clicking on the **PLAY** gadget. To the far left of the panel is the play sequence window, which is where you string together Blocks to make a song. There is only one entry in the window at the moment, 000. Click on the down arrow gadget right next to the window to move down a line, then click on **INS** and + to insert a new block and increase its number to 001. Click on the down arrow again, select **INS** and hit + twice to increase the third block in the list to 002. By the same method add two lots of block 003. The window should now read:

000
001
002
003
003

Now click on **PLAY SONG** to hear the blocks played in the specified order.

This is obviously a very simple example of putting a song together on OctaMED, but with luck it's given you an idea of how to work with the program. Next month we'll be looking in more detail at some of the features in OctaMED. You'll find full documentation of the program in the *Read Me* file on the disk if you can't wait. Experiment with the features to see what you can do. Until next month, happy tracking.

Pump up the volume

Want more on music from your favourite monthly? Then tune in to the perfect companion magazine...



...Future Music offers the latest lowdown on music for your machine, every month.


Reviews, tips, tutorials, the top stars – everything you expect from your favourite computer mag, but with music as the message.

Don't miss this all-star double-act. Buy **Future Music** – issue 8 on sale NOW!

Future
PUBLISHING

Your guarantee of value

20/20 vision



Following the success of their VLab digitisers, MacroSystem have come up with another potential winner. It's a display card called *Retina*, for owners of Amiga 1500, 2000, 3000 and 4000s who want to display images in formats up to 24-bit and in screen resolutions of up to 2,400 x 1,200.

A4000s may have AGA, but, good as HAM8 is, it still isn't up to the 24-bit quality which many pro-level users require. For the others, even adding one of the proprietary third-party deinterlacers such as Microway's *Flicker-Fixer* card, or using the A3000's built-in hardware, still doesn't permit 24-bit images to be displayed. Adding a *Retina* card (apparently pronounced "Ret-ee-na") does, and offers a lot more besides.

THE HARDWARE

Retina is a three-quarter length card which fits into one of the Amiga's 100-pin Zorro II/III slots and connects to a monitor via a 15-pin VGA-type connector. It doesn't provide a composite (or YC) video output directly. It outputs horizontal frequencies between 15.6kHz and 44kHz and vertical frequencies from 50Hz to 100Hz, so it can be used with a very wide range of monitors – from cheap VGAs to top-of-the-range multisyncs. It can even work with Commodore 1081/1084 monitors (or equivalents), though a special lead is required.

Because *Retina* is independent of the standard Amiga RGB output

and can be used simultaneously with it (plus any video card you may have installed), a second monitor could also be attached to the Amiga to run applications which perform more effectively on a dedicated Amiga screen. Whether a particular screen is displayed on a *Retina* or Amiga output is fully programmable from within *Retina*'s software. Up to four *Retinas* can be installed at once in a machine, each with its own outputs.

Retina comes fitted with either 1,

The Amiga is renowned for its graphics capabilities, but if you want even more, the *Retina* card could give you up to 24-bit images and 2,400 x 1,200 pixel displays. Gary Whiteley looks into it.


animation on flicker-free screens to be achieved (though double-buffered animation is still to be implemented).

THE SOFTWARE

Two disks of software are provided. One contains all the *Retina* software, the other *VDPaint*, a 24-bit paint program in an exclusive version for the *Retina* (see the box on page 99).

Before the *Retina* can be used, its software has to be installed (preferably on hard disk) and then

24-bit display modes, either as individual settings or from "groups" which hold a family of settings from which the best choice under the prevailing circumstances will automatically be made. Then you run *RetinaEmu* (not a large flightless bird but *Retina*'s own Workbench emulator), load a program and set the resolution and screen refresh rates you require for that program's window(s). (The screen refresh rates are vital especially for graphics: if the



It doesn't look like much, but this window is the nerve centre of *RetinaEmu*, *Retina*'s Workbench emulator.

2 or 4Mb of its own exclusive 32-bit display RAM, and the 1Mb and 2Mb cards can easily be expanded to 4Mb later by swapping the installed 1Mb ZIP RAM chips for 4Mb ZIPs. 2Mb is ample for displaying hi-res screens, especially in 24-bit (remember that large 24-bit images are often over 1Mb in size); 4Mb permits more *Retina* screens to be opened at once as well as full double-buffered

configured for use. This can be a bit complex, and a fair amount of trial and error is necessary before you begin to understand what is going on. The skimpy manual doesn't help that much either.

The first stage is to choose the appropriate monitor type from the extensive list provided in the *Retina-ScreenMode* program. Next you choose the sizes for 8-bit, 16-bit and



This 1,000 x 512 8-colour Workbench shows how much a large screen can hold – and it is absolutely flicker-free.

display isn't updated fast enough, changes can seem to have had no effect.) Finally you close the program and rerun it to make sure the display is what you require. This all takes some experimentation, but once you're happy, all the settings can be saved so that any individual program listed in the file will open correctly on subsequent occasions. Like normal Amiga multitasking, *RetinaEmu* lets you have as many applications open as memory allows.

Displaying existing images with *Retina* is simple – just drag an image icon onto the *RetinaDisplay* window and, if *Retina* can handle the format, it will be opened on an appropriate *Retina* display. All standard IFF formats are supported (including HAM8 and 24-bit files) but not JPEG or GIF files, though I understand that JPEG conversion will be available soon – and perhaps even GIF.

JARGON BUSTING • JARGON BUSTING

Deinterlacer – Hardware to remove the visual flicker from a computer display by physically doubling the number of horizontal lines and the display frequency. Requires a multisync monitor.

Digitiser – Hardware for capturing video images into a computer.

Double-buffering – The use of two rapidly-alternating

display buffers to present the illusion of smooth animation, so long as the loading rate is fast enough.

Multisync monitor – A monitor capable of working at higher frequencies than standard video monitors, giving higher-quality, higher-resolution, flicker-free displays.

24-bit graphics – The use and production of high-quality images which can contain up to 16.7 million colours.

RetinaDisplay is theoretically capable of playing back animations – and smoothly double-buffering them with the 4Mb version. Trouble is, the software can't handle it – yet. While it is easy to display sequences of IFF images in a page-flipping fashion, only the unusual *SunRaster* 8-bit format (unusual on an Amiga, at least) can currently be used to produce double-buffered animation, but I wasn't able to test this out.

INTEGRATED

Retina integrates well with several professional Amiga packages. In addition to providing a direct 24-bit display for MacroSystem's own *VLab* digitisers (and mono or colour real-time monitors for it as well), *Retina* comes supplied with a saver for *Art Department Professional*, enabling any image in *ADPro*'s buffer to be displayed directly on the *Retina*. An *ADPro* loader for MacroSystem's YUVN image format is also supplied, making the conversion of the YUVN files grabbed by *VLab* that much easier. And if that's not enough, a direct link from *ADPro* to *VLab* is provided to directly control *VLab*, grab images and port them straight to *ADPro* for further processing.

There's also a display module which enables a buffer from Black Belt's *ImageMaster* to be displayed on the *Retina* – though I thought this was rather poorly done.

Lastly, an emulation of Amiga Centre Scotland's *Harlequin* card is provided as a library, so any program which can use the *Harlequin* for display can now use *Retina* instead – and completely automatically.

In contrast to some companies, MacroSystem are keen to encourage new applications to be written for their products, so they provide free developer support with all their hardware and software. If only more companies would follow suit...

SOFTWARE PROBLEMS

Several programs didn't behave as I would have expected, including Black Belt's *ImageMaster*, GVP's *ImageFX* and Scala's *Scala MM210*. All work normally under ordinary Amiga conditions, but when run via *Retina* their menu screens mysteriously migrate to the very top of the screen, rather than taking up their usual lower screen positions. The effect is that any images for editing or display become obscured, rendering the software quite useless. The problems seem to occur because such programs open up several screen levels which overlay each other, often in different resolutions.

LIE BACK AND THINK OF DPAINT...

VDPaint (an unfortunate name, though undoubtedly meaningless in its native Germany) is supplied as a bonus with *Retina*. Supposedly worth \$500 if sold separately, *VDPaint* is a well-appointed, though slightly idiosyncratic, 24-bit paint program which runs directly on a *Retina* display. It has all the tools you'd expect from any paint program worth its salt – and then some.

The first problem is working out what does what – the screen icons are tiny and the manual is in German. The second is that the tool requester obstinately plonks itself in the middle of the screen and has to be entered and exited every time you want to change tools and carry on sketching. There are keyboard shortcuts for everything though, so by careful study of the right bits of the manual it is possible to work out what each key does and find your way around without too much trouble.

VDPaint can load and save a variety of files – 24-bit,

JPEG, IFF, PPM (for PCs) and HAM8 – and can access any *VLab* digitiser, grabbing straight to its workscreen for instant results. It can also do useful things like add drop shadows to brushes, anti-alias text (and also drop-shadow and outline it), set brush edge transparency, draw with colour cycling (though not "animate" it) and do quite a lot of other good things too.

Everything seems to work well enough and, while *VDPaint* isn't quite the fastest 24-bit paint program around, it is definitely worth getting for free – though I wouldn't be too keen on paying the quoted price of \$500 (that's about £330).

VDPaint isn't perfect and in my opinion it doesn't quite measure up to either *TVPaint* or *OpalPaint* (both of which come "free" with certain other graphics cards) but there's no doubting that it is indeed a very valuable bonus, particularly considering the cost of the card.

The Amiga can handle this, but *Retina* apparently cannot, though MacroSystem are reported to be well on the way to fixing this and several other peculiarities.

Programs which take over the operating system (such as many games) will also not work, and applications such as *Broadcast Titler* 2 also fail to run. A small program (*RetinaIRQ*) is supplied in an attempt to fix some of these problems, but it

impressive screen display capabilities with very fast updating – significantly faster than the normal Amiga display on my Amiga 2000. For instance, running *Professional Page 4.0A* on a *Retina*, screen redraw under high magnification was very good, even with colour screens at 900 x 512 resolution (or more), though unsurprisingly some "flicker" was still apparent on both monitors – though I suspect this was

interference patterning rather than true flicker.

For Workbench applications I tried setting up a 1,280 x 566 Workbench on the 15.6kHz/50Hz Commodore 1084 monitor as well as 1,280 x 1,024 (at 31.2kHz/50Hz) and 1,280 x 1,024 (at 38kHz/70Hz) on the NEC II multisync monitor. The results were sharp and readable, making a single screen able to display much more visual information than usual. On the multisync, the results were no less than stunning.

As far as transparency of use goes, once you've got the various displays for the programs you use set as you want them, *Retina* is virtually undetectable. To all intents and purposes the machine behaves exactly like a "normal" Amiga – except for the noticeably improved


displays, of course.

Mind you, *Retina* probably won't work with most games (and other programs) which override AmigaDOS, and it isn't at all happy with programs that output and overlay several screens at once. But for graphics, CAD, DTP and top-level display purposes, *Retina* provides an excellent screen display, particularly when teamed with a capable multisync monitor. **AS**

REQUIREMENTS

Amiga 1500, 2000, 3000 or 4000. At least 1Mb of Chip RAM, 2Mb (or preferably more) of Fast RAM (5Mb for *VDPaint*), AmigaDOS 2.0 or greater. A hard disk is, as usual, recommended for these kinds of graphics applications. A monitor capable of multisync display is also recommended, though a standard Commodore 1081/1084-type monitor can be used.

Gary Whiteley can be contacted over email as drgaz@cix.compulink.co.uk.



Setting up for your monitor is no problem. About 66 are pre-set, or you can build your own display settings.

didn't do anything for the applications I tried it on. (Mind you, I don't have any suitable games...)

Impressively, most other programs I ran through *Retina* worked fine – from my *Transwrite* word-cruncher to utilities such as *GrabIFF*, though I'm afraid there isn't room to print a list. Yet again, trial and error is the key.

WHY BUY RETINA?

There are as many reasons for buying a *Retina* as the screen modes and monitors it supports. Some folks will buy it purely for its ability to display 24-bit graphics, others for displaying their software on large format hi-res screens with a rock-steady display – perfect for CAD, DTP or other display-critical applications.

In operation the 4Mb *Retina* I tested ran very well, combining

SHOPPING LIST

Retina display card, by MacroSystem.
1Mb RAM version £345
2Mb RAM version £409
4Mb RAM version £499

From Amiga Centre Scotland, Harlequin House, Walkerburn, Peeblesshire, Scotland, EH43 6AZ.
☎ 0896 87583.
Fax: 0896 87456.

CHECKOUT RETINA

Flexibility

With a wide range of monitors and display modes to select from, any monitor in the world should work with *Retina*. ●●●●●

Documentation

A mixed bag: *Retina*'s (quite thin) manual is in English; the *VDPaint* manual, most of the updates and doc files are in German. ●●●○○

Ease of Use


Initially confusing, both to set up and use. Gradually begins to make sense, though a fuller manual would help a lot. ●●●○○

Price

Very competitive for clearer, faster, higher-res displays and a 24-bit paint program. ●●●●○

Overall rating

Something for everyone, no matter what your needs and what Amiga you use. ●●●●○

**COMMODORE
386 BRIDGEBOARD**For 1500/2000
ONLY £219.00**GOLDEN GATE
386/25
BRIDGEBOARD**FOR 1500/2000/3000
ONLY £279.00Open Monday to
Saturday 9am - 6pm
Callers and Mail
Order Welcome
Easy Parking**KCS POWERBOARD
PC EMULATOR
For Amiga A500
PLUS
ONLY £79.00****GVP / SUPRA
HARD DRIVE
POWER SUPPLIES
ONLY £55.00****GVP SERIES II
1500/2000
120Mb Maxtor
Space for 8m RAM
£379.00****ROCGEN PLUS
GENLOCK
£119.00****HITACHI
VIDEO
CAMERA
£169.00****XT BRIDGEBOARD
1500/2000
£49.00****CLEARANCE OF EX DEMO STOCK
HARDWARE AND SOFTWARE
AT BELOW COST PRICE
SEND S.A.E. FOR LIST.****HARDWARE**

1500/2000 INTERNAL GENLOCK.....	£35.00
AT ONCE IBM EMULATOR.....	£49.00
PHILIPS MONITOR SPARES OR REPAIR.....	£39.00
ROCGEN GENLOCK.....	£73.00
SUPRA A500 52 MEG HARD DRIVE.....	£229.00

**AMIGA A4000
6M RAM
120M HD
£2150.00****AMIGA A600 PACKS**

Wild, Weird, Wicked Pack	£319
Cartoon Classic Pack	£299
Epic Pack	£479
Standard Pack	£279

SOFTWARE

CROSS DOS V5.....	£39.00	AMOS PROFESSIONAL	£45.99
AMOS + EXTRAS	£32.00	EASY AMOS	£24.00
PRO-WRITE.....	£19.00	PRO-WRITE V3.2	£59.00
VIDI 12	£79.00		
KIND WORDS V3	£39.00	PHOTON PAINT 2	£12.00
PAGESETTER V3	£52.00	DESIGN WORKS	£39.00
PAGESTREAM V2.2	£151.00	DOS 2 DOS	£28.00
PAGESTREAM FONTS.....	£49.00	O/BACK TOOLS.....	£39.00
FINAL COPY 1	£19.00	AMIGA VISION	£19.00
TRANSWRITE	£19.00	AMI-BACK	£25.00
ADORAGE Effects Generator	£45.00		
PEN PAL V1.5. excellent easy to use word processor	£39.00		
K DATA DATABASE.....	£9.95		
ART DEPARTMENT PROFESSIONAL	£135.00		
BROADCAST TITLER 2	£119.00		
DIGI VIEW GOLD MEDIA STATION.....	£59.00		
SUPRA GP FAX MODEM SOFTWARE	£29.00		
PROJECT D DISK COPIER.....	£8.99		
3D CONSTRUCTION KIT	£25.00		
HOMEBASE DATABASE	£9.95		
IBM EMULATOR Emulates a PC on the Amiga	£39.00		
MINI OFFICE Integrated Package	£39.00		
THE DIRECTOR Animation Package	£21.00		
PROFESSIONAL PAGE V3.00	£69.00		
HOME ACCOUNTS 1	£9.95		
GFA BASIC 3.5 Interpreter.....	£7.95		

TYPE SMITH.....£105.00

Publishers Choice, Kind Words, Pagesetter, Clip Art.....£20.00
All In One Word Processor, Music, Midi, Paint.....£29.00**MEMORY**

ROM 1.3/V2.0 Sharer by Keyboard reset (Rom 1.3).....	£22.00
ROM 1.3/V2.0 Sharer by switch	£12.00
A500 512k with clock	£29.00
A500+ 1Mb	£15.00
A600 1Mb	£47.00

HARDWARE

HARD DRIVE MOUNTING KIT FOR GVPS.....	£29.00
FRAMEGRABBER 256 Real Time Video Capture.....	£249.00
A570 CD ROM FOR A500	£129.00
VIDI COMPLETE COLOUR SOLUTION.....	£59.00
PCMCIA Card 2Mb for A600 or A1200 (16 bit).....	£109.00
PCMCIA Card 4Mb for A600 or A1200 (16 bit).....	£159.00
AMIGA 3000 52Mb HD 2 Megs Ram.....	£879.00
DCTV 24 Bit Graphics Board.....	£329.00
GOLDEN GATE MONITOR STATION.....	£49.00
AMIGA A1500 Workbench 2	£389.00
AT ONE PLUS	£99.00
240 Meg SCSI Quantum Hard Drive	£209.00
120 Meg SCSI Hard Drive Maxtor.....	£279.00
80 Meg SCSI Quantum Hard Drive	£419.00
GENLOCK	£55.00
A530 GVP 40MHz, 120 Meg Hard Drive, 1 Meg RAM	£729.00
Microphone for Sampling	£9.00
Cordless Microphone.....	£29.00
40 Mhz Co-Pro for A530 GVP	£189.00
4 meg 32 Bit RAM for GVP A530	£149.00
Rendale SVHS 8806 Genlock.....	£249.00

PRINTERS

STAR LC20 9 pin mono inc. free lead.....	£132.00
CITIZEN PROJET Inkjet mono printer inc. free lead	£299.00
HP DESKJET 550 COLOUR Inkjet inc. free lead	£535.00
CITIZEN SWIFT 9 COLOUR 9 pin colour printer inc. free lead.....	£175.00
CITIZEN Semi Automatic sheet Feeder.....	£12.00
STARJET SJ48 bubble jet printer inc. free lead	£215.00
HP DESKJET 500 Inkjet inc. free lead	£349.00
HP DESKJET 500 COLOUR Inkjet inc lead	£425.00
CITIZEN 200 COLOUR 24 pin printer inc. free lead	£239.00

MODEMS & FAX

Supra 14400 Fax Modem v32 bis inc. comms software	£315.00
---------------------------------------------------------	---------

ACCELERATORS

68881 25Mhz Co-Pro For Microbotics VXL ACC.....	£35.00
68882 25Mhz Co-Pro For Microbotics VXL ACC.....	£69.00
Microbotics Accelerator VXL 40 Mhz	£229.00
Microbotics Accelerator VXL 25Mhz	£169.00
Speed Merchant Doubles Amiga A500 Speed.....	£79.00
GVP 68030 25Mhz WITH 1 MEG RAM	£454.00

HOW TO ORDER:
Either call our number
below with your credit
card details, or send
cheque/PO or credit
card details to our
address. Cheques made
payable to
THE 16 BIT CENTRE
Prices subject to change without
notification.**All prices include VAT and Courier Service****16 BIT CENTRE**Units 15-17,
Lancashire Fittings Science Village
Claro Road, Harrogate HG1 4AF**Tel (0423) 531822/526322****IMPORTANT NOTICE**
Although every effort is
made to ensure the
prices are correct, we
recommend calling for
confirmation prior to any
order.**VISA**

Access

Find your local group

**There's sure to be a group of Amiga users near you!
If your group isn't here, just send in the form below**

1-1 Amiga Club Postal software, ideas etc. SAE plus blank disk for details. Contact Peter Duckett, 11 Avon Close, Addlestone, Surrey KT15 1JO ☎ 0932 855834 after 8pm. Membership free.

1520 Plotter Group (ICPUG) John Bentley ☎ 06286 65932.

16-32 Micro Programming AMOS, bimonthly fanzine, PD, (Fish→590). Membership 100FF or £10. Contact F Moreau, 132 rue Jean Follain, 50000 Saint-Lo, France ☎ 315220 02.

24-bit Club For users of Video Toaster, OpalVision, DCTV and AGA machines, *Imagine 2*, *Lightwave* and other 3D modelling software. Contact Gordon Keenan, 24-bit Club, 6 Skirsa Square, Floor 1, Glasgow G23. Send stamp for details. Membership £20 a year.

Action Replay Users Club For help, tips, lists of pokes. Free. For more details contact Gordon Hagan, 66 Muirside Avenue, Kirkintilloch, Glasgow G66 3PR.

Aden PD Advice and AMOS for beginners, cheats. Free membership. SAE plus disk to Den Round- ing, 8 Primrose Lane, Miami Beach, Trusthorpe Road, Sutton-on-Sea, Lincs LN12 2JZ.

Alibit Computer Club General hints and tips, advice, competitions, draws, shop. Entrance fee £1.50. Contact Mick, 170 Cloughton Ave, Crewe, Cheshire CW2 6ET.

Amiga Addicts Newsletter and open nights. For info SAE to A Minnock, Clonkelly, Binn, Co Offaly, Ireland.

Amiga Artists Club 34 Roundhay Mount, Leeds LS8 4DW. For Amiga artists, musicians and coders. Pirates not welcome. Free. ☎ Kam on 0532 493942, 5-8pm.

Amiga Athens club PD swaps, tips, cheats etc. Free membership, just new PD or tips in exchange for our services. Contact Stefanos Pami- michael, 9 Derfeld Rd, Patisia, 11144 Athens, Greece ☎ 01/2027973.

AmigaBASIC club Free bi-monthly disk, help for beginners and experts. Membership £10/year. Contact: Conran Ahmad, 15 Weybridge Rd, Thorn- ton Heath, Surrey CR7 7LN ☎ 081 689 9102.

Amiga Boatowners All things nautical, WHY ex- change, nautical aid programs etc. Free mem- bership, send SAE to D Beet for details. Lock, Branston Fen, Lincolnshire LN3 5UN.

Amiga Club Newsletter, disks, PD etc. £10 mem- bership. Send SAE for details to Imp, 190 Fallo- den Way, Hampstead Garden Suburb, London NW11 6SE ☎ 081 455 1626.

Amiga Graphics Club I want to set one up! But to do so, I need your help. If enough of you reply, your graphics can only benefit. For details you should write to Jonathan McBrien, 16 Drumbawn, Enniskillen, Fermanagh BT74 6NF.

Amiga Helpline Software/hardware help service, free access to PD, DTP fonts and clip-art, plus general chit-chat. Send a stamp for full details. Contact Gordon Keenan, Amiga Helpline, 6 Skirsa Square, Glasgow G23. Membership £20 per year.

Amiga Mania Bi-monthly publication (28+ pages). Public domain, licenseware, bargains, classifieds, free advice, free gifts, free disks. Annual mem- bership £12. Contact D Cryer, 88 Blackbull Rd, Folkestone, Kent CT19 5QX.

Amiga Maniacs Help Graphics, sound, WB, pro- gramming, help. Beginners welcome. Free mem- bership (by post). Contact Johnny, 8 Tan-y-Grais, Caernarfon Rd, Bangor LL57 4SD.

Amiga Musicians Club Membership gets you a disk with 50 IFF samples a month for 12 months. Also sample service. Membership £30. Contact Gavin Wylie, Guthrie Street, Carnoustie, Angus.

Amiga Navigation Contact Dave Thomas 4a, Allis- ter St, Neath, W Glamorgan. PD, advice, even small repairs and social evenings. Weds 7-9pm. Membership £10 per year.

Amiga Network International 2 monthly club disk, reviews, advice. For info contact Phil or Steve: 434 Denby Dale Rd East, Wakefield, W Yorks WF4 3AE.

Amiga Utd Disk based, reviews, competitions, help service, BBS, games and utils. Contact D

Collingwood, 14 Linden Close, Hutton Rudley, Yarm, Cleveland TS15 0HX. £10 a year.

Amiga Users Group - Luton Help, advice, swap- ping PD, exchange and discounts on software and hardware, monthly newsletter. Membership £5 per year. Contact Dave ☎ 0582 502806.

Amiga Users Klub Meets every Friday from 6.30- 9pm, to expand members' knowledge of Amiga and to help solve people's problems. Contact Jack Talling, Windsor House, 19 Castle St, Bod- min, Cornwall PL31 2DX.

Amiga Video Producers' Group Disk magazine five times a year; meets quarterly in Swindon. Ob- ject library for mainstream Amiga 3D programs (*Imagine*, *Sculpt*, *VideoScape*, etc). For info SAE to J Stratton, 8 Rochford Cl, Grange Park, Swin- don, Wilts SN5 6AB ☎ 0793 870667 before 9pm. Membership fee £10 a year.

Amiga Witham Users Group 85 Highfields Rd, Witham, Essex CM8 1LW. Tips and Basic pro- grams. K Anderson ☎ 0376 518271.

Amigaholics Club Disk magazine covers PD, pro- gramming, music, art, DTP, and more. Free mem- bership. Contact Kevin Bryan, 49 Coutts House, Charlton, London SE7 7AS ☎ 071-580 2000 Ext 240.

AmigaSoc PD, tips, cheats, MIDI, programming, disk magazine, all welcome. Free membership. Contact Neil Cartwright, 17 St Winefrides Ave, Manor Park, London E12 6HQ ☎ 018 553 5434;

Amiga Users Group Part 2 Advice, technical sup- port, BBS, PD library, tuition, etc. Contact Andy Wilkinson, 25 Glen Eldon Road, Lytham St Annes, Lancashire FY8 2AX ☎ 0253 724607. Free mem- bership.

Ami-Info Interested in the serious side of the Amiga? Then send an SAE for details to Paul Ca- parman, Homeside, Higher Warberry Road, Torquay, Devon TQ1 1SF.

AMOS Programmer Club Free membership, swap AMOS programs and PD, disk magazine and help for new users. Contact Gareth Downes-Powell, 6 Brassey Avenue, Broadstairs, Kent CT10 2DS.

AMOS Programmers Exchange Free mem- bership. Swapping software and ideas. Help avail- able. J Lanning, 7 Majestic Rd, Hatch Warren, Basingstoke, Hants RG22 4XD.

AMOS Programmers Group John Mullen at 62 Lonssdale St, Workington, Cumbria CA14 2YD. Hints, tips, tutorials too. SAE for info. £10 mem- bership for bi-monthly disk mag.

Angus Amiga CDTV club Contact J Robertson, 22a High St, Brechin, Angus DD9 6ER ☎ 0356 623072. Review software, discuss anything Amiga. Free membership.

APDEG (Amiga Public Domain Exchange Group) Laser printing service, free PD, advice service, util disks for members, PD swaps. Contact Richard Brown, APDEG, 18 High Street, Mundesley, Nor- folk NR11 8AE ☎ 0263 720868. Membership fee £6 a year.

Artman News, views, reviews, free PD for your ar- ticles. Free membership. Send blank disk plus SAE for free disk mag and two free games to A Greenwood, 40 Northwell Gate, Otley, West Yorks LS21 2DN ☎ 0943 466476.

Asia Amiga Association Newsletter, PD, informa- tion, advice, ideas, exchanges. Membership HK\$250 per annum. For more info contact Pete Alex, Room 11c, Fortune Court, 4-6 Tak Hing St, Kowloon, Hong Kong ☎ 7245196.

Astro PD Send SAE and blank disk for catalogue. Help and advice also available. Contact D Ben- son, 3 Skiddaw Court, Nunthorpe, Middlesbrough, Cleveland TS7 0RD.

Atlantic Wave BBS 100s of files for download. DTP, clip art, graphics, utilities. First 200 mem- bers get unlimited downloads for life. Free mem- bership. Message areas ranging from sport to cookery. All Amiga BBS. Call 0462 481745 (300 - 2400 baud 8N1) 24 hours a day.

AUGFL vzw Bi-monthly newsletter, PD, distribu- tion & support of Belgian programs, registration- site, tips. 750 Bfr/year membership. Contact Lieve- ma, Meesberg 13, 3220 Holsbeek, Bel- gium.

Avon Micro Computer Serious Club The first Sun- day night of each month 1900-2200, members 50p guests £1. Centre For The Deaf, 16-18 King Square, Bristol BS2 8JL Fax: 0272 311642.

BASIC Programmers' Group 68 Queen Elizabeth Dr, Normanton, West Yorks WF6 1JF. Encourages the use of BASIC, exchanges ideas and assists beginners to the language. Free newsletter Mark Blackall ☎ 0924 892106.

Batty's PD Everything to do with PD - friendly help and advice. Contact Ian or Lynn Battison, 7 Denmark Road, Northampton NN1 5QR ☎ 0604 224456. Membership £3.99 for life.

Beaconsfield and District CC Contact Philip Lish- man 27 Russell Court, Chesham, Bucks ☎ 0494 782298. Meetings at St Michaels Hall, St Michaels Green, Beaconsfield 7.45-9.45pm. Pro- gramming, gaming swapping PD, having fun. Membership £10 for 6 months.

Bible Bureau Online scripture output and informal bible study. Quarterly meetings, membership £5 quarterly. Contact AD, 24 Brodie House, 10 Har- court Avenue, Wallington, Surrey SM6 8AR ☎ 081 669 7485.

Bloomfield Video and Computing Beginners, video techniques. Meetings at Bloomfield Com- munity Centre, Narberth, 7.30pm alternate Tues- days. Membership £5. Contact Mrs Beryl Hughes, Nashville, 50 Glyndel, Carmarthen, Dyfed SA31 2EX ☎ 0267 237522.

Bournemouth Amiga Club Problems, fun, social beginners welcome. Free. Contact P Chamberlain, 36 Homeoaks, 30 Wimborne Road, Bournemouth, Dorset BH2 6QA ☎ 0202 296714.

BR & CJ Computer Club Regular disk mag packed with tips, reviews of games and serious software, game cheats database, demos and utils, very large PD library. Contact B Robinson at 23 Fairway Rd, Shepshe, Loughborough, Leices- tershire LE12 9DS ☎ 0392 72889 or 03922 841296. Membership fee £1.25.

Bristol Amiga Club wants new or novice mem- bers. Help service, PD, games and utilities avail- able. Free membership. Contact Chris Wiles at 3

Parkstone Avenue, Horfield, Bristol BS7 0BX ☎ 0272 512052.

Cacophony (Unlimited) Aims to create quality PD with AMOS and others. Help given. Mark Wickson, 49 Perrott Close, North Leigh, Witney, Oxon OX8 6RU.

Camberley User Group Lectures, competitions, advice, meetings, free membership. For more info contact F Wellbelove ☎ 0252 871545.

Cambridge Sixty-Eight Group (CASE) SuperBa- sic, QDos, QL Emulator and QL software support on Amigas (serious users only). Meets 7.30pm, second Monday of each month, at Robinson Hall, Lolworth, Cambridge. Contact EPL Rowell, 347 St Neots Road, Hardwick, Cambridge CB3 7QL ☎ 0954 210692.

CDTV User Group Newsletter, reviews, advice, helpline, CD swaps. Membership fee £4.99. Con- tact Gary Ogden, 50 Averill Road, Highfields, Stafford ST17 9XX ☎ 0785 227059.

CDTV Users Club Technical support, news, com- piling compatible software list. Free membership - just send SAE. Contact Julian Lavanini, 113 Fouracres Rd, Newall Green, Manchester M23 8ES.

Champion PD Club PD at 30p, newsletters, ad- vice, help and more. Membership £10. Contact Steve Pickett, 31 Somerset Close, Catterick, N Yorkshire DL9 3HE.

Cheapo PD Club Non-profit making postal PD, newsletters, advice. Membership £5. Contact Jason Meachen, Ivy Cottage, Chapel Road, Beau- mont, Clacton, Essex CO16 0AR.

Chester-le-Street 16-Bit Computer Club Ex- change advice and swap tips. Meets Mondays from 7.30-9.30pm, Ground floor function suite, The Civic Centre, Newcastle Rd, Chester-le- Street. Contact Peter Mears ☎ 091 385 2939.

Chic Computer Club Full details with an SAE to STAMP, Chic Computer Club, PO Box 121, Ger- rards Cross, Bucks. For info contact Steve Winter ☎ 0753 884473.

CHUD Free membership. Send SAE for details to Mr M Sellars, 103 Newward Rd, Bulford, Salis- bury, Wilts SP4 9AH ☎ 0980 33154.

Club 68000 Competitions, programming, music. Meets Harrogate Leisure Centre, Mondays

GET YOURSELF LISTED

If you run a user group which isn't listed on this page, fill in the form below for your free entry. Send it to **Amiga Shopper User Groups List, 30 Monmouth Street, Bath BA1 2BW**. We reserve the right to refuse entries.

AS27

Group name

Type of activities

Place of meetings

Time of meetings

Contact name

Contact telephone number

Contact address

Membership fee

USER GROUPS

6.15pm-10pm. SAE to Chris Hughes, 59 Walton Park, Pannal, Harrogate, N Yorks HG3 1EJ ☎ 0423 891910.

Club Amiga £10 a year for PD and a 24-hr helpline (091 385 2627). For more info send SAE to Chris Longley, 5 Bowes Lea, Shiny Row, Houghton Le Spring, Tyne and Wear.

Club Futura Advice to programmers and beginners. Send SAE for info to G Holland, 16 Hermitston, Monkseaton, Whitley Bay, Tyne & Wear NE25 9AN.

Comp-U-Pal Australian group for users in the out-back. Newsletter, helpline, PD library. Membership A\$24. Comp-U-Pal, 116 Macarthur Street, Sale, Victoria 3850, Australia.

Computeque From beginner to advanced user. Meets 7.45pm-10.30 pm every Tuesday at Inskip Meeting Hall, Ashurst, Skelmersdale, Lancs. Contact Steve Lalley ☎ 0695 31378. Half year membership £2.50 children, £3 adults

Computer Club A 16-bit club dedicated to being computer enthusiasts. Membership costs £15 per year. Contact 16 Laton Rd, Hastings, East Sussex ☎ 0424 421480.

Coventry and Works Commodore Computer Club Self-help, PD library, guest speakers, newsletter. Meets Christ the King Community Centre, West Hill Road, Coventry. Contact Will Light, 22 Ivybridge Road, Coventry, West Mid ☎ 0203 413511.

Danish AMOS user group Bimonthly disk mag, £2 each, PD library. SAE for info. Contact Tom Poulsen, Stenmøllen 28, 2640 Hedehusene, DK Denmark ☎ 42 16 54 84.

Darlington Commodore Users Club News, discounts, cheap PD, advice, newsletter and more. Annual membership £5. Contact S Wheatley, 1 Ruby St, Darlington, County Durham DL3 0EN.

Deluxe Cheats Disk User Group Software advice. Updates every 2 months! £4 for disk, £2 for updates. Contact Steven Frew, 96 Campden Green, Solihull, West Midlands B92 8HG.

East Midlands Amiga User Group Self-help group for beginners and experienced users. Meets Willoughby Social Club, 7-10pm every Wednesday evening. Contact Richard Haythorn, 70 Felstead Road, Aspley Estate, Nottingham ☎ 0602 298075. Membership £5 a year.

Edinburgh Amiga Group Membership £5, includes free advice and PD. Contact Neil McRea, 37 Kingsknowe Road North, Edinburgh EH14 2DE with SAE.

Enfield Amiga club Meet, swap, competitions, help for new users. For info contact Sean Clifton 32a Hoe Lane, Enfield, Middx ☎ 081 8042867

Exeter 16-bit User Group Programming. Andrew Deeley or Phil Treby at 25A Gloucestershire Rd, Exwick, Exeter, EX4 2EF. Meeting every Wednesday 7pm. Membership £6 per annum.

FST Amiga Club Bi-monthly newsletter, all types of activities. For £15 membership you receive one free commercial game plus one PD disk plus 11 further PD disks, one per month. Contact Tel or John, 17 Grasmere Close, Penistone, Sheffield, Yorks S30 6HP.

Fylde Computer Club All aspects of computing. Meets 7pm, Lostock Gardens Community Centre, 2nd and 4th Wednesday of month. £15 per year, 50p on door. Contact Colin Biss, 90 The Esplanade, Fleetwood, Lancs FY7 7BQ ☎ 0253 772502.

Game Swap Club Swap original software and hardware. Membership £3. Contact Ade Aljdahun, St Andrews House, 125 North Road, St Andrews, Bristol BS6 5AH ☎ 0272 240399

Gamer-Link International pen-pal club for gamers. Free swap service, advice on tips and cheats. Life membership £5. Contact Stu, 28 Churchfield, Ware, Herts SG12 0EP.

GFA Basic Forum Free advice on programming in GFA. Also tutorial disk for sale. Beginners and advanced users welcome. Contact J Findlay ☎ 0788 891197 or send SAE to 52 Church Rd, Braunston, Nr Daventry Northants NN11 7HQ. Free membership.

Gibraltar Amiga Users Club PD library, monthly newsletter, disk magazine, competitions, regular meetings (in the John Macintosh Hall). Membership from £6 per year. Contact David Winder, 7 Lime Tree Lodge, Montagu Gardens, Gibraltar ☎ 010 350 79918.

Hanover Computer Club DTP, PD, games, help, monthly meetings, beginners welcome. Free

membership. Contact Colin Jones, Hanover Community Centre, 33 Southover Street, Brighton, Sussex ☎ 0273 602834.

Harley's PD Swaparama Public domain swapping by mail. Contact G Varney, 140 Weston Drive, Otely, West Yorks LS21 2DJ ☎ 0943 466896.

Hereford Amiga Group Help, exchange of PD and shareware. Membership free. Contact John Macdonald, Alma Cottage, Allensmore, Hereford HR2 9AT ☎ 0981 21414.

Hermit Computer Club Hardware help and information, program swapping. Meetings 7-10pm, Mondays. Membership £3 per term, 50p per night. Contact John Maynard, Hermit Centre, Shenfield Road, Brentwood, Essex CM15 8AG ☎ 0277 218897.

Highland PD Free PD list contains lots of education, business and games disks. Free advice to beginners. Contact David Paulin, 255 Drumrossie Avenue, Inverness IU2 3SX ☎ 0463 242431.

Highlander BBS Lots of files, two CD-ROMs about to go on-line. Free membership. Contact Alan Walker, Mark Price ☎ 0452 384702 & 0452 384557, 300-14,400 speeds, 24 hours.

HTS (Malta) Free membership. Contact K Casar, Block 1 Flat, 6 H E Hal-Tmlem, Zajtun ZTN07 Malta ☎ 674023.

Hyndburn Amiga Users Club Tuition, advice, PD, and more. Meets Mondays 7pm, at the Canine Club, Accrington (£1 on the door). Contact Nigel Rigby, 7 Brecon Avenue, Oswaldtwistle, Lancashire BB5 4QS ☎ 0254 395289.

Impulse BBS Comms, files, games and chat. Contact James Norris ☎ 081 698 8978, online 10pm till 6pm the next day. 14.4 HST.

Independent Commodore Products Users Group Free PD software, 100 page journal, technical helpines and discounts. Contact the Membership Secretary, PO Box 1309, London N3 2UT ☎ 081 346 0050 after 6pm, or your local branch:
Chelmsford ☎ David Elliott 0245 460189
Coventry ☎ Will Light 0203 413511
Dublin ☎ Geoffrey Reeves 010 353 1 288 3863
Exeter ☎ John Buckle 0392 214760
Macclesfield ☎ Peter Richardson 0298 23644
Mid Thames ☎ Mike Hatt 0753 645728 (8-10pm)
Solent ☎ Anthony Dimmer 0705 254969
South East ☎ John Bickerstaff 081-651 5436
South Wales ☎ Ian Kelly 0222 513815
South West ☎ Peter Miles 0297 60339
Stevenage ☎ Brian Grainger 0438 727925
Stoke-on-Trent ☎ David Rose 0782 815589 (eve)
Watford ☎ Bob Rigby 0923 264510
West Riding ☎ Kevin Morton 0532 537318
Wigan ☎ Brian Caswell 0942 213402

In Touch Amiga Penpals, contacts, PD, swaps £2.50 per year. For more information contact P Allen, 0342 835530, PO Box 21, Lingfield, Surrey RH7 6YJ.

Kent Youth Computer Group Computer fair visits, video and DTP work, monthly newsletter. Membership 40p per month. Meetings at the North Youth Centre, Thursdays 7-10pm. Contact Jim Fanning North Youth Centre, Essella Rd, Ashford, Kent ☎ 0233 629804.

Lothian Amiga Users Group Advice and help in buying hardware, software etc, group buying, dealers' circulars welcome. Membership free. Contact Andrew Mackie, 52 Birniehill Ave, Bathgate, W Lothian EH48 2RR ☎ 0506 630509.

Magic Windows Hardware projects, programming, PD, help and advice on all topics, beginners welcome. For more info send SAE to Frame, 26 St Benets Road, Stalham, Norwich, Norfolk NR12 9DN.

Maritime Amiga Club Maritime computing, interact with seafarers ashore on Amigas. Contact CDR K Osei, GN Ships Refit Office, 51 Rue de la Bretonniere, 50105 Cherbourg, France. ☎ 33 33225447.

Marksman (Trojan Phazer user group) Promotes use of the Trojan Phazer, swaps PD and own programs, disk magazine. Contact David Green, 67 Thicket Drive, Maltby, Rotherham, S Yorkshire S66 7LB.

MED Users Group Club for all users of OctaMED. Bi-monthly disk magazine, advice, news, competitions. Contact Richard Bannister, 6 Glevum Road, Swindon, Wilts SN3 4AF. Membership free, send SAE for details.

Melton Amiga Users PD, serious, advice. No pirates. Beginners and experts welcome. Contact Stephen Mowbray, 68 Fernley Crescent, Melton Mowbray, Leics LE13 1RZ ☎ 0664 63421 (evenings only).

Navan Computer Club Software reviewing, graphics, business, news and chat. Meet various hotels in Navan, 7.30-9pm. Contact Mark Arnold, Cannistown, Navan, Co Meath, Eire ☎ 046 21078. Membership £6 per year.

N Ireland Amiga User Free PD, disk-based mag £2.50 per issue. SAE to Stephen Harner, 98 Crebilly Rd, Ballymena, Co Antrim BT42 4DS.

New Hall Amiga Users Club Games, graphics, music, Workbench programming. Meets 7pm every Tuesday, New Hall Social Club, 104 Bury Rd, Dawtenshall. Membership £5 per year, under 16s not allowed. Contact Bill Grundy, 115 Stanley St, Accrington, Lancashire ☎ 0254 385365.

Northside Amiga Group Lectures by professionals on different Amigas and associated hardware. Member demonstrations on serious software and games. Meets 8pm alternate Mondays, Donamade House, Dublin 13. Contact William Kelling, 10/A Rainsford Avenue, Dublin 8, Ireland ☎ 01 532 807.

Nothing But AMOS Help with AMOS, tutorials, monthly disk mag - £7 for 6 issues. Contact Neil Wright, 3A Riding Dene, Mickley Square, Stocksfield, Northumberland NE43 7DL.

Pascal Programmers Group Disk-based newsletter for HighSpeed Pascal users. Free membership. Contact Colin Yarnall, 93 Manchester Rd, Wilmslow, Cheshire SK9 2JQ.

Pennine Amiga Club Free membership, free advice and a newsletter. Contact Neville Armstrong, 26 Spencer Street, Keighley, West Yorkshire BD21 2BU ☎ 0535 609263.

Perth and District Amateur Computer Society General advice, talks, Amiga PD. Meetings third Tuesday in every month, 8pm. Membership £6 or free for under 16s. Contact Alastair MacPherson 137 Glasgow Rd, Perth.

Phoenix Demo Coders, musicians, artists and designers making the best demos. Free membership. Contact Frank, 46 Hall Road, Chadwell Heath, Romford, Essex, RM6 4LJ ☎ 081 597 4661.

Ray Tracers Postal club to swap ideas, objects, pictures etc for all formats. Also disk mag and help. Membership 50p. Contact Neil Hallam, 12 Meesons Mead, Rochford, Essex SS4 1RN.

Redburn Computer Users Group Help, ideas, PC, graphics and business. Meets every second Wednesday 6.30pm to 9.30pm. Contact Ruby Anderson ☎ 0294 313624.

Red Vox For musicians and artists to swap samples, modules, artwork etc. Beginners and advanced. Free membership. Send SAE to Ian Ridley, 66 Birtley Villas, Birtley, Chester-le-Street, Co Durham DH3 1HP ☎ 091 410 2228 after 6pm.

Robotronix Amiga Club Bi-monthly newsletter, tips, cheats, programming support, advice. Send SAE for details. Contact P Symonds, 36 Century Road, Cobholm, Gt Yarmouth, Norfolk NR31 0BX ☎ 0493 667161, Membership £15 a year.

Royal Air Force Amiga Club Loads of new PD. Meets 1900-2000 hours, Thursdays, Blk 35, Room 40. Send 10 of your PD disks plus 2 x 24p stamps to Stan Young, HMF RAF Laarbruch, BFPO 43 ☎ 445.

Rye Amiga Group Regular newsletter, swap/meet at the Rye Community Centre. Contact Oliver Campion, 71 The Mint, Rye, E Sussex TN31 7EW ☎ 0797 222876.

Shropshire Amiga Link Advice, monthly disk mag, PD. Free membership. Contact N Cockayne, 2 Dodmoor Grange, Randlay, Telford, Shropshire TF3 2AW ☎ 0952 591376.

Sid The Kid Amiga Information on the Amiga 500, Plus, 1200. Free membership. Contact Sid Reeves, 75 Blossomfield Road, Solihull B91 1SA ☎ 021 705 8619.

Sittingbourne Co-op Computer Club Programming, PD, games, free write-in advice service. £10/year, £5 unwaged. Meetings Mondays 6-9pm at Mall beneath Regis Suite. Contact Andy, Unit 11, The Mall, 121-127 East Street, Sittingbourne, Kent ME10 4AQ ☎ 0795 842608.

Slim Agnus PD library, BBS, advice from Amiga experts. Group meets the last Thursday of every month. Contact Philip Worrel, 115 Brooks Drive, North Cheam, Sutton, Surrey SM3 9UW.

Software City Swapping, competitions, club magazine. Membership £8. Contact N Richards, 9 Hollis Close, Manor Estate Farm, Rammarsh, Rotherham, South Yorkshire S62 7LX ☎ 0709 526092.

Software Exchange Club Free help and advice. Contact Michael Lacey, Fern's Post Office, Enniscorthy, County Wexford, Republic of Ireland.

Software Exchange Service 13 Bournville Lane, Stirchley, Birmingham, West Midlands B30 2JY. For more info ☎ Michael Pun 021 459 7576.

South 16 Amiga/ST User Group. Bi-monthly disk based mag, discounts available from local stores, free advice and extensive PD library. £12 year. For more info send SAE to PO Box 16, Southampton, SO9 7AU.

Southend Team Music, PD. Free membership. Contact Scotty, 52 Prince Avenue, Southend-on-Sea, Essex SS2 6NN ☎ 0702 333974.

Southport Amiga Users Advice, friendly evenings Mondays at 8pm. No charge, discounts from local store. For info contact Michael Mitcham, 5 Easdale Drive, Ainsdale, Southport, Merseyside ☎ 0704 79936.

South Wales Club Newsletter, PD library, free newsletter, programs, help and advice. For more info contact D Allen 53 West Avenue, Treceynydd, Caerphilly CFB 2SF.

Steel PD, cheats, ideas, music, art, programming, hardware mods. Free membership (postal only). Contact James Whitehead, 33 Middle Cliffe, Drive Crowedge, Sheffield S30 5HB.

Tay-Soft PD Club Non-profit-making postal PD, advice, disk newsletter, helpline 6-10.30pm. Contact Dave Thornton, 46 Balmerino Road, Dundee DD4 8RR ☎ 0382 505437. Membership £2.50 (free Utis disk on joining).

The Amiga Club Monthly newsletter, competitions, software exchange, huge PD library, cheats, tips, reviews. Contact G Starling, 31 Pine Lea, Brandon, Durham DH7 8SR. Membership £10 life plus two free games and DCopy.

The Amiga Studio Friendly, helpful advice for serious users of the Amiga. Monthly newsletter, PD library, free loan of equipment to members, bar. Meets 7pm Tuesdays, Mitchell's Club, Scotia Road, Tunstall. Contact Dave Rose ☎ 0782 815589.

Twilight Advice on hardware and software, Fred Fish PD. Free membership, disks 50p each. Contact 13 Mavis Court, Ravens Close, London NW9 5BH.

UK Subs The Hanger BBS, trading post for PD files, swapping. Free membership. Contact Diddy or Arklight ☎ 0525 875518.

Unique Styles Postal club for Amiga artists, programmers, musicians. Free membership. Contact Derek at 15 Montgomery Rd, Highbrooms, Tunbridge Wells, Kent ☎ 0892 518319.

Video Visuals Exclusively for video producers, PD library, genlocking, digitising, quarterly disk magazine. Membership £10 per year. Contact Chris Brown, 4 Lavender Close, Witham, Essex CM8 2YG.

Wardray Hern Consortium User group for Amiga and possibly others. Membership fees to be discussed and incurred. PD library to be set up. Also Hern connection - worldwide contacts wanted. SAE and disk to WardCon Info, (AS) Warren Hardy, 21 Stookfield Ave, Fenham, Newcastle upon Tyne NE5 2DX.

Warpdrive Help-line, PD library, bi-monthly disk mag, free drinks, competitions and info-sheet. £15 per year. Contact B Scales 110 Burton Ave, Balby, Doncaster DN4 8BB ☎ 0302 859715.

WCSPSA! Help available, PD disk of your choice and newsletter every month. PD at £1. Membership £25. For further info contact A Jamieson ☎ 0749 677609.

Worldwide PD Club Over 2,680 disks - send blank disk and SAE for catalogue. Membership DM60 a year or DM6 a month. Contact Dave White, Berliner Str 39, 4030 Ratingen 1, Germany ☎ 02102 499729 (Germany).

Wrexham District Computer Club PD, library, equipment loan. 10p to join, 50p to get in. Meetings at the Memorial Hall, Wrexham every Thursday, 7-10pm. Contact Paul Evans, 3 Fford Elfed, Rhosnesi, Wrexham, Clwyd LL13 7LU.

Zymurgy General Amiga computing. Free membership. For further info contact A Carr, 39 Sewl-kirk Rd, Ipswich, Suffolk IP4 3JB ☎ 0473 725241.

Note: this list is provided as a free service for amateur, non-profit-making user groups. Amiga Shopper does not endorse or recommend any particular group and cannot be held responsible for any losses or problems you might suffer.

SOFTWARE for free

Once again, Ian Wrigley tests out a mixed bag of low-cost and no-cost software for all tastes...

More Fish disks this month – as usual, many thanks to Anglia PD for supplying them. It's actually a bumper crop this month – Fred's output seems to be increasing with time, after a rather sparse winter. So, without further ado (as they say), here we go...

PAGER

Fish disk 824

Pager is a CLI-based utility which – quite simply – adds page and line numbers to any ASCII text file. Not

the most exciting task, true, but programmers and the like may find it useful. It requires OS 2.04 or higher – as do more and more programs these days – and is freeware. The documentation isn't incredibly clear – the author is German, and his translation isn't perfect, with the result that some of the options need to be guessed at. However, he includes a couple of example commands, and from them you can relatively easily work out the syntax.

Pager won't set the world on fire but it does the job quickly and without hassle – and for that, in an

environment where more and more people seem to be releasing half-tested programs, the author deserves congratulation.

Program rating 7/10

All 1.35

Fish disk 825

I looked at *All* a couple of months ago, but this version is quite a significant improvement. For starters, it will now run under OS 1.3 as well as 2.04, thanks to the use of Nico François' *ReqTools* library. In case you missed the review (where were you?), *All* stands for *Archiving Intuition Interface*, and it's a friendly, Intuition-based front-end to archiving programs such as *LhA*. These are very powerful tools, but tend to put many people off because of their complexity. Now, you can easily create archives simply by selecting filenames from a requester – no more remembering arcane command structures.


All version 1.35 supports not only archive creation with *LhA*, as previous versions did, but now also *LZH*, *Arc* and *Zoo*. It will de-archive files created in *LhA*, *LZH*, *Arc*, *Zoo*,

Zip and even *Arj*, if you need it to do that – there is no Amiga program written yet that creates *Arj* files, but you may receive files created on other machines that have been compressed in this format.

Installation of the program is simple – just drag it to wherever you want on your hard drive or boot disk. From the Project menu, choose "Select Archiver" and you'll be asked to find the various archiving programs that *All* supports. (They aren't distributed with the package – you'll have to get them separately.) If you don't have a particular one, just hit Cancel in the requester and the program will move on to the next.

After you've done that, you can get to work. Click on Choose Archive to create or select an archive. Then click on Choose Files or Path to select any files which you want to add. Pick what you want to do – add files, list the contents of the archive, extract files or whatever – and hit Perform. It's as simple as that. There's even an on-line help facility if you get stuck.

There are check-boxes to let you invoke various archiver options such as preserving file attributes and so



All – the Archiving Intuition Interface – now provides a friendly, attractive front-end for a wide range of archivers, so you never need use the CLI again.

RATING THE PROGRAMS

Just to be awkward, I rate the software that I review in two different ways, depending on what it is. Disk magazines, collections of clip art and the like are given a 'value for money' rating, since you're essentially paying for one thing, or group of things, on the disk.

Single programs which appear in a collection of others, or programs which I've downloaded from bulletin boards, are given a 'program rating', which reflects how good I think they are, taking into account usability, bug-proofness, my own particular (or should that be peculiar?) tastes and so on. Both ratings are out of a maximum possible 10.

BEGINNERS



BEGINNERS START HERE

BEGINNERS

What is PD?

PD is a general term which many people incorrectly use to refer to all freely-distributable software. In fact, PD (which stands for Public Domain) software is only one branch of this area; the other main one is shareware.

Essentially, PD software may be copied and used by anyone, although some authors place restrictions such as not allowing a PD library to charge more than a certain amount for the disk.

Shareware, on the other hand, should be treated more like commercial software. Although you are allowed to copy and pass around shareware programs, if you like one then you should pay the requested fee to the author – it's normally around £15 or less, and often entitles you to an upgraded version or a printed manual. Paying your shareware fees encourages software authors to write more programs – and if they don't, the Amiga scene will be a poorer place. Don't think that you're paying money for nothing, either – often hundreds or even thousands of hours of work have gone into creating a program, and it's only right that the programmer receives some reward for his or her work.

The third branch of software that we cover here is called

licenseware.

This is a form of shareware which is licensed to one (or more) PD libraries. In essence, when you buy a licenseware program you are buying shareware and paying the license fee at the same time. For this reason, you should treat any licenseware that you buy exactly as you would treat a piece of full-price commercial software – don't pass it around to your friends. You've only bought the right to use it yourself.

Can I pass other people copies?

Yes – that's the way that PD reaches a wider audience. Just make sure that you have followed the author's requirements for distribution. These are normally things like not charging more than a certain amount for the disk, not altering the program, or making sure that all the original documentation is included on the disk.

You can also pass on shareware – but not any registered copies of programs. If, when you pay your shareware fee, the author sends you an improved version of the program, then be careful not to give that out. Only pass on unregistered shareware.

You should not, of course, pass on licenseware – it should be treated in the same way as registered shareware.

on. Although you can't access absolutely all the features of, say, *LhA*, you can certainly do 99% of the things that you'd ever want to do from within *All*.

This is an Aus\$5 shareware program which deserves to become extremely popular – especially now that it supports just about every Amiga archiving program, and certainly all the main ones. Highly recommended.

Program rating 10/10

DATE2DAY

Fish disk 826

Why oh why oh why, dear Points of View, why do people release basic programming exercises as freeware? *Date2Day*, by Gérard Cornu, is a program which will, given a date, month and year, tell you the day. And... er, that's it. You enter the relevant details by moving a slider and clicking on a couple of buttons, and the full day and date are shown at the bottom of the window.


I'm fairly sure I remember doing something similar to this for my O-Level Computer Studies course some three centuries ago. Okay, my program didn't have a cute Intuition-based interface, but then, the Amiga wasn't invented when I wrote the program. This is the sort of thing that you write just to see if you've got the hang of programming for Intuition – you certainly don't send it out to the world with a documentation file more than half full of messages telling prospective users that they may not sell or distribute it for a profit, and that no magazine cover disk can carry the program. Sorry, Gérard, but I don't think that *Amiga Shopper* were considering it in the first place...

Program rating 2/10

MEMSNAP

Fish disk 826

MemSnap is probably of most use to programmers, or those trying to find



Date2Day: probably the most useful piece of freeware ever written for the Amiga. The program you should have bought your Amiga to run. Or not.

out why their Amiga seems to run out of memory after a while. It simply puts a small window on the screen which displays the amount of free memory available. Clicking in the window takes a "snapshot" of the amount available, and this figure continues to be displayed, along with the difference between the current free memory and the snapshot figure – so if you take a snapshot, launch a program, quit it and then look at the difference between current and snapshot, you can see whether the program has freed up its memory properly, or whether it has "hidden" some from the operating system – which can only be reclaimed by re-booting the Amiga.

MemSnap is small, it's free and it does its job. If you need such a program, this one will do just fine.

Program rating 8/10


AMASTER

Fish disk 827

Old Hans-Peter Guenther must have just discovered the Fish system of software distribution – this is the third of his programs that we've

looked at so far, in the space of just seven disks!

AMaster is (groan) a simple database. Really, quite why people keep on writing these things I don't know – perhaps on the principle that if everyone keeps trying long enough,



AMaster: as simple Address-Book-type databases go, it may look pretty, but if it won't search for records it's really pretty useless...

someone, someday, will produce a totally usable, flexible, program that people might actually trust their precious data to.

Even though address book programs aren't my favourite software, my first impressions of *AMaster* were quite favourable. On the down side, there are only seven fields, each of which has a pre-defined name. And they can only display around 25 characters each – you can enter more, but to view them you must select the field and scroll along the text.

All the usual "go to record", search and sort options seem to be present, and (quite usefully) you can decide which fields you want to

appear on any printout – so if you just want to print people's names and phone numbers, that's no problem.

It was only when I started to use the program that I started finding problems. First of all, you have to tell the program explicitly that you want to edit records. Without clicking on the "Edit" check-box, you can't create, delete or edit records. This, in its own way, is useful – no hitting the "Remove" gadget by mistake. Unfortunately, though, although your changes don't take effect, you can type over information in an existing record to your heart's content. I happily scrolled through a list of a dozen names, adding extra details, only to discover that all my typing had been ignored, because I hadn't checked the Edit gadget. Not very user-friendly – I would have preferred it if the program hadn't allowed me to change the text; at least then I would have been alerted immediately.

That, though, is more a user interface issue than anything. What is more fundamental is the fact that I couldn't persuade the search feature

to work at all. I would have thought that, if I entered "Amiga Shopper" and hit Search, the program would immediately produce my entry for this esteemed journal. But no – apparently all (or none) of the entries in my database were found. With that, I gave up; there are other programs about that, if not as pretty-looking, at least do the job properly.

Program rating 4/10

GRABKICK

Fish disk 831

Hmm. An interesting one, this, and no mistake. *GrabKick* copies the


continued on page 107

	Current	Snapshot	Used
Chip	1856240	2004448	148208
Fast	3313632	3702136	388504
Total	5169872	5706584	536712

MemSnap: see if your programs are freeing up their memory properly – just compare the current figure with the "snapshot" of the free memory you had.

GET IN CONTACT!

If you've written – or discovered – any PD, shareware or licenseware that you think should be reviewed, or if you've got any comments or suggestions, write to me c/o *Amiga Shopper*, 30 Monmouth Street, Bath BA1 2BW. Alternatively, you can contact me on cix as 'iwrigley', or on the internet as 'ian@vampire.demon.co.uk'.



THE PROFESSIONAL STANDARDS
FOR DISTRIBUTION
ENDORSED BY COMMODORE UK

DISKOVERY P.D.

TEL 0274 880066

WHY NOT USE OUR TELEPHONE HOTLINE FOR SAME DAY DESPATCH. CREDIT CARDS WELCOME.

SPECIAL OFFERS

1. FOR EVERY 10 P.D DISKS YOU BUY, WE WILL GIVE YOU A 10 CAP BOX WORTH £1.99 ABSOLUTELY FREE!

2. FOR EVERY 25 P.D DISKS YOU BUY, YOU CAN CHOOSE ANOTHER 5 FREE!



CENTRAL
LICENCEWARE

(No.) = HOW MANY DISKS TO ORDER, EG (2) = 2 DISK PACK

- ### DEMOS
- D1... Mental Hangover
 - D2... Interceptor Demo
 - D4... Wild Copper
 - D10... 17881 Demo Damos
 - D11... World Demos 21
 - D13... Total Remix Demo
 - D14... Predators (2)
 - D20... Red Sector (2)
 - D24/25... New Tek Reef 3 (2)
 - D26... Total Remix 2 Demo
 - D27... TV Theme
 - D30... Epic Demo
 - D34... PD Collection
 - D36... Virtual Worlds
 - D37... Vectra Sinking Demo
 - D38... TFF Demo Voyage
 - D40... Saly Demo
 - D59... Video Effects 3D
 - D64... Cult Vector Dance 2
 - D68... Phenomena Demo
 - D70... Amos 3D Demo
 - D74... A Trip to Mars
 - D76... A2000 Genlock Demo
 - D81/82... Budbrain 1 (2)
 - D83... Budbrain 2
 - D85... Cronics Neverwhere
 - D87... Piranha Demo
 - D101... Alcatraz M/Demo 3
 - D102... A Chaplin Demo
 - D103... Total Destruction
 - D105... Mr B Demo Comp 4
 - D106... Walfon S.T. Demos
 - D111... Delfon 1
 - D117... Aurora M/Demo
 - D118... Cult M/Demo 2
 - D125... Precise Demo
 - D123... Fascination
 - D136... Goldfire Megademo
 - D137/138... So What (2)
 - D139... Devils "No Reality"
 - D144... The Silents "Ice"
 - D145... Crystal Symphonies
 - D148... Ray Of Hope 2
 - D149... No Brain No Pain
 - D158/159... Cyborg Demo (2)
 - D155... Coaxial Comp
 - D197... MC Dick 1 Coma
 - D199... End Of Century 1999
 - D206... Dreamers 3
 - D208... Avengers M/Demo
 - D216/217... Bass o' Matic (2)
 - D128... Disorder Demo
 - D119... Tuff Enuff
 - D225... Cold Fridge
 - D226... Hardrack M/Demo
 - D233... Hypnotic Hammer
 - D235... Six of One Demo
 - D238... Planetside
 - D239... Lannings Revenge
 - D240... Total Respray
 - D243... Budbrain 3
 - D244... Phenomena Inspace
 - D245... Total Retrial
 - D247... Pulling the Trigger
 - D253... CES Demos
 - D256... Total Reboot
 - D257... Total Reboot
 - D262... Spasmolytic
 - D264... D-Mo M/Demo
 - D267... Sun Connection 2
 - D270... Kalfons The Wall
 - D271... Time Hydra
 - D272... Electric Demos 1
 - D274... Delphic Demos
 - D276... Cave La World
 - D279... Iragui Demo
 - D280/281... Delirious (2)
 - D290... Popayee Demo
 - D292... Excubator Demo
 - D298... Silents + Anarchy
 - D301... Subway Demo
 - D302... Taro Demo
 - D303... Despair Demo
 - D307... L.S.O Demo
 - D312... Devils Colours
 - D314... Trakmo
 - D315... The Groove Ramjam
 - D322/323... Star Wars (2)
 - D327... Cult Empathy (2)
 - D328/329... Red Dwarf (2)
 - D330... Darkside M/Demo
 - D332... Melted Experiences
 - D333/337... Odyssey (5)
 - D338... Beastie Boys Demo
 - D340... Watchman Demo
 - D341... Anarchy Smoker Co
 - D342... Ed 209 The Revenge
 - D343/344... Hardwired (2)
 - D346... Wildlife M/Demo
 - D347... Mindwarp M/Demo
 - D348/349... Skizzo Demo(2)
 - D350/352... Treacle Taro(2)
 - D358... Mr Men Stories
 - D359... Seeing is Believing
 - D360... State of the Art
 - D361... Mayday Resistance
 - D362/363... Jesus on E(2)
 - D364... Fish Tank
 - D365... Optimum Pressure
 - D366... Mind Riot
 - D367... In the Can Demo
 - D368... Dynamic Illusions
 - D369... Piece of Mind
 - D370... 3D Demo 2
 - D371... Lethal Exit

- ### UTILITIES
- U1... Games Music Creator
 - U21... The Corns Disk
 - U32... Modern Utis
 - U34... Red Devils Utis 1
 - U36... Soundtracker Special
 - U38... Paint, Music, Media
 - U39... Card Designer
 - U40... Spectrum Emulator
 - U41... Red Devils Utis 4
 - U43... Future Composer
 - U44... Kalfons Makaboot
 - U45... PE Giant Utis 168
 - U47... Label Designer
 - U49... Ultimate Icon Disk
 - U50... Power Comp Utis
 - U51... Jazz Bench
 - U55... Visicalc
 - U57... Quickbench
 - U58... Font Designer
 - U60... D-Point Fonts 1
 - U61... D-Point Fonts 2
 - U62... Med 3.20
 - U63... Direct Anim Creator
 - U64... Crossword Designer
 - U66... CLI Help + Others
 - U67... S/Tracker Mega
 - U68... Ultimate Boots 1
 - U69... Ultimate Boots 2
 - U73... Powerlog
 - U75... M-Cad
 - U76... Journal Home Acc's
 - U78... Home Utilities
 - U77... Electrocad
 - U78... Ami Base
 - U81... Bootbench V2.0
 - U82... Slideshow Maker
 - U83... Catalog Workshop 1
 - U84... Catalog Workshop 2
 - U87... Hard Disk Utis
 - U89/94... Amateur Radio (5)
 - U95... C-Light + Others
 - U96... GFX Utis 1
 - U100... Ham Lab
 - U101... SID V2.0
 - U108... A-Gene
 - U113... Mdi Utilities
 - U118/119... Video Utis (2)
 - U122... GFX Utis 2
 - U133... North C (2)
 - U136... Cross-Demo (demo)
 - U139... Squid Squad Utis
 - U139... Terminals V1.0
 - U140... Squash 1 (2.04 only)
 - U141... Squash 2 (2.04 only)
 - U142... Text Plus 3
 - U144... Dennis Samples 1
 - U145... Digital Into Design
 - U146... Viz Clip Art
 - U147... Spectrum Emulator
 - U151... Slipstream V/Killers
 - U152... Red Devils Utis 6
 - U154... Amigafor W/P
 - U155... PD Utis Ocas Disk
 - U157... Quickbench + (2.04)
 - U164... Rim Database
 - U166... Dennis's Hack Disk
 - U167... Demolisher Utis
 - U168... Home Business 3
 - U172... Squash 1 (1.3 only)
 - U175... GFX Utis 3
 - U177... Star Charts
 - U179... 180... Dice (2)
 - U181... Celtic Demo Maker
 - U186... 206... Truck 10-30
 - U197... Icon Collection 1
 - U208... Dave Jones Fonts 1
 - U210... Ultrapaint 3
 - U211... Chemesthetics
 - U212... Animated Pointers
 - U213... Desk Top Publisher
 - U214... Deskmuch Icons
 - U215... Messy Sid 2
 - U216... Master V/Killer 2.2
 - U218... Data Base Wizard
 - U223... Ten Pin Database
 - U224... Q-Base Database
 - U226... Games Solutions 1
 - U231... D-Point Fonts 2
 - U232... Games Cheats 2
 - U234... Flea Base
 - U235... Ami Cash V1
 - U239... Iconmania
 - U240... Icon Editor
 - U252... Opticomms 2.0
 - U254... New Superkillers 2
 - U255... Prototracker V2.0
 - U256... Atari ST Emulator
 - U258... D-Copy 3
 - U262... PC Emulator
 - U263... Med 3.21
 - U273... Vidi Fonts 1
 - U274... Illinoi Labels
 - U275... 600 Business Letters
 - U279... Invoice Printer
 - U280... Woman V2.02D
 - U283... Headline Fonts
 - U289... Amos Updater
 - U290... Kickstart 2.04
 - U292... Black Tiger Utis 1
 - U293... Black Tiger Utis 2
 - U294... Text Engine V4.0
 - U295... Games Manager
 - U296... Ultimate Disk Crea
 - U297... 10 PD Copiers
 - U298... Prototracker V3.0

- ### GAMES
- G1... Return to Earth
 - G2... Games Comp 5
 - G3... Dizzy Lizzy
 - G4... Scum Haters
 - G5... Parachute Joust
 - G6... Frantic Freddie
 - G8... Twirlis
 - G9... Pseudo Cop
 - G10... Drip
 - G11... Bug Bash
 - G12... Asteroid
 - G13... Llamorator
 - G14... Escape From Jovi
 - G15... Moria Adventure
 - G16... Ground Attack
 - G17... Megaball
 - G18... Insiders Club
 - G19... Various Adventures
 - G20... Battleforce
 - G22... Dragon Cave
 - G24... Rings of Zon
 - G25... Mayhem
 - G26... Mechlight
 - G27... The Tennis Game
 - G28... Fleaschier
 - G29... Space Blitz
 - G30... Greyslayer
 - G31... 7 Tiles
 - G32... Mega Comp 1
 - G33/34... Star Trek 1 (2)
 - G35/37... Star Trek 2 (3)
 - G36/39... Mechforce (2)
 - G40... Klondike
 - G42... Car
 - G43... Games Comp 2
 - G44... S.E.U.C.K Games
 - G45... Saag Games Comp
 - G46... Games Comp 3
 - G48... Rays Game Disk
 - G49... Games Comp 4
 - G50... Games Comp 6
 - G51/52... Trucking (2)
 - G53... Jetpac
 - G55... Quick and Silva
 - G56... Miniblast
 - G57... Lamer Game
 - G58... Games Comp 7
 - G59... Games Comp 8
 - G60... Pom Pom Gunner
 - G61... Caverunner
 - G62... Crystal Caverns
 - G63... Intact
 - G64... Eternal Rome
 - G65... Lemmingsdis
 - G66... Downhill Challenge
 - G67... Lame ST Ports
 - G68... Paranoic
 - G69... Puggles
 - G70... Chainsaw Death
 - G71... Pirate Pete's Treasure
 - G72... Serene 2
 - G73... Castles
 - G74... Dynamite Dick
 - G75... Card Games 1
 - G76... Wizz's Quieset
 - G77... Growth
 - G78... Skale
 - G79... Atic Atac
 - G80... Napoleonism Sim
 - G81... Project 1
 - G82... Lazer Zone
 - G83... Lemmings Game
 - G84... Star Trek S.E.U.P
 - G85... Lettrix
 - G87... Matched Pairs
 - G88... Raphaels Revenge
 - G89... Snake Pit
 - G90... Zeus
 - G91... Merv The Merciless
 - G92... Blizzard
 - G93... The Maze Game
 - G94... Subculture
 - G95... Hollywood Trivia
 - G97... Shootout
 - G99... Holy Grail Adventure
 - G100... Amos Colindrop
 - G101... Classic Comp 1
 - G102... Card Games 2
 - G103... Super Skoda Chai
 - G105... Grand Prix Sim
 - G106... Computer Conflict 2
 - G107... Mission X Raid 2
 - G108... NU Game
 - G109... Antip + Slot Cars
 - G110... Ticky + The Turn
 - G111... Marble Slide
 - G112... Games Comp 10
 - G113... Black Jack Lab
 - G114... Dungeon of Madrol
 - G115... Amiga Columns
 - G116... Robocop In Iraq
 - G117... Mutant Canele
 - G118... Games Comp 11
 - G119... Number Fumbler
 - G120/122... Warlock (3)
 - G123... Card Sharp 1
 - G124... Bart Simpson
 - G125... CC Games Comp
 - G126... Air Ace 2
 - G127... Breakout Con Kit
 - G128... Pipeline
 - G129... Durg of Doridian
 - G130... Amos Games 1
 - G132/134... Timelords 6-8

- G132... Peters Quest
- G133... Star Trek 3
- G134... Pipewer
- G139... Door To Door
- G143... Solid Quad
- G144... Omega Race
- G145... Mission X Raid 3
- G146... Trek 73
- G147... Wack In Wonderland
- G148... Squats Revenge
- G149... Sky Fight
- G150... Wet Beaver
- G151... Armaman
- G152... Wizard World
- G154... Totally Frantic Outz
- G155... Chess V2.0
- G156... Smash Telly
- G158... Billy The Dragon
- G160... I-Ching
- G161... E-Type
- G162... TomCat
- G163... Sane Lance
- G164... Dizzy Diamonds
- G165... No Mars Land
- G166... Word Square Solver
- G167... Cross Fire
- G168... Wastelands
- G169... Space Blitz
- G171... Crazy Zoo
- G172... Make A Break
- G173... Scudle
- G174... F-1 Challenge
- G175... Othello
- G178... Evil Dead Game
- G179... Tailnet
- G180/181... P Comp 1+2
- G182... Diplomacy
- G183... Tractor Beam
- G184... Motor Duel
- G185... Game Boy Tetris 2
- G186... Water Works
- G187... Act Of War
- G188... Mutants Games
- G189/193... Timelords 1-5
- G194... Nirvana
- G195/196... Invaders (2)
- G197... Amoeba Neighbours
- G198... Game Boy Tetris 1
- G199... Tetren
- G200... Battlions 2
- G201... Dr Mario
- G202... Ashido
- G205... Cheats Disk 2
- G206... Cheats Disk 3
- G207... Next Generation
- G208... Airport
- G209... F.R.A.C.
- G210... The Golden Fleece
- G211... Legend Of Lothian

- ### ANIMS
- A1... Probe Sequence
 - A2... Ghost Pool
 - A3... Jigger + Magician 1
 - A4... Gymnast Demo
 - A5... Fractal Flight
 - A6... Basketball Demo
 - A9... Magician 2
 - A10... Pugs In Space
 - A11... Luxor Teenager
 - A13... Juggler Ball
 - A16... Cool Cougar
 - A17... Mono Cycle Anim
 - A18... Robocorp Anim
 - A20... Mayhem on Wheels
 - A21... Juliette 2
 - A22... Shuttlecock Anim
 - A23... T-Pot Anim
 - A27... Fleet Manoeuvre
 - A28... Billiard Anim
 - A29... E/Prise Leaves Dock
 - A30... Star Wars 2 Anim
 - A31... Star Trek Anim
 - A32... Fraxion Revenge
 - A34... Madonna Anim
 - A35... Stealthy Anims 2
 - A36... Raiders Of The Lost Ark
 - A37... Bugs Bunny Show
 - A38... Iraq V's UK Anim
 - A39... Mike Tyson Anim
 - A40... Knight Anim
 - A42... Walker 2
 - A43... Walker 3
 - A45/46... Light Cycle (2)
 - A47... Exploding Head
 - A48... Police Car Chase
 - A49... Top Gun Demo
 - A50... Animators Demo
 - A51... 5 Ways to Kill a Mole
 - A52... Another 5 Ways
 - A53... Batman The Movie
 - A54... 3D Spaceship
 - A55... Mr Potato Head
 - A57... Camouflage
 - A58... VGA Anim 4
 - A59... Low Level Flight
 - A63... Army V's Walker
 - A64... Real Pinball Anim
 - A65... Franklin The Fly
 - A66... Porky Pig Anim
 - A67... Adventures of Chuck
 - A69... Bunsen Burner
 - A70/71... Max Overdrive (2)
 - A73... Spacehustle Anim
 - A74... Ghostbusters + Horse
 - A76... Alarm Anim
 - A77... Flight Anim
 - A78... Plano Anim
 - A79... Dart Anim
 - A80... Bad Bird Anim
 - A81... Holiday Anim
 - A82... Fillet The Fish
 - A83... The Boings
 - A84... Clothes Peg
 - A85... Miners Anim
 - A86... Pocket Watch Anim
 - A90/93... The Movies 2 (4)
 - A95... My Tin Toy
 - A96... T-Pot 2 Anim
 - A99... Terminator 3
 - A100... Dolphin Dreams
 - A101/102... Thunderbirds (2)
 - A103... Hilar Of Amy
 - A104... Pogo Anim (2 Meg)

- ### CLR LICENCEWARE
- CLE01... DINGSAURS (LEARN ALL ABOUT CERTAIN TYPES OF DINOSAURS I.E. JURASSIC, TRIASSIC AND CRETACEOUS, ON 2 DISKS £4.50)
 - CLE02... GEOLOGY (WANT TO KNOW ALL ABOUT THE VOLCANOS AND THEIR SUBSTANCES THEN TRY THIS 2 DISKS £4.50)
 - CLE03... SOLAR SYSTEM (GET TO KNOW MORE ABOUT THE SOLAR SYSTEM WITH INFORMATION ON PLANETS ETC AND WITH PICTURES TO LOOK AT 3 DISKS £4.99)
 - CLE04... COLOURING PAD (A UNIQUE COLOURING BOOK TO KEEP THE KIDS AMUSED FOR HOURS 1 DISK £3.50)
 - CLE05... A - CHORD (LEARN TO PLAY THE GUITAR BY LISTENING TO NEARLY EVERY SINGLE CHORD AVAILABLE ON THE INSTRUMENT 1 DISK £3.50)
 - CLE06... MATHS INSTRUCTOR (HELP YOURSELF GET THROUGH THE GOSES WITH THIS SUPERB MATHS INSTRUCTOR TRIG, QUADRATIC, SIMULTANEOUS, VOLUMES, AREA ETC ETC 1 DISK £3.50)
 - CLE07... FRESHWATER FISHING (THINK YOU KNOW ALL ABOUT FISHING? TRY THIS 2 DISKS £4.50)
 - CLE08... NIGHT SKY (LOOK AT THE STARS PLANETS ETC FROM ANYWHERE ON THE FACE OF THE EARTH AND CLICK ON A DISPLAYED OBJECT FOR INFO 2 DISKS £4.50)
 - CLE09... WORDS + LADDERS (A WORD SPELLING GAME FOR 1 OR 2 PLAYERS 1 DISK £3.50)
 - CLE10... BASICALLY AMIGA (GET TO KNOW YOUR AMIGA TO THE FULL 3 DISKS £3.50)
 - CLE11... LETS LEARN V1.1 (LEARN SUMS, TUNES, CODES ETC ON THIS EXCELLENT LEARNING AID AGE RANGE FROM 5 - 7 1 DISK £3.50)
 - CLE12... ALPHABET TEACH (TRY TO SPELL WHAT YOU SEE ON THE SCREEN 1 DISK £3.50)
 - CLE13... HOME BREW (WITH RECIPES TO INSTRUCTIONS ON FERMENTING ETC LEARN HOW TO MAKE HOME MADE WINE 1 DISK £3.50)
 - CLE14... ECOLOGY (LEARN MORE ABOUT ECOLOGY WITH THIS BRILL PROGRAM 3 DISKS £4.99)
 - CLE15... VIDEO TITLER (MAKE YOUR VIDEOS LOOK PROFESSIONAL, SCROLLERS ETC 1 DISK £3.50)
 - CU02... FISH INDEXER (MAKE PYS CHARTS GRAPHS ETC WITH FIGURES 1 DISK £3.50)
 - CU05... SAS MENU MAKER (MAKE MENUS TO SUIT YOU 1 DISK £.50)
 - CU06... SUPER SOUND 3 (CREATE YOUR OWN TUNES WITH THIS MUSIC UTILITY 2 DISKS £4.50)
 - CU10... POWER ACCOUNTS (KEEP ACCOUNTS OF YOUR EXPENDITURE WITH PASSWORD FUNCTION 1 DISK £3.50)
 - CU11... CALC V1.3 (AN EXCELLENT SPREADSHEET FOR THOSE GROSS CALCULATIONS 1 DISK £3.50)
 - CU12... VIRTUAL WINDOWS 1 (A COLLECTION OF USEFUL UTILITIES LIKE ADDRESS BOOK, NOTE PAD, SOFTWARE CATS ETC 1 DISK £3.50)
 - CU13... DATOS (EASY TO USE YET VERY POWERFUL DATABASE 1 DISK £3.50)
 - CLG01... NORRIS (A VERY ADDICTIVE GAME SET IN THE MEDIEVAL ERA 1 DISK £3.50)
 - CLG02... DARK THINGS (A BRILL PLATFORM SCROLLY GAME 1 DISK £3.50)
 - CLG03... PHASE 2 (AN EXCELLENT SIDEWAYS SCROLL SHOOT EM UP GAME 1 DISK £3.50)
 - CLG04... X-SYSTEM (A VERY ADDICTIVE GAME WITH THE USUAL END OF LEVEL MONSTERS 1 DISK £3.50)
 - CLG05... TRUCKING ON TRY AND MANAGE YOUR OWN TRUCK FLEET EXCELLENT 2 DISKS £4.50)
 - CLG06... OBLITERATION (ANOTHER FAST SHOOT EM UP TYPE GAME 1 DISK £3.50 NOT PLUS COMP)
 - CLG08... DRAGON TILES (OLD JAPANESE TYPE MAJ JONG STYLE GAME 1 DISK £3.50)
 - CLG09... MOTOR DUEL (DRIVE A 3D CAR SHOOTING AND RACING WITH OPPONENTS 1 DISK £3.50)
 - CLG10... FUTURE SHOCK (A CASE OF GETTING THE BALL THROUGH THE MAZE 1 DISK £3.50)
 - CLG11... ALL GUNS BLAZING (CAR GAME FOR 2 PLAYERS WITH THE OVERHEAD VIEW 1 DISK £3.50)
 - CLG12... BULLDOZER BOB (WIPE OUT THE SCREEN OF COLOURED BLOCKS 1 DISK £3.50)
 - CLG13... PARADOX (A PUZZLE GAME TO TEST THOSE POWERS OF SOLVING 1 DISK £3.50)
 - CLG14... SONIC SMARTHEAD (ANOTHER PLATFORM STYLE GAME 1 DISK £3.50)
 - CLG15... SPLODGE THE REVENGE (ANOTHER PLATFORM GAME WITH PUZZLES TO SOLVE 1 DISK £3.50)
 - CLG17... IMBRIUM DAY OF RECKONING (ONE OF THOSE GRAPHIC ADVENTURE TYPE GAMES EXCELLENT! 1 DISK £3.50)

- ### ASSASSIN'S PACK
- £1.50 EACH
- | | |
|----------|------------|
| 10 DISKS | £10.50+p&p |
| 30 DISKS | £28.50+p&p |
| 40 DISKS | £34.50+p&p |
| 54 DISKS | £43.00+p&p |
| ALL 70 | £60.00+p&p |

- ### ACCESSORIES
- | | |
|------------------|--------|
| MOUSE HOUSE | £1.99 |
| MOUSE MAT | £2.80 |
| SQUIK MOUSE | £1.99 |
| 10 CAP BOX | £1.99 |
| 100 CAP BOX | £6.99 |
| A500 DUST COVER | £3.99 |
| A600 DUST COVER | £3.99 |
| 3.5" BLANK DISKS | £0.69 |
| PRINTER STAND | £4.99 |
| MONITOR STAND | £10.99 |
| MONITOR COVER | £4.99 |

- ### PRICES
- | PUBLIC DOMAIN | POSTAGE |
|------------------------|---------------------|
| 1-9 DISKS = £1.50 EACH | Europe PD = 60p |
| 10+ DISKS = £1.25 EACH | Accessories = 90p |
| 20+ DISKS = 99P EACH | World PD = £1.50 |
| | Accessories = £1.90 |

- ### HOW TO ORDER
- ALL YOU NEED TO DO IS PUT THE NUMBERS OF THE DISKS REQUIRED AND SEND IT TO THE ADDRESS BELOW ALONG WITH A CHEQUE OR P.O MADE PAYABLE TO DISKOVERY. PLEASE DON'T FORGET TO INCLUDE THE CORRECT POSTAGE TO ENSURE SPEEDY DELIVERY.

SEND YOUR ORDER TO:

DISKOVERY DEPT (AS07), 108 THE AVENUE, CLAYTON, BRADFORD, W. YORKS, BD14 6SJ

ASSASSIN'S GAMES PACKS 1-54 NOW IN STOCK

WE ACCEPT ACCESS, VISA AND MASTERCARD

VISA

KICK 1.3

NOW ALL P.D DISKS WILL WORK ON YOUR A500+/A600 & A1200 WITH THIS AMAZING DISK

ONLY £1.50

1. ProTracker V3 (P) (New Update)
2. Hard Drive Utilities (2) (P)
3. Opticom V2.2 (NCom V2 etc) (P)
4. Sid V2 (P)
5. Messysid V2 (P)
6. How to Code in C (2) (New)
7. Order V1.7 (P) (database prog.)
8. Astronomy Pack 1 (4) (P)
9. Term V3.2 (5) A1200 only
10. Amateur Radio 1-25 (25) (P)
11. C Manuals V3 (12) (P)
12. North C V1.3 (2) (P)
13. Pool Tools V2 (P) (New)
14. Free Copy V1.3 (P)
15. D Copy V3 (NP)
16. Rattle Copy V5 Pro (P)
17. Pacman Copier (P)
18. Virus Checker V6.22 (P)
19. The Science Collection (4) (P)
20. Spectrum Datedisk (P)
21. Spectrum Emulator V1.6+ Green Beret
22. A64 Emulator V2 (2) (P)
23. A64 Game Disk 1+2 (2)
24. Super Kickstart 1403 A3000/A4000 only
25. Kick 1.3 Emulator (WB2+)
26. Action Replay V1.5 (P)
27. World Geography (P)
28. Education Pack 1 (5) (P)
29. Madonna's Sex Book (3) (P)
30. Assassin Copier Disk (P)
31. Fake Fast RAM Emulator (P) (New)
32. Print Master 2 (2) (P)
33. A1200 Fix Program (A1200 only)
34. PC Task V1.11 (P)
35. Graphic Construction Kit (P)
36. Desktop Music Workshop (P)
37. The Money Program (P)
38. Radbench V1.4 (Workbench 2+)
39. Easy Split 2 (P)
40. Kids' Education (3) (P)

41. Database Compilation (P)
42. X. Comm (WB2+) (New)
43. Assassins Handy Tools 3 (P)
44. Battle Cars 2 (P)
45. Super Pacman 92+ (P)
46. Deluxe Pacman V1.1a (P)
47. Holset Football Management (P) (New)
48. V. Morph V1.1 (New)
49. Card Games (2) (P)
50. Quality Time Anim. (5 Meg) (4) (P)
51. A500+ 21 Games (P)
52. Assassin Games Disk 1-55 (55) (P)
53. Classic Games Pack (5) (P)
54. Cash Fruit (P)
55. Super Skoda Challenge (P)
56. Rags to Riches (P) 1.5 Meg
57. Bomb Jacky (New) (P)
58. Dodgem (New)
59. Tennis Game 1 Meg (P)
60. Escape 2 (P)
61. Neighbours Game (2) (P)
62. Raid Four (P) (New)
63. Grapevine Issue 14 (P) (3)
64. Clip Art Disk (10) (P)
65. LSD Jesus on E (2) (20) (P) 100%
66. Mirron - Andromeda (2) (P) (New)
67. Retena Burning (P)
68. Keane Desert Dreams (2) (P) (New)
69. Lethal Exit (P) (New)
70. Speed Limit Anim (3) (3 Meg) (P)
71. State of the Art (P)
72. Station at Kern (3) (2 Meg) (P)
73. Epilepsie 2 (P)
74. Tetris Game (New) (A1200 only)
75. Lost Worlds by Balance (P)
76. Sexy Beauties (5) A1200 only
77. Last Will & Testament (P)
78. Exotic Flipper V2.10 (P) (New Update)
79. Hackers & Hacking (P)
80. Crack and Copy Utis (P)

Express Pd
EXPRESS P.D., Dept AS2,
47 ABERDALE ROAD,
WEST KNIGHTON,
LEICESTER LE2 6DD.
Tel: (0533) 887061

All P.D. is £1.05 per disk.
Buy 12+ get 1 disk free
and receive free
Catalogue Disk (2).
Includes 3 Games, 3 Virus
Killers, Charly Music Demo
and complete listing of
Graphics, Music, Demo
Business, Utilities, DIY, T-
Bag (1-63), Fred-Fish (1-
810), Amos, Amigos (1-22)
Scope (1-220).
Please add 60p to order
from U.K., rest of world £2.50
for P&P
ALL OUR DISKS:
✓ Guaranteed extra free!
✓ Complete with own labels!
✓ Virus free!
✓ 24 hours despatch!!

Visage Computers

18 STATION ROAD,
ILKESTON
TEL: (0602) 444501

Visage Computers Public Domain Library

- Over 2000 disks in stock
 - Including Fred Fish 1 - 810
 - All the latest demos, games & Utilities
 - All P.D. on branded disks from only 99p
- For free disk catalogue please send 2 first class stamps and an SAE to:

VISAGE COMPUTERS, 18 STATION ROAD, ILKESTON, DERBYSHIRE DE7 5LD.
Telephone (0602) 444501

KT'S P.D. (SOFTWARE) FOR THE AMIGA USER
THE FAST AND FRIENDLY LIBRARY 500 ● 500+ ● 600 ● 1200

- | | | | | |
|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| GAMES | DEMOS | MUSIC | UTILITIES | ANIMS |
| POOM POM
GUNNER +y
WIZZY'S QUEST +y
DR MARIO+
NEIGHBOURS (2)+
SUPER SKODA CH +y
REVENGE+
FIGHTING WARRIORS+
NUMERIC+
DELUXE PACMAN+
DONKEY KONG+
SEALANCE +y
BLIZZARD+
ATTIC ATAC +y
ULTIMATE STAR
TREK (2)+
CROSSFIRE+
TETRIS AGA 1200
BALLOONACY +y
BOMJACKY +y
FRUIT SALAD +y | COMA DEMO
NEW TEK 3+ (2)
RED SECTOR + (2)
VOYAGE+
TRON + (2)
ODYSSEY (5)
REFLEX MEGA+ (2)
ALCATRAZ MEGA+ (3)
RAZOR 1911+
VANGUARD DEMO+
THE JUGGLER PACK+
ANTI-LEMMING+ (2)
GLOBAL TRASH+
LUXO TEENAGER+
POLICEMANS
BALL+ (2)
REBELS MEGA+
3D DEMO II+
MAYDAY+
SPACEBALLS+ | AMIGADEUS+
MED 3.2+
MED MODULES NO2+
MUSIC MANIA+
CRUSADERS BACTERIA+
MATHONY KAKTUS+
REBELS MEGABLAST
AMAZE
TECHNOTRONIC+
ERN 93 DANCE 1+
RAVE VISION
INTENSE+
100 C64 TUNES+
JESUS ON ES (2)+
NOISEPLAYER +y
BRUNOS MUSIC
BOX 2+
PRO SOUND
SAMPLES 1+
KTS MODULES 1+
KTS MODULES 4+ | V MORPH +y
A GENE +y
ASI GFX UTILS +y
ASI BOOT UTILS +y
D-COPY +y
DYNAMITE
FONTS (2) +y
ICONMANIA +y
MESSYSID 2 +y
PRINTSTUDIO +y
OPTICOMMIS 2 +y
SID 2 +y
FREECOPY +y
STARCAT 2 +y
AMIGA BEGINNER +y
KICK 1.3 +y
600 BUSINESS
LETTERS +y
SPECTRAPAIN+
CLUTUTORIAL +y
TEXT ENGINE 4 +y | UNSPORTING +y
FILLET THE FISH+
GULF WAR +y
AT THE MOVIES +y
PUGGINS IN SPACE
MAGICIAN 2 +y
AMY V WALKER +y
JET ANIMATION +y
HOW TO RUN INTO A
WALL +y
BATMAN +y
STEALTHY
MANOEUVRES 2 +y
GYMNASI +y
JUGGLER +y
ATF ACTIVITY +y
GULF CONFLICT +y
SCHWARTZ 3
ANIMS +y
BUSY BEE & TREE
FROG+
MR POTATO HEAD +y
DONALD DUCK+ |

All Disks **80p** each
Postage
UK orders 60p
Europe + 20p per disk
World + 40p per disk
HOW TO ORDER: Please make cheques payable
with bankers card no., or postal orders to KTS P.D.
(Software). All orders sent first class the same day.
FREE DISKS: Order any ten disks from above
and choose two free.
+ Plus Compatible.
+ 1200 Compatible.
+ 1 No. of disks. We stock CLR
Licenseware, Assassins Collection,
Fred Fish & Scope.
* Please cut out and send.
Catalogue disk at 50p, or FREE with your first order
75 THE DRIVE, ROCHFORD, ESSEX SS4 1QQ. Telephone: 0702 542536 anytime

BELSHAWS P.D.

tel 0636 72503

GREAT AMIGA PUBLIC DOMAIN TITLES
ONLY 99P PER DISK. DEJA VU SHAREWARE £3.99 PER DISK
POSTAGE 75P PER ORDER. FREE CATALOGUE DISK PER ORDER

DEMOS	MUSIC	GAMES	UTILITIES
Dolphin Anim	Spaceballs	Assassins	Kickstart 1.3
Kingfisher	Gigamix A & B (2)	Smash TV Rip Off	Fancy Disk Labeler
Thunderbirds (2)	LSD Rave (2)	Neighbours (2)	Cheats List
Ghost	CDTV	Games Galore	Easter Island
Lawnmowerman (2)	Beatles (2)	Erik The Warrior	Clip Art
Spiderman		Star Trek (2)	Mendel Fractal
Battle of Britain			

Send cheque/Postal Order made out to 'Belshaws'
to Belshaws Computers, 55 Baldertongate, Newark, Notts NG24 1EU.
Or Call/Fax Linda on (0636) 72503 with Access/Visa.
Personal Callers at shop always welcome.
() = No. of disks

MICROLAND BULLETIN BOARD SYSTEM

0891 990 505
To Download

0483 725 905
To View

Amiga shareware including files from the Fred Fish Collection plus lots more
to download at V32bis, V32, V22 bis, V22, V23 & HST 8 data bits, no parity

Calls to 0891 990 505 charged at 36p per minute cheap rate, 48p per minute all other times.
Trevan Designs Ltd, PO Box 13, Aldershot, Hants GU12 6YX

ALL DISKS NOW
ONLY
£1.05 EACH!

All disks work
with the A1200!
unless stated

Anglia PD

LASER PRINTED
INSTRUCTIONS AVAILABLE
FOR DISKS WITH THIS
SIGN (I) ONLY.
JUST ADD 50P!

Catalogue Disk (P)
only 70p - Includes a
superb Scenery
Generator!

(P) = Works on A500, A500 Plus and A600

- HOME MANAGEMENT PACK 3 DISKS (P) £3.15**
Calendar, Mortgage, Spreadsheet, Grammar, Mileage, World Time,
Budget, Chequebook, Database, Typing Tutor, Typewriter,
Grocery, List Maker, Home Banking
- CLIPART PACK 1, 2 OR 3 EACH PACK = 5 DISKS £5.25**
3 different packs of 5 disks, all full of the very best clipart for
DPaint etc. (P)
- FONTS PACK 1 OR 2 EACH PACK = 5 DISKS £5.25**
2 different packs of 5 disks, pack 1 contains Publisher fonts,
various fonts, fonts disk 2, Cosmopolitan fonts, large fonts (loads
of great fonts for DPaint etc.) (P)
- ANGLIA COLOUR FONTS PACK 1 OR 2 (P) 5 DISKS £5.25**
5 disks full of original colour fonts produced here at Anglia. There
are 16 colour fonts - not cut and paste! They are produced in the
same way as the chisel font supplied with DPaint and the Kara
range of commercial fonts! They are typed straight in and work
with DPaint and TV Text.
- ANGLIA CLIPART PACK (P) (NEW) 5 DISKS £5.25**
Brand new IFF clipart produced by Anglia! Loads of high quality anti-aliased
IFF images including cats, dogs, birds, wild animals, people and characters.
Use with DPaint or any program that accepts IFF graphics.
- EDUCATION PACK 2 (WB 2/3 ONLY) 5 DISKS £5.25**
A new pack full of new programs that only work if you have Workbench
9 or 3. Includes a superb program that gives you detailed information on
EVERY country in the world! Plus lots more: Biontiths, Luna, Conversion
tables, clouds, Maths tester, function plots, Knowledge quiz, World
times, Calendar, Scientific calculator, Revision aids, Chemical Element
table, surface plots and more!
- ASTRONOMY PACK (P) 4 DISKS £4.20**
This superb pack now includes: Star Chart, Amisagez, Total
Concepts, Astronomy, Gravity Well, Grav Sim, Orbit, Planet and
Fast Facts on the solar system.
- PRINTER USER PACK 2 (P) (NEW) 4 DISKS £4.20**
A completely new collection of programs to help you get the best
out of your printer! Includes: Disprint V3.51 (Disk labels),
MOMaster (Cassette covers), Printfiles, JBSPlot, Envprint
(Envelopes), New Print (Margins - Headers Footers etc) and more.
- SIMULATIONS PACK (P) 5 DISKS (Not A1200) £5.25**
All the PD Simulations in one pack: Metro, King Of, Nuke,
Imperium, Sealance, Truckin, DC10, Conquest, Insiders Club, Air
Warrior
- DISK EXPERT PACK (P) 5 DISKS £5.25**
If you want to learn more about your Amiga, get this pack! - You'll
be a disk expert in no time! Includes Power Packer (Easy file
compressor), Sid (Bitstream IC Replacement Tool), Iconmania
(Change any icon in seconds), Fixdisk, Viruschecker V5.3, D-Copy
(Copies, Repairs, Formats and more), CUI Tutorial (All you need to
know) and 902 other utilities!!
- "C" PROGRAMMERS PACK (P) 6 DISKS £6.30**
A complete "C" language and superb instruction manual provide
all you need to learn the "C" language, includes North C (2 disks)
and the C Manual (4 disks)
- MED V3.21 MUSIC PACK (P) 4 DISKS £4.20**
MED is widely recognised as the best music package, PD or
otherwise!! This pack contains V3.1, the latest version complete
with loads of digital samples, a disk full of MED music scores and
some great MED music to load and play! Listen to what your
machine is capable of!
- 500+ CLASSIC GAMES PACK (P) 5 DISKS £5.95**

- An incredible collection of superb commercial quality arcade
games! Hours of fun for both kids and adults. Includes: Defender,
Galaxians, Scramble, Missile Command, Pac-Man, Bi-Planes, Drip!,
Space Invaders, Asteroids, Breakout, Tems + more!
- CARD & BOARD GAMES 9 (P) 4 DISKS £4.20**
Another outstanding collection! 36 very good 'Thinking' Games!
Chess V2, Backgammon, Blackbox, Towers, Pipe, Zerg, Maze,
Connect4, Dominoes, Draughts, Othello, Go Moku, Dragon Tiles,
Klondike, Canfield, Mastermind, Wordsearch, Hangman, Porton
and many more.
- A1200 PICTURE PACK 5 DISKS £5.25**
5 disks full of pictures that show off the capabilities of the new
AGA Machines. You must have an Amiga 1200 or 4000.
- HARD DISK PACK 2 (P) 3 DISKS £3.15**
Great collection of the latest hard disk utilities including HDclick (menu
maker), fileminder (directory etc), a backup (superb), superlock
(password protect every drive, mouse and keyboard!), disk
optimizer, copier, virus killer and more!
- COMPUGRAPHIC FONTS PACK 1.....3 DISKS £3.15**
36 Scalable Compugraphic fonts on 3 disks. They work with
Workbench 2 or 3, Pagestream V2+ (on any Amiga), Propagae V3+
and Pagesetter V2. Excellent fonts and great value for money!
- MATHS REFLEX PACK (P) (NEW) 2 DISKS £2.10**
For ages 8 to adult - A superb way to improve basic maths. Includes
addition, subtraction, multiplication, division, fractions and algebra.
Also includes a fun memory game.
- HOME BUSINESS PACK (P).....4 DISKS £4.20**
Designed especially for newcomers to business software, this pack
contains a database (Bbase), spreadsheet, accounts package and
Wordprocessor (QED). Also included are a 19,500 word spelling
checker and a word statistics program!
- HOME BUSINESS MANUAL (P)£2.99**
Approx 50 page professionally printed manual containing full instructions for
the Home Business Pack. Includes a specially written guided tour section that
takes you through the major features of each program and ensures that you can
use each program with confidence!
- SINGLE DISKS AT ONLY £1.05!**
- BUSINESS**
8321 (P) AmigaLogo (English Desk Top Publishing)
8322 (P) 600 Business Letters (Superb! - Ready to use)
8327 (P) (I) Text Engine V4 (now the very best wordprocessor
with built-in 36,000 word spell checker)
8347 (P) (I) Address Print V3 (easy to use address label printer)
8335 (P) Forms Unlimited (Design invoices etc. quickly)
8339 (P) (I) A-Graph V2 (new version - easy graphs)
8342 (P) Wordpower (Great spell checker with crossword and
anagram solving tool)
8344 (P) The Money Program V1.5 (Home Accounts with full
printing)
- UTILITIES**
U437 (P) (I) D-Copy V2 (Now an even better disk copier!)
U478 (P) Typing Tutor (New! Great features!)
U495 (P) Virus checker V6.24 (the very best virus killer)
U496 (P) Messysid V2 (Reacts and writes PC disks)
U4004 (P) Pools Predictor (now updated for new pools rules)
U4028 (P) Printer Drivers (Over 100 - Most Star - Citizen
models including colour and HP500C)

- U4029 (P) Degradar (Turn WB2 or 3 into WB1.3)
U4030 (P) Virus 2. Version 3.05 (kills all known germs!)
U4031 (P) Twilight Zone (Excellent screen blanker)
U4032 (P) See-Rix (Make the colours you print out exactly like
the colours on screen!)
- U4033 (P) Lyspovonia (Creates weird pictures - by Sci-Fi)
U4036 (WB 2/3 only) Kick 1.3 (lets you use WB1.3 software.
U4038 (P) DPaint tutor (easy route to Pro Graphics)
U4039 (P) (2 disks) Video Backgrounds (great backdrops)
U4041 (P) Cyclops (great picture generator - fast!)
U4042 (P) (I) V-Morph (Morphing program)
U4043 (P) (I) Superclerk (brand new screen blanker with over
80 patterns - superb!)
U4044 (WB 2/3 only) (I) Japanese tutor (helps you learn the
language)
U4045 (P) F.E.5 Basic (a complete Basic programming package)
U4046 (P) Anex 60+ Help (Anex help disk)
U4047 (P) Bics (Make intros for your disks)
- GAMES**
G6036 (P) (I) Total War (Perfect version of The Risk board game)
G6038 (P) Cytematix (The best PD game by far - like Defender)
G6042 (P) Super Pacman 92 (the best ever)
G6050 (P) Yacht C (Classic five dice game - new version)
G6051 (P) (I) Bridge (The full card game - special A1200 version
included!)
- G6052 (P) Wordsearch 2 (2 good versions with loads of puzzles)
G6053 (P) (WB 2/3 only) GNU Chess (excellent graphics - the best
chess game yet!)
- G6054 (P) (WB 2/3 only) Balders Grove (new commercial
standard Boulderdash game - brilliant!)
- G6055 (P) (I) Roach Motel (wonderful platform game)
G6056 (P) Cash Fruit (probably the best fruit machine ever!)
- G6057 (P) (I) Poker (the card game - loads of features!)
- G6058 (P) Oblivion (brilliant defender arcade game!)
- G6059 (P) Mega Cheats Disk (latest games cheats)
G6060 (WB 3 only) Tetris. AGA (Tetris for A1200/4000 only!)
- CHILDRENS**
C719 (P) Colour Pad (New colouring book for youngsters)
C714 Storyland II (Brilliant kids game)
C719 (P) Total Concepts (2 Disks) (Astronomy & Dinosaur
Education Pack - Good!)
- C720 (P) Colour the alphabet (Great education for early
learners 4y+)
- C724 (P) Doody. (Like Mario Bros and very good -NEW!)
- C725 (P) Mr+Mrs. (Platform adventure for 7yrs+ - it's got
everything!)
- C726 (P) GCSE Maths (Great revision disk)
C727 (P) Top Secret (Reviewed as the best platform game
ever!)
- C729 (P) Counting Fun (For age 4+, Excellent simple
arithmetic practice)
- C730 (P) Wizzys Quest (Wizard, Damsel + Monsters, great game!)

anglia

- DESKTOP VIDEO PACK 2 (P) (100%) 4 DISKS £4.20**
Probably our best pack yet! Provides everything to start you off in
video. 5 Movie for Smooth scrolling titles using any font of any size.
Showbiz for slideshows with loads of wipes and fades. A-Graph for
business videos. Shadow Maker to add shadows and smooth any font.
Video Librarian. Video Tools. Video Tests: Loads of fonts and more!
- DESKTOP VIDEO PACK 2**
INSTRUCTION MANUAL (P) £2.99
A 50 page instruction manual for DTV pack 2. Professionally printed,
contains instructions for all the programs in the pack and a section
on fonts and how to use them! Also includes a superb guided
tutorial that takes you through the major programs step by step,
letting you create your own titles as you go! Designed for beginners
and experienced users, this manual will make desktop video easy!

FISH DISKS IN STOCK
350-850
ONLY £1.05 EACH!

DEJA VU
"1-LATEST"
£3.99 EACH!

HIGH QUALITY HARDWARE
8mm High Quality Mouse Pad£2.99
Amiga 500/500+/600/1200 Dust Covers£3.99
Philips 8833 Monitor Dust Cover£4.99
3.5" Disk Drive Cleaning Kit£2.99
Printer Stand (fits all Dot Matrix Printers)£5.60
Blank Disks (high quality with labels)£0.50

ANGLIA PUBLIC DOMAIN LIBRARY
(Dept ASH), 30 Victoria Street, Felixstowe IP11 7EW

PHONE
0394
283
494

Access **VISA** **CREDIT CARD** **ORDERS**

International
orders welcome
but please add
30p per disk for
post & packing.

Phone your order or send cheque/PO. Please add 60p (per total order) for post and packing.

continued from page 104

contents of any KickStart ROM into a file; the author, Ralf Gruner, says that you can then use a program called *SetCPU* to start an Amiga with an MMU (Memory Management Unit) using the KickStart ROM data in that file – for example, to test software under development with earlier versions of the Amiga's ROM.

Fred Fish has gone out of his way to point out that neither he nor, presumably, the author condones using the program for any illegal uses – although he says that “there are many legitimate reasons for wishing to make a file copy of a ROM image.” Personally, the only legitimate use I can think of is if you've got 32-bit RAM: copy the contents of the ROM into 32-bit RAM and an accelerated processor can access it more quickly than ROM, thereby boosting the speed at which the operating system can run. If you're taking this issue's lead and going down the upgrade route, or if you already have 32-bit RAM, the program's here for you...

There's no program rating for this particular offering; it does its job just fine, as far as I can tell, but its legitimate uses seem rather limited to me and I'm still rather sceptical about the principle of giving people loaded guns on the assumption that they won't misuse them.

DISKTEST


Fish disk 828

DiskTest checks the integrity of hard and floppy disk drives. In other words, it makes sure that what you think is on a disk is actually okay, with no errors which will cause the data to

be unreadable just when you need it most. If you're putting files on to a floppy before taking them away from your home machine, you'd do well to run this program over the floppy before you go – that way, you can be at least fairly sure that you'll be able to extract the files at the other end.

The program first reads all the tracks on the disk, to make sure that there are no basic media errors; it then reads all the files on the disk, record by record, to ensure that the files have been written correctly.

To check a floppy disk, you simply click on a button – DF0 to DF3 – and the disk in that drive is verified. Or, you can drag a folder or disk into the program's window, in which case only the second part of the verification process will take place (this is the only way to check a hard disk – the program won't verify the media, only the data). This can



DiskTest: verify the integrity of your floppies before you take them on holiday with you... It tells you everything you never wanted to know, and then some.

be awkward, however; the program's window takes up most of the depth, and all of the width, of the screen – so you have to move your disk icon to the top or bottom of the screen before you launch the program. I thought that I'd found a way around this problem: the program has a “shrink” button which reduces the window to a small title bar, and I assumed that I could drop a disk icon on to this bar. Foolish me: I tried with one of my hard disk partitions and was rewarded with one of the more spectacular crashes I'd

seen – the colours on my monitor would have been great if I were into psychedelic trips through a paint factory, but do tend to be a bit worrying when you realise how long it's been since your last backup.

In fact, no harm had been done. I repeated the experiment with a floppy and found that that too caused a crash, but again didn't damage the data on the disk. Still, it looks like this is a serious bug that really does need fixing.

Even before that fix comes out, though, you should still seriously consider getting hold of *DiskTest*; using its floppy disk buttons works perfectly well, and it's always good to be able to verify your floppies before you send them winging their way around the world.

Program rating 8/10

POST

Fish disks 828, 829, 830

Post is a complex and important program – assuming it all works. I confess, it's so complex that it will take me many weeks to check out

thoroughly. However, I thought I should at least draw your attention to its presence.

Post is a full PostScript interpreter which enables you to view PostScript images on-screen or output them to a file or any non-PostScript printer. So if you've been given a graphic in PostScript format, or (as is sometimes the case) you have a documentation file that's been saved as a PostScript document, but you don't have a PostScript printer, you can now view and output it. The program supports both Type 1 and Type 3 fonts, and has a full Intuition interface. It requires AmigaDOS 2.04 or later to run. The main program is on Fish disk 828, along with some PostScript fonts, and other fonts can be found on disks 829 and 830.

I'm in the process of giving *Post* a proper evaluation now, using PostScript files from a variety of sources; watch out for a definitive review next month!

TERM 3.1

Fish disks 831, 832, 833


Amiga programs just seem to be getting bigger and bigger. *Term* comes on three Fish disks: 831 contains the main program, 832 a special 68020/030/040 version and the source code, 833 the documentation in DVI and PostScript formats. (Now where did I put those disks with *Post* on them...)

Term is probably the most fully-featured comms program available for the Amiga. It would take the whole PD section to list all its features, but they include:

- Full AREXX control
- XPR transfer support (that is, external protocol libraries are used for file transfer – a sensible way to do things, since it means that a new protocol doesn't mean a new version of the program). XPR libraries shipped with the program include X, Y, Z and JModem, Kermit and CompuServe's QuickB
- Cut and paste of data on-screen
- Auto upload and download
- Unlimited-size scrollable buffer for received data
- VT102, VT220 and ANSI terminal emulation, with support for external terminal emulation libraries
- Phonebook
- Save and print the contents of the screen as an IFF or an ASCII file
- Supports all screen modes, including AGA and ECS modes

Quite simply, if you're a comms nut you really must check out *Term* (assuming that you have AmigaDOS 2.04 or above, which is required). It's a solid, well-written program which performs faultlessly. When I'm using my Amiga for comms, this is the one for me. Indeed, I'm always amazed when a new version appears – I can never believe that there's anything else to add to the program!


Program rating 10/10



Term 3.1: is this the most sophisticated Amiga comms program yet? Put it this way: think of what you want in a comms program, and it's probably here.

PREMIUM BULK 3.5" DS/DD DISKS

25	11.49
50	20.99
100	37.99
200	71.99
250	88.99
500	173.99



ALL DISKS ARE FULLY GUARANTEED
AND ARE COMPLETE WITH LABELS

3.5" SUPERIOR LOCKABLE DISK BOXES

Qty	100 Cap.	140 Cap.	Bank Box
1	4.49ea	6.49ea	9.95ea
2	4.39ea	6.39ea	9.75ea
4	4.19ea	6.19ea	9.50ea
6	3.99ea	5.99ea	9.25ea

3.5" PREMIUM DISKS WITH OUR BOXES

100 Cap. box + 50 3.5" DS/DD	24.99
100 Cap. box + 100 3.5" DS/DD	41.49
140 Cap. box + 100 3.5" DS/DD	43.99
90 Cap. Bank box + 50 3.5" DS/DD	29.99



SNAP
COMPUTER
SUPPLIES LTD

HOTLINE

0703
457111

**REBIBS - POST FREE**

Full Mark Brand	2 off	4 off
	PRICE EACH	
Citizen 120D/124D Swift 24	2.75	2.55
Citizen Swift 24 Colour	13.95*	
Panasonic KXP 1080/1123/1124	3.25	3.05
Star LC10/LC20	2.60	2.40
Star LC10-4 Colour	5.90	5.70
Star LC24-10/24-200	2.95	2.75
Star LC24-10 Colour	10.95*	
Star LC200	3.00	2.80
Star LC200 Colour	10.95*	
Star LC24-200 Colour	10.95*	
Ribbon re-ink	12.95	

COMPATIBLE INK JET REFILL


HP Deskjet 500 Double Refill	9.95
Canon BJ10E Double Refill	9.95

Minimum order - 2 ribbons, except those
marked with an asterisk *

ACCESSORIES - POST FREE

Mouse Mat	2.99
Mouse Holder	2.99
Roll 1000 3.5 Disk Labels	8.99
Amiga A500/A600 dust cover	3.50
Phillips monitor cover	3.99
Star/Citizen/Panasonic 80 colour Printer cover	3.99

All products are subject to availability - All prices include VAT.
Please add £3.50 p+p for disks and boxes. E&OE.



SNAP COMPUTER SUPPLIES LTD Fax: 0703 457222

Unit 16, The Sidings, Hound Rd, Netley Abbey, Southampton SO3 5QA



AMIGA REPAIRS

Repairs undertaken to Amiga 500 computers at £44.95 inclusive
of parts, labour, VAT and return postage/packing

Commodore registered for full technical support

Computers repaired in the quickest possible time

All machines will be overhauled with a full soak-test to ensure optimum reliability

Entrust your machine to the experts, full 90 day warranty


Repairs to disk drive and keyboard also included
(extra charge possible if found to need complete replacement)

Repairs to other Commodore systems undertaken - phone for details

Upgrades and expansions supplied and fitted - phone for details

£44.95

To take advantage of this exceptional offer, simply send or hand deliver your computer to our workshop complex,
address details below, enclosing this advertisement voucher, payment, fault description, return address,
along with your daytime and evening telephone number and we will do the rest.
Should you require Group 4 Security return delivery, simply add £5.00 to the repair charge.



WTS Electronics Ltd Chaul End Lane Luton Bedfordshire LU4 8EZ Tel 0582 491949 (6 lines)

(We reserve the right to reject machines which, in our opinion, are beyond repair. Normal charge applies)


SUPERDARK**Fish disk 835**

SuperDark is a screen blander based on *After Dark*, the most popular Macintosh screen saver (it's also available on the PC). A screen blander changes the image on your Amiga's screen when your computer hasn't been used for a while – that is, when you haven't moved the mouse, clicked a button or hit a key for some period – to prevent screen burn-in (which is when the phosphors that actually "paint" the screen display become desensitized by too prolonged a static image and you end up with a permanent "ghost" of that image on-screen).

The earlier screen blanders just did exactly what their names suggest – turned the screen to black until you moved the mouse or pressed a key – but now you'll find that most display some sort of pattern instead.

SuperDark has numerous different "modules" that it can use, from simple bouncing lines to some really very sophisticated and neat displays; for instance, "shuffle" superimposes a grid on the screen and then shuffles the squares around, like one of those puzzles you see people muddling hopelessly on *Crystal Maze* (you'll know what I mean when you see it).

The program is easy to install: just put the directory full of blanders on to your hard disk, put the main program in your **WBStartup** drawer



SuperDark: a screen blander with some neat modules, based on the Mac and PC program After Dark. More fun than watching the telly, sometimes...

(there is a version of the program supplied for users of OS 1.3, too) and re-boot your Amiga. Hitting the hot-key combination (left-shift 3) brings up the main configuration, from where you can select which blanking module to use, edit any parameters which are associated with it and sample it. The main screen also controls when the blander will take effect (any time from 10 to 256 seconds of inactivity), and whether to password-protect the screen. If you select this option, then moving the mouse or

hitting a key will bring up a password requester – you have to enter the correct password before you can use the Amiga (although you could, of course, just re-boot the machine).

All in all, *SuperDark* isn't at all bad – especially since it's freeware. However, I was a little disappointed with the "Flying Toasters" module. This is incredibly popular in the Macintosh world – it displays pictures of, yes, toasters with wings floating across the screen. But when I tried to use this particular module on my Amiga, I was told that it

requires OS 2.0, and so will not run on my machine – which is odd, since I've got an A500 Plus, running AmigaDOS 2.04. Far be it from me to even whisper the word "bugs?"...

Program rating 8/10

SUPER FORMATTER**Fish disk 835**

Super Formatter is an Intuition-based disk formatting program intended for use by people who don't like using the CLI version supplied as part of the Amiga's basic operating system.

I had trouble getting it to work at first; double-clicking on the icon produced a message telling me that the Amiga couldn't open my tool "Super Formatter". It turned out, after a little experimentation, that the Fish disk has a .info file called "Super Formatter", but the program itself is called "SuperFormatter" (no space between the two words). So, copy the program to your boot disk, enter the CLI, change directory to that drawer and type in the following (all as one line):

```
rename "Super Formatter.info"
SuperFormatter.info'
```

Now when you double-click on the icon, the program will launch.

As for the program itself, well, it works as advertised. There are check-boxes for you to specify whether or not to use the FFS (Fast

PUTTING FLIP-FLOPS ON THE BREADBOARD

DBB**Fish disk 844**

DBB is short for *Digital Breadboard*, which is a freeware digital logic circuit simulator, written by Dan Griffin, which runs on Amigas with AmigaDOS 2.04 or higher. There are some limitations: primarily, you can't include more than 40

elements in your circuit (so you won't be designing the 68080 chip on your Amiga). On the other hand, the program copes with multiple-input AND, OR, NAND and NOR gates, XOR and NOT gates, D, JK and SR flip-flops, multiple user-defined clocks, switched and pulsed circuits and so on and so on.

When launched, the program displays a blank design screen (in interlaced mode, so it will be unusable without a monitor), along with a tool palette of elements from which to choose. You place these elements (clocks, gates and so on) on the design screen, and then connect them up simply by clicking on the output of one item and the input of another. When you've finished (at least, when you think you've finished), you can select "run" from the Control menu to see your circuit working.


If you've selected a clock (a device which provides a pulse at regular intervals), you can specify the delay before start,

width of the pulse and period between pulses. A normal input can be either a switch or a "pulser"... and so the list goes on. There are even event counters, a variable speed timer and a four-channel "oscilloscope", which you can connect to various parts of the circuit to trace what's going on.

If you're an electronics student doing a GCSE in Control Technology or an undergraduate computer scientist, *DBB* will prove invaluable to you. The author says that he doesn't know of another similar program – I've certainly never seen one for the Amiga. For that reason alone it will be popular, and the fact that it's actually really very good, has more features than you can shake a stick at and is free to boot can only serve to increase that popularity.

Even if you're not an electronics geek, take a look at *DBB* – it's fascinating, just playing around. And, of course, it'll help you understand our series on the internal workings of the Amiga... It's not designed for really high-level work – it doesn't allow you enough elements to make up an eight-bit full adder, for instance, which Gus informs me comprises 97 logic gates, let alone the dazzling stuff we're bringing you this month on pages 57 to 60 – but it's still a remarkable little package.

Program rating 10/10



Digital Breadboard is an excellent digital circuit simulation program. It's the only one of its kind for the Amiga, it's well-featured – and it's well worth checking out if you're any sort of chip-head!



Super Formatter is an intuition-based replacement for the CLI Format command. If you're looking for an easy way to format disks, try it out.

Filing System, implemented on OS 2.0 and above), which disk to format, whether or not to include a Trash icon and so on. You can even have the program AutoStart formatting, so that a disk is automatically formatted when it's inserted. And, of course, you can name the disk.

If you still find that you struggle with the Format command from the CLI, get a copy of *Super Formatter* – you need never enter the CLI again.

Program rating 9/10

NEWAQUA


Fish disk 837

NewAqua is a replacement for the old *Aquarium* program, which is a database specifically designed to reference the contents of all the Fish disks. It is contained in an archive called "AquaPack", along with *NewFish* and *CliAqua*.

NewAqua comes in two versions: one standard, and the other optimised for 68030-based Amigas. Even the standard version, though, is anywhere up to four times as fast as the old *Aquarium* program when searching for disks. It also now supports a "packed" database – that is, one which has been compressed so that it takes up less disk space. The disadvantage (there had to be one...) is that searching takes around 20 percent longer than on an unpacked database – but if you're running on a floppy disk-only system, you'll be pleased enough to get a version of the database on one floppy, and the extra time taken to search probably won't worry you too much.

Using *NewAqua* is easy; if you know a program's name, just type it in and hit Down or Up – to start searching from the top or bottom of the database. Not sure of the program's name but know some of the text that's likely to be in the

description? No problem – there's space to specify that instead. If



NewAqua: a fast, easy-to-use database of all the programs released on Fred Fish's collection of disks... well, the first 740 of them, anyway.

you're looking for a type of program – graphics, for example – click on the category button at the top of the screen, and again hit Down or Up. A useful button is "Most Current", which will scan the database and only produce a listing of the latest Fish disk to contain a version of a specified program.

NewFish enables you to add details of new Fish disks to the database – which is useful, since the database supplied with the package only goes up to Fish disk 740. Again, it's easy to use: it just reads a standard Contents file, as is present on every Fish disk, from whichever disk drive you specify, and adds the details to the database.

Finally, *CliFish* is a version of the database which will only run from the CLI, and which has been designed for people who run bulletin boards from their Amigas. By running *CliFish*,

you can give your users access to the Fish database – they enter their search query, and the program comes back with the results in plain text format.

If you're serious about Amiga PD, you really should have some kind of Fish disk database – and *NewAqua* is pretty damn good. Shame that the database supplied only goes up to disk 740, though – and it looks as though a couple of disks are missing, too; disk 739, for example, doesn't exist in the database.

Program rating 9/10

MATHPLOT

Fish disk 850

MathPlot is a program (or do I mean yet another program) which plots mathematical functions on the screen. The resulting curves can then be printed out or saved as IFF files. You can also plot the first and second derivatives of the curves.

The program only works with Kickstart 2.04 or higher, and is shareware; for your DM30 or \$20 you get a newer, more fully-featured version. Up to ten functions can be stored in the program at any one time. You can plot them all on the same screen if you want, and include axes; the annotation of the axes is either calculated automatically or entered manually, and you can zoom in to look more closely at a particular area of the plot if you wish. Things like precision of plotting, user-entered interval to plot over and even numerical integration are all supported.

I have to say that it's hard to get excited over this program. I'm sure that students who can't be bothered to plot sine curves and the like by hand will find it useful, but in reality the user-base for a package like this must be fairly small – mustn't it...?

Program rating 7/10


AMIGA-PASCAL

Fish disk 849

Pascal is still a very popular programming language, even though it's now being superseded by C as the language of choice for many professionals. So it's nice to see new versions of the language appearing, even if – as with this one by Daniel Amor – they aren't particularly fully-featured.

Daniel says he's a university student who's written this compiler partly because his course required it, and partly because he wanted a compiler which creates optimised code. He wrote the compiler in Kick-Pascal – although, as he says, it "seems like the old problem with the hen and the egg," it's actually common practice to write at least the first version of a compiler in a different high-level language.

Amiga-Pascal isn't a full version



MathPlot has loads of features for plotting curves, and even printing them out, but it's still not the most exciting program on the planet...

of the language; the keywords it supports are PROGRAM, VAR, INTEGER, BEGIN, END, WHILE, DO BEGIN, :=, +, -, * and /. The documentation, too, is rather sparse – less than 4K. "If you'd like to know which functions and procedures this compiler understands then please look at the example file," says Daniel, and you'll find that since the only example file is one which just prints the first 46 numbers in the Fibonacci series, some experimentation might be required.

Still, if you're just starting out in Pascal programming and you want a language which runs fairly quickly and will let you compile the sort of beginners' example programs that you find in most textbooks on the subject, you could do worse than take a look at Amiga-Pascal. Included in the distribution are the very popular A68K assembler and BLINK, a program which turns the output of A68K into an executable file.

Program rating 8/10

UNIXDIRS

If you're a Unix user as well as an Amiga fan, you'll probably find that half the time you type "." in the CLI when you should have typed "/" instead. For non-Unix users out there, "." means "the next directory up in the tree structure", as "/" does on the Amiga. Likewise, "." in Unix means "the current directory" – and again, this will give an error if used on the Amiga. It's the age-old problem of having to change your mind-set as you change programs.

To avoid the hassle of having to remember to use Amiga file specifications all the time, Martin Scott has written the tiny utility *UnixDirs*, which patches calls to DOS so that you can use "." and "." with no problem.

It's small, it works, it's useful to some people. Can't say fairer than that. Oh, except that it's inexpensive to boot.

Program rating 10/10 **AS**

WHERE TO GET IT

There are two main ways to get hold of Amiga PD and shareware: from a bulletin board or from a PD library.

The advantage of using a bulletin board is that often the latest software is uploaded as soon as it's available. On the down side, you need a modem to connect, and you'll have to pay phone charges (and sometimes a connection fee to the bulletin board as well).

There is a growing number of bulletin boards with a wide range of Amiga software available for download. Check out 01-for Amiga (071 377 1358) and the Cheam Amiga Bulletin Board (081 644 8714). Another good option is joining CIX (the Compulink Information eXchange), which not only has Amiga software but also contains conference and file areas on a wide range of subjects. Many of the *Amiga Shopper* writers have accounts on CIX, so you can get first-hand advice on your problems, too. For more details, call CIX on 081 390 8446 (voice) or 081 390 1255 (modem).

If you don't want to use a bulletin board, the other way to get PD software is from a PD house. Many advertise in *Amiga Shopper*, and you'll find a comprehensive list of names and addresses below. Expect to pay between 99p and about £2.50 per disk – there's often a discount if you buy in bulk, too. As for the difference between the companies which charge 99p and those which charge £2.50 – well, try both types. There are brilliant, totally professional PD houses which charge less than a quid, and there are totally incompetent (dis)organisations which charge more than twice that.

UK PD HOUSES

Amiganuts United
169 Dale Valley Road
Hollybrook
Southampton

AMOS PD
1 Penrynnydd Road
Penlan
Swansea
SA5 7EH

Angila PDL
115 Ranelagh
Felixstowe
Suffolk
IP11 7HU
☎ 0394 283494

Blitterchips
Cliffe House
Primrose Street
Keighley
BD21 4NN
☎ 0535 667469

Crazy Joe's
145 Effingham Street
Rotherham
South Yorks
S65 1BL
☎ 0709 829286

Deltrax PD
36 Bodelwyddan Ave
Old Colwyn
Clwyd LL29 9NP
☎ 0492 515981

Deja Vu
7 Hollinbrook
Beech Hill

Wigan WN6 7SG
☎ 0942 495261

Essex Computer Systems
118 Middle Crockerford
Basildon
Essex
SS16 4JA
☎ 0268 553963

George Thompson Services
Cucumber Hall Farm
Cucumber Lane
Essendon
Herts
AL9 6JB
☎ 0707 664 654

ICPUG
PO Box 1309
London
N3 2UT
☎ 081-346 0050

NBS
1 Chain Lane
Newport
Isle Of Wight
PO30 5QA
☎ 0983 529594

PD Soft
1 Bryant Ave
Southend-on-Sea
Essex
SS1 2YD
☎ 0702 466933

Pentire PD
10a Hag Hill Lane
Taplow

Maidenhead
Berks SL6 0JH
☎ 0628 666641

Riverdene PDL
30a School Road
Tilehurst
Reading
Berkshire RG3 5AN
☎ 0734 452416

Telescan Computer Services
Handsworth Road
Blackpool FY5 1SB
☎ 0253 22296

Sector 16
160 Hollow Way
Cowley
Oxford
☎ 0865 774472

Seventeen Bit Software
PO Box 97
Wakefield
West Yorks WF1 1XX
☎ 0924 366982

Software Expressions
Unit 4
44 Beaulieu Road
Southville
Bristol BS3 1PY
☎ 0272 639593

Softville
Unit 5, Stratfield Park
Elettra Avenue
Waterlooville
Hants PO7 7XN
☎ 0705 266509

Startronics
4 Arnold Drive
Droylsden
Manchester M35 6RE
☎ 061 370 9115

Vally PD
PO Box 15
Peterlee
Co Durham SR8 1NZ
☎ 091-587 1195

Virus Free PD
31 Farringdon Road
Swindon
Wiltshire SN1 5AR
☎ 0793 512321

Buyer beware: inclusion in this directory does not imply that *Amiga Shopper* endorses or recommends any PD library in any way.

If a library is named in a review, this means that that library provided us with the disk reviewed. Given that PD can be freely copied, the same program may well be available legitimately from several libraries.

• If you run a PD library not listed here and wish to be included, or if you want to amend any information given, send full details and a copy of your latest catalogue to:
PD Directory, *Amiga Shopper*,
30 Monmouth Street, Bath, Avon
BA1 2BW.



WORLD CLASS PERIPHERALS FOR THE


AMIGA



ACCELERATORS FOR AMIGA 1500 AND 2000

If you use your Amiga for DTP, ray tracing, graphics or any other serious application, you'll appreciate the power and improvements in performance that an accelerator brings. Accelerators replace the main processor with a faster version and by doing so the speed of the Amiga is dramatically improved.

GVP offer a range of A1500/A2000 accelerators that simply outstrip the competition for speed and specifications. Their G-Force range includes the fastest Amiga accelerator available (the 68040 33MHz version) whilst offering a range of functions, such as 32-bit RAM upgrades, SCSI interfaces and maths co-processors. If you're looking for ways to boost the power of your Amiga, then you can't beat the GVP G-Force range!



G-FORCE ACCELERATORS	030 25MHz	030 40MHz	030 50MHz	040 33MHz
Speed MIPS*	7.48	12.1	15	30
Processor	68030EC	68030EC	68030	68040
Math co-pro	68882 included	68882 included	68882 included	In 68040
Std 32-bit RAM	1Mb	4Mb	4Mb	4Mb
Max 32-bit RAM	13Mb	16Mb	16Mb	16Mb
Extras	SCSI	SCSI	SCSI	SCSI Ser/Par
PRICE	£399 INC VAT UPD 0110	£699 INC VAT UPD 0430	£999 INC VAT UPD 0533	£1299 INC VAT UPD 0740

*MIPS: Millions of Instructions / second

PLUG-IN HARD DRIVE & ACCELERATOR FOR AMIGA 500 AND AMIGA 500PLUS

The A530 is a unique combination of a hard drive, RAM board and an accelerator. Inside is a full Motorola 68030 processor running at 40MHz making your Amiga faster than you thought possible. The A530, with a maths co-processor, is up to 300 times faster than a standard A500! The new processor and 32-bit SIMMs is joined by up to 8Mb of 32-bit RAM, further enhancing performance.

Features Include:

- 40MHz 68030EC Processor
- Up to 8Mb 32-bit Memory, 1Mb fitted
- Cut Off Switch For Game Compatibility
- Designer Styling to Match the A500
- Dedicated Power Supply and Fan Unlike Many Competitors
- Mini-slot for Future Expansions
- Factory Installed Hard Disk
- High Speed DMA SCSI Controller - Can Handle 7 Devices



PC EMULATOR
PLUGS INTO THE HD8+ OR A530 TO ALLOW YOU TO RUN PC COMPATIBLE SOFTWARE ON YOUR AMIGA
286-16MHz EMU 0500 **£99** INC VAT


A530 HARD DRIVE & 40MHz ACCELERATOR	42Mb	80Mb	120Mb
	£499	£599	£699
	INC VAT - HAR 0962	INC VAT - HAR 0968	INC VAT - HAR 0974

PLUG-IN HARD DRIVE FOR AMIGA 500 AND AMIGA 500PLUS

A hard drive will have an immediate effect on your Amiga. Where you used to constantly swap disks, wait for files and programs to load, and sit around waiting for disk accesses you'll now be pushed to keep up with your Amiga! Hard drives work in the same way as floppy disks, but can hold far, far more information and access this data much quicker.

The A500-HD8+ provides the ultimate in hard drive performance. It can also increase the memory of your Amiga, and provide PC compatibility. Features include:

- Ultra Fast Access SCSI HD
- Up to 8Mb of FAST RAM
- Mini-slot for Future Expansions
- Cut Off Switch For Game Compatibility
- Designer Styling to Match the A500



- Dedicated Power Supply and Fan Unlike Many Competitors
- High Speed DMA SCSI Controller - Can Handle 7 Devices

HD8+ HARD DRIVES	42Mb	80Mb	120Mb
	£299	£399	£499
	INC VAT - HAR 0940	INC VAT - HAR 0986	INC VAT - HAR 0922

GRAPHICS CARD FOR A1500/A2000/A3000/A4000



ALL-IN-ONE GRAPHICS CARD

Impact Vision 24 is a fully featured video card. Unlike other graphics cards which require you to buy extra modules later, IV24 has everything you could want from a video board built into the base model!

Included with IV24 is GVP's custom Video Interface Unit (VIU). This gives you more choices for in and out putting video signals than any other Amiga peripheral on the market.

FREE SOFTWARE WITH IV24

These free titles can create stunning 3D rendered images, retouch captured images and fade between 2 video sources with 50 packages video transitions for production studio effects. Also included is MacroPaint 2, a powerful 24-bit graphics package which can paint in 16.8 million colours.

- 1.5Mb 24-bit, 16.8million colour buffer
- Real-time framegrabber/digitiser
- De-interlaced video flicker fixer
- Movable/Sizeable PIP (Picture-in-Picture)
- 2 Video genlock (RGB & Composite)
- 768 x 580 Resolution
- Captured image retouching/processing
- Tilt/character generation
- Real-time 24-bit painting
- Animation/3D rendering
- FREE! Calligari 24, MacroPaint 2, MyLad and Desktop Darkroom software

A1500/A2000 ADAPTOR - £49.95 - GVA 5224	IV24 inc VIU-S	IV24 inc VIU-CT
	£999	£1299
	INC VAT - VD 7124	INC VAT - VD 7124

VIDEO GENLOCK FOR ALL AMIGAS



G-LOCK is a fully featured Genlock, allowing you to mix Amiga generated text and pictures with video pictures and send the combined result back to your video recorder for recording.

- Two Composite Video Inputs, S-Video (V/C) Input
- Simultaneous Composite / S-Video and RGB Output
- Video Processor - Real Time Software Control of Video Attributes (sharpness, gain, brightness etc)
- AReflex Compatible
- Works with Flicker Fixers
- Multiple Keyer Modes
- Full Audio Support

G-LOCK
£349 INC VAT - VD 2050


SOUND SAMPLER FOR ALL AMIGAS

Capture sound from an external source and play it back on your Amiga. With GVP's Digital Sound Studio (DSS) you can create your own audio effects for use in games or make jingles!

- Holds up to 31 Samples in Memory At Once
- Real-time Oscilloscope, Spectrum Analysis, Echo and Reverberation
- Graphic Editing of Wave Forms
- Stereo or Mono Operation
- MOD File & MIDI Compatible

DSS
£39.95 INC VAT - AUS 2500

HARD DRIVE CARD FOR A1500/A2000/A3000/A4000



The HC8+ hard drive card gives the ultimate in hard drive performance and increases your Amiga's RAM.

- High Speed DMA SCSI Controller - Can Handle 7 Devices
- Ultra fast access
- SCSI Hard Drive
- Up to 8Mb of FAST RAM
- Direct memory access style design

0Mb	40Mb	80Mb	120Mb
£129	£299	£349	£429
INC VAT - HAR 1200	INC VAT - HAR 1240	INC VAT - HAR 1280	INC VAT - HAR 1320

SCSI/RAM EXPANSION FOR THE AMIGA 1200

Adding RAM or a hard drive to your Amiga will have a considerable impact on its speed. The GVP SCSI/RAM allows you to enhance your Amiga with either. Its SCSI hard drive interface is one of the fastest available, whilst its 32-bit RAM upgrade is based on the same technology as that featured in the best selling A1230.

- Built-in, Full SCSI Hard Drive Interface
- Optional 8Mb of 32-bit RAM
- Optional 68882 Maths Co-processor
- Easy to Fit and Doesn't Void Warranty

SCSI CABLE KIT - £49 INC VAT Ref: HAR 1245	0Mb RAM	4Mb RAM	33MHz CO PRO
	£199	£399	£399
	INC VAT - HAR 1200	INC VAT - HAR 1233	

IMAGE PROCESSING FOR ALL AMIGAS WITH 3Mb RAM




Image FX is a complete solution for all your image creation and editing needs. It has a vast range of facilities, can read and write to many other different file formats and directly controls a wide variety of hardware.

- 24-bit painting
- AReflex Compatible
- Virtual Memory Support
- Load, Save and Convert to the Following Formats: ANIM, BMP, Clipboard, DCTV, DPIX, GIF, HAM-E, ILBM, IMPULSE, JPEG, RENITON, SCULPT, TARGA, TIFF AND MORE
- Scanning, framegrabbing & 24-bit Board Support Comes with Modules for Several Popular Hardware Devices: JX100, IV24, AA Chipset
- Create Animations
- Numerous Special Effects Edge Feathering, Shading, Alpha Channel, Morphing, Compositing etc

FREE! CINEMORPH
WORTH £49.95 - SEE BELOW

IMAGE FX
£199.95 INC VAT - ASI 2502

VIDEO EFFECTS FOR ALL AMIGAS WITH 3Mb RAM




CineMorph from GVP opens up the world of Morphing, the process of converting one image to another to create dazzling special effects. Currently very popular in music videos and feature films, morphing has become the fashionable video effect to use. Now with CineMorph you can create these stunning effects on your Amiga.

- Supports the AA Chipset
- Static or Full Motion Morphing
- Single Image Warping
- Fast Render Times
- Renders to HAM-E and DCTV

CINEMORPH
£49.95 INC VAT - ASC 4422

40MHz ACCELERATOR FOR THE AMIGA 1200



Other A1200 cards claiming to be accelerators only add maths co-processors and extra RAM, whilst the A1230 can provide both of these PLUS an enhanced CPU. This replacement CPU upgrades the A1200's existing processor with a 68030EC processor running at 40MHz!

32-bit RAM and a maths co-processor can also be added, enhancing performance still further. The A1230 doesn't void your Amiga warranty, and is also compatible with every PCMCIA standard card, and doesn't prevent their use!

- The First True A1200 Accelerator
- 68030EC Processor Running at 40MHz
- Up to 32Mb of 32-bit RAM
- Optional Maths Co-processor
- Easy Fitting Trapdoor Expansion - Doesn't Void Your Warranty
- Doesn't Disable PCMCIA Interface
- Optional 68882 Co-processor - Twice the Speed of a 68881

A1230 40MHz ACCELERATOR	0Mb RAM	4Mb RAM	40MHz CO PRO
	£299	£499	£499
	INC VAT - UPD 1230	INC VAT - UPD 1234	

ALL PRICES INCLUDE VAT - DELIVERY IS FREE OF CHARGE IN THE UK MAINLAND

100959-0P15

SILICA SYSTEMS OFFER YOU

- **FREE OVERNIGHT DELIVERY:** On all hardware orders shipped in the UK mainland.
- **TECHNICAL SUPPORT HELPLINE:** Team of technical experts at your service.
- **PRICE MATCH:** We normally match competitors on a "Same product - Same price" basis.
- **ESTABLISHED 14 YEARS:** Proven track record in professional computer sales.
- **£12 MILLION TURNOVER (with 60 staff):** Solid, reliable and profitable.
- **BUSINESS + EDUCATION + GOVERNMENT:** Volume discounts available 081-308 0888.
- **SHOWROOMS:** Demonstration and training facilities at all our stores.
- **THE FULL STOCK RANGE:** All of your requirements from one supplier.
- **FREE CATALOGUES:** Will be mailed to you with offers + software and peripheral details.
- **PAYMENT:** Major credit cards, cash, cheque or monthly terms (APR 29.8% - written quotes on request).

Before you decide when to buy your new Amiga products, we suggest you think very carefully about WHERE you buy them. Consider what it will be like a few months after you have made your purchase, when you may require additional peripherals or software, or help and advice. And, will the company you buy from contact you with details of new products? At Silica Systems, we ensure that you will have nothing to worry about. We have been established for almost 14 years and, with our unrivalled experience and expertise, we can now claim to meet our customers' requirements with an understanding which is second to none. But don't just take our word for it. Complete and return the coupon now for our latest FREE literature and begin to experience the "Silica Systems Service".

MAIL ORDER HOTLINE
081-309 1111

SILICA SYSTEMS

MAIL ORDER: 1-4 The Mews, Hatherley Rd, Sidcup, Kent, DA14 4DX
Order Lines Open: Mon-Sat 9.00am-6.00pm No Late Night Opening
Tel: 081-309 1111 Fax No: 081-308 0608

LONDON SHOP: 52 Tottenham Court Road, London, W1P 0BA
Opening Hours: Mon-Sat 9.30am-6.00pm No Late Night Opening
Tel: 071-580 4000 Fax No: 071-323 4737

LONDON SHOP: Selfridges (Basement Area), Oxford Street, London, W1A 1AB
Opening Hours: Mon-Fri 9.30am-7.00pm (Sat close 6.30pm) Late Night: Thursday - 8pm
Tel: 071-629 1234 Extension: 3914

SIDCUP SHOP: 1-4 The Mews, Hatherley Rd, Sidcup, Kent, DA14 4DX
Opening Hours: Mon-Sat 9.00am-5.30pm Late Night: Friday - 7pm
Tel: 081-302 8811 Fax No: 081-308 0617

ESSEX SHOP: Keddies (2nd Floor), High Street, Southend-on-Sea, Essex, SS1 1LA
Opening Hours: Mon-Fri 10.00am-5.30pm (Sat 9.00am-6.00pm) Late Night: Thursday - 7pm
Tel: 0702 468039 Fax No: 0702 468039

To: Silica Systems, AMSHP-0793-68, 1-4 The Mews, Hatherley Rd, Sidcup, Kent, DA14 4DX

PLEASE SEND A 64 PAGE AMIGA COLOUR CATALOGUE

Mr/Mrs/Miss/Ms: Initials: Surname:

Company Name (if applicable):

Address:

Postcode:

Tei (Home): Tei (Work):

Which computer(s), if any, do you own?

68N

AMIGA **FORMAT SPECIAL** **YOU WANT ANSWERS!**

Whether you're a seasoned Amiga user or a total newcomer to the best home computer in the world, you will always want to get more from your machine. And the best way to get more is to know more. This is where we come in...

WE'VE GOT 'EM!

The Amiga Format Questions and Answers Special is packed to the gills with exactly the kind of information you must have.

And once you've got it, who can stop you? There's a question only you can answer...



The Amiga Format Question & Answers Special is on sale from Thursday May 6th priced at £3.95.

CITIZEN PRINTERS FROM SILICA SYSTEMS

- **FREE DELIVERY** Next Day - Anywhere in the UK mainland
- **WINDOWS 3.1** Free Windows 3.1 driver with Starter Kit
- **2 YEAR WARRANTY** (including the dot matrix printer head)
- **FREE HELPLINE** Technical support during office hours
- **FREE STARTER KIT** With Citizen dot matrix printers from Silica



FREE STARTER KIT INCLUDES:

- 3 1/2" Disk with Amiga Print Manager
- 3 1/2" Disk with Windows 3.1 Driver
- 1.8 Metre Parallel Printer Cable
- 200 Sheets of Continuous Paper
- 100 Continuous Tractor Feed Address Labels
- 5 Continuous Envelopes on Tractor Feed

AMIGA PRINT MANAGER V2.01


For faster printing from your Amiga, with clearer images and more vibrant colours. Available free of charge as part of the Silica Printer Starter Kit.

- Improved Image Smoothing
- Image Scaling
- Gamma/Colour Correction
- Colour Separation
- Reduces/eliminates Banding

KIT VALUE £49 + VAT

PERIPHERALS & ACCESSORIES

STAND OFFER



CITIZEN PRINTER STAND

For Swift 9, 90, 24, 24e, 200, 240 and 224 Printers

- Helps keep pace with Citizen Printer's powerful paper handling
- Robust & Durable Construction
- Saves space and protects continuous stationery from dust and damage
- Compatible with bottom and rear feed

RRP £28
£19
+VAT=£22.33 - PRI 1242

SHEET FEEDERS

PRA 1200 1200+	£71.38
PRA 1222 1240/224/240 Col Printers	£88.13
PRA 1228 1240/224/240 Col Printers	£42.00

SERIAL INTERFACES

PRA 1189 1200+	£56.45
PRA 1209 Swift 9/90/1240/224	£32.25
PRA 1709 Swift 24/24e/200/240 Col	£26.38

32K MEMORY EXPN

PRA 1753 224/240/24e/200/240 Col	£14.45
----------------------------------	--------

PRINTER STAND

PRA 1274 Swift 9/90/240/240 Col	£34.95
---------------------------------	--------

ORIGINAL RIBBONS

RIB 3520 1240/240/240 Col	£2.91
RIB 3548 Swift 9x Black	£7.15
RIB 3524 1240/240/240 Col	£4.20
RIB 3536 224/240/240/240 Col	£15.62
RIB 3248 PN48 Single Strike	£3.61
RIB 3348 PN48 Multi Strike	£3.61

COLOUR KITS

PRA 1236 224/240/24e/200/240 Col	£35.25
PRA 1240 Swift 9x/24x	£45.25

PN48 ACCESSORIES

PRA 1148 PN48 Battery	£46.70
PRA 1155 PN48 Cable Extn	£29.37
PRA 1162 PN48 Car Adapter	£18.74

INKJET 360 CPS 80 COLUMN

- Citizen Project Inkjet - 80 column
- 360cps Draft, 120cps NLQ
- 50 Nozzle Head - Whisper Quiet 47dB(A)
- 8K Printer Buffer
- RAM Card Options
- 3 Fonts Built-in
- Optional HP Compatible Font Cards
- Parallel and Serial Interface
- Graphics Resolution: 300 x 300dpi
- HP Deskjet Plus Emulation
- 2 Year Warranty



RRP £496
TOTAL VALUE: £496
SAVING: £217
SILICA PRICE: £279
+VAT=£327.83 - PRI 2030

CITIZEN PRINTERS WITH 2 YEAR WARRANTY

24 PIN 270 CPS 80 COLUMN



- Citizen Swift 200 - 24 pin - 80 column
- 270cps SD (150pi), 216 cps Draft, 72cps LQ
- 8K Printer Buffer (40K max) + 6 LQ Fonts
- Parallel Interface
- Graphics Resolution: 360 x 360 dpi
- Epson, IBM, & NEC P20 Emulations
- Quarter Printing and Auto Set Facility
- Ultra Quiet Mode - 43dB(A)
- Colour Kit - Optional Extra (See Below)
- FREE Silica Printer Starter Kit

SWIFT 200

RRP	£259
SILICA STARTER KIT	£49
TOTAL VALUE: £308	
SAVING: £129	
SILICA PRICE: £179	

+VAT=£210.33 - PRI 2490

9 PIN 144 CPS 80 COLUMN



- Citizen 120D+ - 9 pin
- 144cps Draft, 30cps NLQ
- 4K Printer Buffer + 2 Fonts
- Parallel or Serial Interface
- Graphics Resolution: 240 x 216dpi
- Epson and IBM Emulation
- Pull tractor & bottom feed
- FREE Silica Printer Starter Kit

CITIZEN 120D+

RRP	£199
SILICA STARTER KIT	£49
TOTAL VALUE: £248	
SAVING: £133	
SILICA PRICE: £115	

+VAT=£135.13 - PRI 2120

24 PIN 300 CPS 80 COLUMN



- Citizen Swift 240/240C - 24 pin - 80 col
- 300cps SD (150pi), 240 cps Draft, 60cps LQ
- 8K Printer Buffer - 40K maximum
- 9 LQ Fonts + 2 Scalable Fonts (p-40pi)
- Font Cartridge Slot - for plug in style fonts
- Parallel Interface
- Graphics Resolution: 360 x 360dpi
- Epson, IBM, NEC P20 & CEL Emulations
- Quarter Printing Facility
- Auto Set Facility - Bi-directional IF, Auto Emulation Detection
- Command View IV Front Control Panel
- Ultra Quiet Mode - 43dB(A)
- Colour Printing Standard - Swift 240C
- Colour Printing Optional - Swift 240
- FREE Silica Printer Starter Kit

SWIFT 240 MONO

RRP	£339
STARTER KIT	£49
TOTAL VALUE: £388	
SAVING: £149	
SILICA PRICE: £239	

+VAT=£280.83 - PRI 2560

SWIFT 240C COLOUR

RRP	£359
STARTER KIT	£49
TOTAL VALUE: £408	
SAVING: £149	
SILICA PRICE: £259	

+VAT=£304.33 - PRI 2571

9 PIN 240 CPS 80 COLUMN



- Citizen Swift 90 - 9 pin - 80 column
- 240cps SD (150pi) 180cps Draft, 48cps NLQ
- 8K Printer Buffer
- 6 Fonts Built-in
- Parallel Interface
- Graphics Resolution: 240 x 216dpi
- Epson and IBM Emulation
- Auto Set Facility
- Ultra Quiet Mode - 45dB(A)
- Advanced Paper Handling
- Colour Printing Standard - Swift 90C
- Colour Printing Optional - Swift 90
- FREE Silica Printer Starter Kit

SWIFT 90 MONO

RRP	£199
STARTER KIT	£49
TOTAL VALUE: £248	
SAVING: £93	
SILICA PRICE: £149	

+VAT=£175.06 - PRI 2290

SWIFT 90C COLOUR

RRP	£219
STARTER KIT	£49
TOTAL VALUE: £268	
SAVING: £93	
SILICA PRICE: £169	

+VAT=£196.58 - PRI 2297

192 CPS 136 COLUMN



- Citizen Swift 24x - 24 pin - 136 col
- 192cps Draft, 64cps NLQ
- 8K Printer Buffer + 4 Fonts
- Parallel Interface
- Graphics Resolution: 360 x 360dpi
- Epson, IBM and NEC P6 Emulation
- Colour Option Available
- FREE Silica Printer Starter Kit

FREE! STARTER KIT

RRP	£489
STARTER KIT	£49
TOTAL VALUE: £538	
SAVING: £239	
SILICA PRICE: £299	

+VAT=£251.33 - PRI 2574

64 CPS 80 COLUMN



- Citizen PN48 Notebook Printer
- Non-impact Printing on Plain Paper
- 53cps LQ - 4K Buffer + 2 Fonts
- Rear and Bottom Paper Loading
- Parallel Interface
- Graphics Res: 360 x 360dpi
- Epson, IBM, NEC P6 & Citizen Emulation
- Power: Mains, Battery or Car Adapter

FREE! STARTER KIT

RRP	£325
TOTAL VALUE: £325	
SAVING: £126	
SILICA PRICE: £199	

+VAT=£223.63 - PRI 2100

290399-0730

SILICA SYSTEMS OFFER YOU

- **FREE OVERNIGHT DELIVERY:** On all hardware orders shipped in the UK mainland.
- **TECHNICAL SUPPORT HELPLINE:** Team of technical experts at your service.
- **PRICE MATCH:** We normally match competitors on a "Same product - Same price" basis.
- **ESTABLISHED 14 YEARS:** Proven track record in professional computer sales.
- **£12 MILLION TURNOVER (with 60 staff):** Solid, reliable and profitable.
- **BUSINESS + EDUCATION + GOVERNMENT:** Volume discounts available 081-308 0888.
- **SHOWROOMS:** Demonstration and training facilities at all our stores.
- **THE FULL STOCK RANGE:** All of your requirements from one supplier.
- **FREE CATALOGUES:** Will be mailed to you with offers + software and peripheral details.
- **PAYMENT:** Major credit cards, cash, cheque or monthly terms (APR 29.8% - written quotes on request).

Before you decide when to buy your new printer, we suggest you think very carefully about WHERE you buy it. Consider what it will be like a few months after you have made your purchase, when you may require additional peripherals and accessories, or help and advice. And, will the company you buy from contact you with details of new products? At Silica Systems, we ensure that you will have nothing to worry about. We have been established for almost 14 years and, with our unrivalled experience and expertise, we can now claim to meet our customers' requirements with an understanding which is second to none. But don't just take our word for it. Complete and return the coupon now for our latest FREE literature and begin to experience the "Silica Systems Service".

MAIL ORDER HOTLINE
081-309 1111

SILICA SYSTEMS

MAIL ORDER: 1-4 The Mews, Hatherley Rd, Sidcup, Kent, DA14 4DX
Order Lines Open: Mon-Sat 9.00am-6.00pm No Late Night Opening
LONDON SHOP: 52 Tottenham Court Road, London, W1P 0BA
Opening Hours: Mon-Sat 9.30am-6.00pm No Late Night Opening
LONDON SHOP: Selfridges (Basement Area), Oxford Street, London, W1A 1AB
Opening Hours: Mon-Sat 9.30am-7.00pm Late Night: Thursday - 8pm
SIDCUP SHOP: 1-4 The Mews, Hatherley Rd, Sidcup, Kent, DA14 4DX
Opening Hours: Mon-Sat 9.00am-5.30pm Late Night: Friday - 7pm
ESSEX SHOP: Keddies (2nd Floor), High Street, Southend-on-Sea, Essex, SS1 1LA
Opening Hours: Mon-Fri 10.00am-5.30pm (Sat 9.00am-5.00pm) Late Night: Thursday - 7pm

Tel: 081-309 1111
Fax No: 081-308 0608
Tel: 071-580 4000
Fax No: 071-323 4737
Tel: 071-629 1234
Extension: 3914
Tel: 081-302 8811
Fax No: 081-309 0017
Tel: 0702 468039
Fax No: 0702 468039

To: Silica Systems, AMSHP-0793-55, 1-4 The Mews, Hatherley Rd, Sidcup, Kent, DA14 4DX

PLEASE SEND A BROCHURE ON THE CITIZEN RANGE

Mr/Ms/Ms: Initials: Surname: Date:

Company Name (if applicable):


Address:

Postcode:

Tel (Home): Tel (Work):

Which computer(s), if any, do you own?

BACK ISSUES



ISSUE 26

The **Amiga Exposed** begins our daring, in-depth examination of the innards of your Amiga with an overview of the circuit board and an introduction to microprocessor logic **DIY Hardware Repairs** takes a look at a handy hardware gadget that helps in the tracing of faults, and **Video** carries a review of **Personal Paint**, an AGA-compatible rival to the famous *Deluxe Paint*

Only
£3.00
Each



ORDER NOW

**Missing the complete set? –
Well fill up the gaps in your
knowledge while you can with
our back issue service**



AMIGA SHOPPER BINDER only £4.95

Keep your copies of *Amiga Shopper* safe and protected right from the very start!

BACK ISSUES • ORDER FORM

AS27

SEND THIS FORM TO:

Amiga Shopper, Future Publishing Ltd, FREEPOST, Somerton, Somerset, TA11 7BR

Do not send cash through the post with your mail orders

Please make all cheques payable to Future Publishing Limited

BACK ISSUES

Please tick the issues you require:

£3.00 each
*£4.00 for those issues
with a disk
Issue numbers not
listed are sold out

- | | | | | | |
|------------------------------|-----------------------------|---------------------------------------|-----------------------------|------------------------------|-----------------------------|
| <input type="checkbox"/> 2 | <input type="checkbox"/> 3 | <input type="checkbox"/> 4 | <input type="checkbox"/> 6 | <input type="checkbox"/> 8 | <input type="checkbox"/> 9 |
| <input type="checkbox"/> 10 | <input type="checkbox"/> 11 | <input type="checkbox"/> 13 | <input type="checkbox"/> 14 | <input type="checkbox"/> 15 | <input type="checkbox"/> 17 |
| <input type="checkbox"/> 18 | <input type="checkbox"/> 20 | <input type="checkbox"/> 21* | <input type="checkbox"/> 22 | <input type="checkbox"/> 23* | <input type="checkbox"/> 24 |
| <input type="checkbox"/> 25* | <input type="checkbox"/> 26 | <input type="checkbox"/> BINDER £4.95 | | | |

Total amount payable: £

Name

Address

Post code

Telephone No

Method of payment (please circle) Access • Visa • Cheque • PO •

Credit Card No. Expiry Date

Signature

PRODUCT LOCATOR

PRODUCTS

PUBLIC DOMAIN • PUBLIC DOMAIN • PUBLIC DOMAIN • PUBLIC DOMAIN • PUBLIC DOMAIN • PUBLIC DOMAIN

Amiga Shopper Buyer's Guide tells you what's hot and what's not in the Amiga market place. It's a comprehensive guide to help you make the right buying decisions. We'll be updating it as new products are released.

This month we deal with public domain software. For reasons of space, it may not include each and every PD product ever produced for the Amiga, but rest assured that all the major titles are here.

BUSINESS SOFTWARE

Program	Library	Disk	Type	Issue	Rating
TextPlus 3.0	PDSoft	V261	Word processor	1	****
TextEngine 3.0	Digitz	277	Word processor	13	****
WordWright	PDSoft	V28	Word processor	13	****
AZSpell	Digitz	Utl277	Spell checker	13	****
PowerSnap	Fred Fish	542	Grab screen text as ASCII file	8	*****
UEdit	AmigaNuts	1162	Text editor	8	****
AmigaFox	Office Choice	U173	Combine text with graphics	8	**
AmiBase Pro 3	AmigaNuts	-	Powerful database	9	****
Liner	Fred Fish	285	Ideas processor like Flow	10	****
NewPRT	Digitz	149	Printer drivers for PageStream	10	****
PageStreamFonts	Digitz	149	Fonts for PageStream	10	*****
EasyBanker	GTS	Home2	Home finance program	10	****
HomeHelp	GTS	Home1	Computerised grocery lists	10	****
I-Man	GTS	Home2	Inventory list management	10	**
MultiPlot	Fred Fish	467	Data graphing program	7	****
Power Planner	Deja Vu	Licenseware	Diary/telephone book	15	***
Power Base	Deja Vu	Licenseware	Database	15	*****
CruiseWord	PD Majik	-	Word processor	16	**
AmiCash	PS Soft	V630	Home accounts	16	****
Home Manager	PD Soft	V660	Personal organiser	16	*****
Word Power	Deja Vu	Licenseware	Spell checker	17	****
WBase	Anglia PD	U4015	Pop up Workbench database	18	**
PowerText	Deja Vu	Licenseware	Word processor	18	*****
Account Master	Various	-	Home accounts program	19	****
AmigaDex	PD Soft	V757	Pop up address book	19	*****
Will&Testament	PD Soft	V706	Template for wills	19	*****
Forms Really Unlimited	PD Soft	V782	Create your own business forms	21	*
Philo	Startronics	N/A	Databases for beginners	21	*
Atbl	Fred Fish	Fish 746	Unix-like table formatting utility	22	****
PaperBack!	Fred Fish	Fish 749	Create printed booklets with ease	22	*****
Epoch	NBS	U726	Pop up address book and calendar	22	**
BuddBase 1	Deja Vu	L/28	Powerful database program	22	*****
JCGraph Demo	Fred Fish	Fish 760	Demo of shareware graph program	23	*****
Stock Control 1.0	Deja Vu	L/111	Powerful stock control utility	23	****
WFILE	Fred Fish	776	Convert PC and Mac text files	24	****
Home Business Pack	Anglia PD	HB1	Database, spreadsheet, wp	25	*****
Inspire Demo	Fred Fish	815	Powerful word processor	26	*****
DataBench	Fred Fish	820	Very good PD database	26	****
QuickFile	Fred Fish	820	Absolutely awful PD database!	26	None!

MUSIC UTILITIES

Nutcracker Suite	17-Bit Software	N/A	Tchaikovsky's Nutcracker suite	21	****
CDTV Player	Fred Fish	Fish 759	Play Audio CDs from WB on A570	23	*****
MED 3.11	AmigaNuts	973	Sound Tracker	1	*****
Module Processor	AmigaNuts	864	Convert modules to executable	1	***
Rippers Disk	17Bit	1055	Rip modules from memory	5	****
Sound Ed	Fred Fish	486	Sample editor	5	*****
Module Master	TBAG	58	Play modules in various formats	9	****
K1 Editor	Fred Fish	332	Patch editor for Kawai K1	10	*****
CZED	Fred Fish	223	Patch editor for Casio synths	10	****
Desktop Harp	Various	-	Collection of tunes	18	*****

EMULATORS

IBEM	VirusFree	1485	PC compatibles	3	****
A64	AmigaNuts	1030	Commodore 64	3	*****
ST Emulator	Digitz	Utl149	Atari ST	15	****
QL Emulator	AmigaNuts	1030	Sinclair QL	3	***
ZX Emulator	AmigaNuts	1030	ZX Spectrum	3	****

VARIOUS UTILITIES

WordFinder-Plus	Virus Free PD	Licenseware	Crossword puzzle solver	21	****
File & HD Utils 3	PD Soft	V815	Various file and hard disk utilities	21	****
FindIt	Fred Fish	Fish 731	Search for named files on any disk	22	****
Fontviewer	Fred Fish	Fish 732	Keep track of all your bitmapped fonts	22	****
Megad 2.0	Fred Fish	Fish 736	Brilliant SID-like directory utility	22	*****
CFX	Fred Fish	Fish 750	File type identifier	22	*****
Pools Tools	NBS	U725	Pools predictor	22	***
Boot Logo	Fred Fish	Fish 754	Display picture during boot up	23	****
PopUpMenu	Fred Fish	Fish 756	Modified Workbench menus	23	****
GeoTime	Fred Fish	Fish 758	World Time Zone Display	23	*
ABackUp	Fred Fish	Fish 759	Hard Disk backup utility	23	****
ARestore	Fred Fish	Fish 760	Restore deleted files	23	*****
BootJob	Fred Fish	Fish 760	Store game bootblocks on disk	23	**
S-Text	Fred Fish	Fish 760	Create stand-alone text files!	23	**
Assassins Handy Tools	Aardvark PD	U186-188	Three disks of handy utilities	23	***
A-Gene	AmigaNuts	933	Genealogy program	1	****
Command.COM	17Bit	866	CLI commands in RAM	2	***

PRODUCT LOCATOR

MessySID 2	PDSOft	V490	Access PC disks with ease	13	*****
Elements	Fred Fish	593	Periodic table of elements	13	****
Cass 1.1	Fred Fish	579	Make your own cassette covers	13	***
Badger	Fred Fish	543	Event scheduler	13	***
School TimeTable	AmigaNuts	1100	Generate school timetables	5	****
Arq	CIX Download	-	Improved system requesters	8	*****
LC24-200 Fonts	NBS	L503	Fonts for Star printers	8	****
Menu Runner	AmigaNuts	1024	Run programs from menu	8	***
ButExchange	Fred Fish	494	Reverse mouse buttons	9	****
DeafLab	Fred Fish	494	Sign language utility	9	***
PWKeys	Fred Fish	494	Manipulate windows with hotkeys	9	***
InputLock	Fred Fish	494	Turn off mouse and keyboard	9	*****
RunMe	AmigaNuts	1186	Run programs from menu	9	****
Hard Drive Special	GTS	-	Collection of hard drive utils	9	*****
ScreenMOD	TBAG	58	Modify screens and windows	9	***
Words 3	AmigaNuts	-	Solve anagrams	9	***
ClockTick	TBAG	58	2.0-like clock mouse pointer	9	****
FileSearch	Fred Fish	531	Find files on a hard disk	11	***
Format 1.1	Fred Fish	535	Replacement disk formatter	11	*****
PowerPacker Utils	Fred Fish	542	Utilities for PowerPacker	11	***
LabelMaker	Fred Fish	548	Create disk labels	11	***
ToolsDemon	Fred Fish	561	Run programs for 2.0 Tools menu	11	****
Filer	Fred Fish	562	SID clone for Workbench 2.0	11	****
AWP	Fred Fish	554	Animate WB2.0 clock pointer	11	*****
RMBSHift	Fred Fish	547	Select multiple icons	11	****
Smart Icon	Fred Fish	316	Iconifies windows	10	***
Flash Disk	GTS	Utils2	Disk optimiser	10	****
Snap 1.4	Fred Fish	326	Grab screen text into clipboard	10	****
SysInfo	Fred Fish	571	System information program	11	*****
MKSLens	Fred Fish	574	Magnify area of screen	11	***
Font Manager	Digitz	149	Manage your bitmap fonts	10	****
Recover	Digitz	149	Rescue files from corrupt disks	10	***
Track Display	GTS	Utils1	Shows position of drive heads	10	***
FastDiskII	GTS	Utils1	Disk optimiser	10	***
FileMaster	GTS	Utils1	Binary file editor	10	*****
DiskSpeed	GTS	Utils1	Disk drive benchmark program	10	****
Formatter	GTS	Utils1	Replacement disk formatter	10	***
SetNoClick	GTS	Utils1	Turn off annoying drive click	10	***
DevRen	GTS	Utils1	Rename devices including DFO	10	****
LockDevice	GTS	Utils1	Better AmigaDOS 'Lock' command	10	****
Label Print	Fred Fish	227	Disk label printer	10	***
Banner	TBAG	52	Print huge banners	10	*****
Avail Mem	Fred Fish	285	Graphical memory monitor	10	***
DCopy	AmigaNuts	700	Disk copier	10	****
MessyDOS	NBS	U619	Read and write PC disks	6	*****
Master Virus Killer	AmigaNuts	971	Virus killer	1	****
Imploder	Fred Fish	422	File compressor	7	***
ARTM	17Bit	1274	System monitor	7	*****
File and HD management	PD Soft	V573	Hard drive utilities	15	*****
Sid 2	17Bit	-	Directory utility	16	****
File and HD management 2	PD Soft	V575	More hard drive utilities	16	****
Outline fonts	George Thompson	-	For ProPage and PageStream	16	*****
Electronic baby book	PD Soft	V658	Record your baby's details	16	****
Astro 22	PD Soft	V685	Astrology program	17	****
Touch typing tutor	NBS	CLU03	Teach yourself touch typing	17	****
Magnetic Pages	PD Soft	V688	Create your own disk magazine	17	*****
HAM Radio	Aardvark PD	-	HAM radio utilities	18	****
MegaStation	Five Star PD	U195	More CLI commands	18	***
C Commands	PD Soft	V586	Even more CLI commands	18	***
Morse Tutor	Deja Vu	L101	Teach yourself Morse Code	19	*****
Minix Demo	PD Soft	V711	Demo of Unix-like OS	19	*****
Printer Drivers	PD Soft	V724	Star and Canon printer drivers	19	****
Icon Mania	PD Soft	V730	Lots of new icons	19	**
Anti-Virus	Soft Expression	U155	Kill those viruses	19	*****
CG Fonts	PD Soft	V713	Lots of Compugraphic fonts	19	****
X-Stitch	Deja Vu	Licenseware	Pics to knitting patterns	19	****
Distance	Deja Vu	Licenseware	HAM radio utility	20	****
Main Event	Soft Expression	U149	Event scheduler	20	****
Disk Manager 2	Various	-	Disk cataloguing program	20	****
VCR Tape Filer	Fred Fish	721	Organise your video collection	20	***
AniMan	Fred Fish	722	Voice control your Amiga	20	****
DiskMate	Fred Fish	723	Disk copier	20	*****
BackUp	Fred Fish	724	Hard disk back-up utility	20	*****
HAMLab 2 Demo	Fred Fish	726	Powerful image processor	20	****
AutoSave	Fred Fish	771	Execute ARexx script at regular intervals	24	****
NicePrefs	Fred Fish	780	Extra WB 2.0 Preference programs	24	*****
LS	Fred Fish	772	Very powerful Unix-like 'LS' command	24	*****
Twilight Zone	Fred Fish	782	After Dark-like screen blanking utility	24	*****
Ego Mouse	Fred Fish	778	Make your mouse point where it's going	24	**
Macro 1.0	Fred Fish	786	Record and playback user inputs	24	****
VirusZ	Fred Fish	786	Virus Killer	26	*****
QC	Fred Fish	788	Display information on CLI/Shell	24	***
QMouse	Fred Fish	789	Mouse accelerator utility	24	****
AIBB	PD Soft	V948	Standard benchmark program	25	*****
Cook & Stitch	GTS	-	Learn to cook, stitch and brew beer!	25	***

PRODUCT LOCATOR

PRODUCTS

KingFisher	GTS	-	Database of Fred Fish disks	5	*****
File & HD Utilities 6	PD Soft	V978	Selection of file and hard disk utilities	25	**
Sksh	Fred Fish	791	Unix 'ksh'-like Shell	25	*****
DragIt	Fred Fish	792	Drag a window without using drag bar	25	*****
LockIt	Fred Fish	798	Password protect your files	25	****
Password	Fred Fish	804	Password protect a hard drive	26	*****
XSearch	Fred Fish	804	File searching utility	26	***
StarClock	Fred Fish	814	Display time in StarTrek fashion	26	***
FastIntroMaker	Fred Fish	814	Create your own scolly demos	26	*****
Install 1.2	Fred Fish	817	Workbench install disk utility	26	*****
SysInfo 3.11	Fred Fish	-	Latest version of system analyzer	26	*****

COMMS UTILITIES

LHA 1.11	Fred Fish	593	Archiving utility	13	****
Phone Line Watcher	TBAG	58	Keep track of phone bill	9	*****
Term 1.8A	Fred Fish	534	Terminal Program for WB2.0	11	*****
NComm	17Bit	1275	Terminal Program	7	****
BBBS	Fred Fish	729	Bulletin Board System	20	****

PROGRAMMING UTILITIES

GadTool Box	Fred Fish	Fish 731	Create Intuition font ends	22	*****
ICalc	Fred Fish	Fish 742	Brilliant Shell-based calculator	22	*****
MegaEd	Fred Fish	Fish 743	Powerful text editor	22	*****
Stripit	Fred Fish	Fish 750	Strip comments from ascii source code	22	***
DICE	Fred Fish	443	C Compiler	3	*****
Copper Master	AmigaNuts	1083	Generate Copper Lists	5	***
BRef	Fred Fish	494	BASIC cross referencing utility	9	*****
Power Logo	EdLib	24	Enhanced Logo Interpreter	9	***
MIDI Library	Fred Fish	227	Program MIDI applications	9	*****
PCQ Pascal	AmigaNuts	1113	Pascal compiler	6	*****
NorthC	AmigaNuts	1112	C Compiler	6	*****
Acc Assembler	AmigaNuts	-	Fast Assembler	6	*****
Remm and Rams	Deja Vu	Licenseware	Map editor and scroller utilities	17	***
Frac	AmigaNuts	1251	Adventure game creator	18	****
Map Editor	AmigaNuts	-	Map editor for AMOS	19	****
DPU	Fred Fish	721	Hex disk and file editor	20	****
Amiga E	Fred Fish	-	Programming language compiler	26	****

GRAPHICS UTILITIES

DPaint Tutorial	Soft Express	U160	Comprehensive DPaint tutorial	22	*****
CMDemo	Fred Fish	Fish 757	Demo of ASDG's CineMorph	23	***
SpectraPaint	Slipped Disk	19	Paint package	3	****
Deluxe Draw	Slipped Disk	18	Paint package	3	**
AMOS Paint	Deja Vu	83	Paint package	3	***
HAMLab	AmigaNuts	1149	Image processing	3	**
3DFont	17Bit	1007	Text to Sculpt Object	3	***
SkyPaint	TBAG	37	Text-based graphics	3	***
SlideShow Kit	VirusFree	1465	Create your own slideshows	3	*****
Mandel Mountains	Softville	751	Creates 3D Mandelbrots	5	****
3D Objects Disk 1	AmigaNuts	-	Collection of Sculpt Objects	8	****
PictSaver	Fred Fish	543	Grab screens in IFF Format	9	*****
LandBuild	AmigaNuts	1190	Fractal landscape generator	9	**
Video Text Displayer	AmigaNuts	1199	Basic text scroller	9	***
Converters	17Bit	1221	Image conversion tools	9	***
Vector Designer	AmigaNuts	-	Vector graphics designer	9	**
Plasma	Fred Fish	573	Fast fractals program	11	***
BezSurf 2	Fred Fish	315	Create shaded 3D objects	10	***
DrawMap	Fred Fish	315	Generate maps of the world	10	***
Sprite Designer	AmigaNuts	1102	Create animated sprites	6	**
ImageLab	PDSoft	V518	Image processing program	12	*****
Desktop video pack 2	Anglia PD	-	Various DTV utilities inc titler	17	***
FracScape	Various	-	Fractal landscape generator	18	*****

EDUCATIONAL SOFTWARE

WarBook	Asgard Software	Freeware	History of World War 2	21	***
ChemBalance	Fred Fish	Fish 759	Balance chemical equations	23	****
Learn&Play	Riverdene	Mis637	Maths/Reflex/Logic	5	****
Simon	Deja Vu	APD135	Reflex/Memory	5	***
Space Maths	Deja Vu	APD135	Maths	5	*****
TouchStones	Deja Vu	LPD18	Logic	5	*****
Shapes	Riverdene	GAM907	Maths/Logic	5	****
Quingo	Deja Vu	LPD21	3 'R's	5	***
Treasure Search	Deja Vu	APD2	Maths/Logic	5	***
JigMania	Deja Vu	LPD13	Maths/Logic	5	****
Spell4Fun	AmigaNuts	1146	Spelling	9	****
Maths4Fun	AmigaNuts	1146	Maths	9	****
XTables	AmigaNuts	1146	Maths	9	*****
Runes	DTP	OS125	Mystic runes explained	18	***
4 Stroke Engine	PD Soft	V738	Demonstrates 4 stroke engine	19	****
Complete Bible	PD Soft	V715-717	Complete Bible on three disks	19	****
Constellations	Astronomy News	-	Info on stellar constellations	20	***
Maths Reflex	Anglia PD	C728	Test your maths	20	****
CPK	Fred Fish	809	Create rendered molecule illustrations	26	****

FOR SUPPLIER INFORMATION ON ALL THE PRODUCTS LISTED ABOVE SEE UK PD HOUSES PAGE 114

BUYING ADVICE FOR SHOPPERS

Whether you're buying over the phone or at a local store, here's our advice on getting what you want

BUYING IN PERSON

- Where possible, always test any software and hardware in the shop before taking it home, to make sure that it works properly.
- Make sure you have all the necessary leads, manuals or other accessories you need.
- Don't forget to keep your receipt.

BUYING BY PHONE

- Be as clear as possible when stating what you want to buy. Make sure you confirm all the technical details of what you are buying. Some things to bear in mind are version numbers, memory requirements, other required hardware or software and compatibility with your particular model of Amiga (that is, make sure you know which version of Kickstart you have).
- Check the price you are asked to pay, and make sure that it's the same as the price advertised.

- Check that what you are ordering is actually in stock.
- Check when and how the article will be delivered, and that any extra charges are as stated on the advert.
- Make a note of the date and time when you order the product.

BUYING BY POST

As with buying by phone, you should clearly state exactly what it is you are buying, at what price (refer to the magazine, page and issue number where it's advertised) and give any relevant information about your system set-up where necessary. You should also make sure you keep copies of all correspondence both to and from the company concerned.

MAKING RETURNS

Whichever method you buy by, you are entitled to return a product if it fails to meet any one of the following three criteria:

- The goods must be of 'merchantable quality'.
 - The goods must be 'as described'.
 - The goods must be fit for the purpose for which they were sold. If they fail to satisfy any or all of the criteria, then you are then entitled to:
 - Return them for a refund.
 - Receive compensation for part of the value.
 - Get a replacement or free repair.
- When returning anything, ensure that you have proof of purchase and that you return the item as soon as possible after receiving it. For this reason it is important that you check the hardware or software as soon as it is delivered to make sure everything you ordered is there and works as it is supposed to.

HOW TO PAY

Paying by credit card is the most sensible way, whether buying in person, by post or on the phone, because you may be able to claim the money from the credit card company even if the firm you ordered from has gone bust or refuses to help sort out your problem.

Otherwise, you should pay by crossed cheque or postal order – never send coins or notes through the mail.

GETTING REPAIRS

Always check the conditions of the guarantee, and servicing and replacement policy, so that you know what level of support to expect. Always fill in and return warranty cards as soon as possible, and make sure that you are aware of all the conditions contained in the guarantee.

BUYING PD

Even though PD software is relatively inexpensive, you should still apply the guidelines set out above, making sure that you confirm all orders as clearly as possible.

Shopping around is still important when buying PD because different houses charge different prices for the same disks. There is no set pricing structure for disks, but bear in mind that PD houses are, in theory, supposed to be non-profit-making operations. **AS**

AD INDEX

1st Computer Centre (Leeds)	50, 51
16 Bit Centre	100
Amivision Software	52
Anglia PD	106
Artworks	52
BCS	71
Belshaws	106
Computer Mates	83
Digitia International	13
Direct Computer Supplies	27
Diskovery PD	105
Evesham Micros	90, 91
Express PD	106
Fred Publishing	44
Hagars Electronics	44
Harwoods	18, 19, 32-35, IBC
Hobbyte	72, 73
INDI	IFC, 6-9
Kingsway UK Ltd	52
Kosmos	44
KT's PD	106
Manor Court Supplies	44
New Horizon Computers	15
PD Soft	111
Phoenix Computer World	42, 43
Phoenix Services	44
Power Computing	22, 23, OBC
Selectafont	52
Siam Ltd	52
Silica Systems	113, 115
Snap Computer Supplies	108
Software Demons	4
Trevar Designs	106
Trilogic	66, 67
Weserve	38
WTS Electronics	78, 79, 108
York Electronics	44

A CHECKLIST FOR MAIL ORDER BUYING

• Before you send any money, ring the supplier to confirm that the item you want is in stock and when the delivery is likely to be made. Enquire about returning unwanted goods and the supplier's refund policy. Find out about hidden extras like postage and packing charges, and whether the prices quoted include VAT.

• Beware of companies that do not include an address in their adverts.

• If ordering goods of more than £100 in value, always try to use a credit card – if anything goes wrong, you will be legally entitled to claim against the credit card company, even if the retailer has gone bust. You may also get extra insurance – check with the credit card company.

• Always buy from the most recent issue of *Amiga Shopper*.

• When your order arrives, check everything carefully. If anything is missing, don't use the product at all – contact the supplier. If it doesn't work, make the obvious checks such as the fuse, but don't try to fix the product.



• If a problem does arise, contact the supplier in the first instance and calmly and politely explain your problem. In most cases these things are merely a mix-up or a misunderstanding that the supplier will happily put right. If you think you have a genuine grievance that has not been resolved, you might consider contacting your local Trading Standards Officer (the number will be in the phone directory).

• Always keep records of correspondence with any mail order company you deal with and also make a note of where and when you saw the product advertised. False or misleading advertising is an offence, and suppliers must stick to what they've said in adverts.

What's your Amiga good for?

ANSWER:

- Computer art
 - Desktop video
 - Games
 - 3D modelling
 - Comms
 - Programming
 - Multimedia
 - Business
 - Word processing
 - Desktop publishing
 - Music
- (...Cont. on p2194)



Get the Most out of your Amiga 1993 is the third edition of the best-selling Amiga title first launched in 1991. The aim is simple: to produce the most authoritative, comprehensive and up-to-date guide to the Amiga, its uses and its software. Separate sections are devoted to specific subjects like music, word processing etc. and they're structured so as to provide background information about that area followed by specific product recommendations.

The Amiga market continues to expand at a terrific rate following last year's hardware launches. Because of this, **Get the Most...** has been completely rewritten for 1993, and in the process has swelled to well over 300 pages. Also included are two disks packed with specially-selected public domain and shareware software.

The Amiga is the most powerful, versatile and cost-effective computer there is. Find out just what yours can do with **Get the Most out of your Amiga 1993**.

- 300+ pages
- 90 reviews
- 50+ game tips
- 1.5Mb software

Get the Most out of your Amiga 1993 Priority Order Form

Get the Most out of your Amiga 1993 will be available in the shops, but you can order a copy of this book right now, direct from our own Mail Order department. Postage and packing is FREE – you don't even need a stamp to send this order off!

Please send me: (tick as appropriate)

.....copy/copies of **Get the Most out of your Amiga 1993** at £19.95 each

Method of payment (please tick one):

VISA ☐ ACCESS ☐ CHEQUE ☐ P/O ☐

CARD NUMBER

□□□□ □□□□ □□□□ □□□□

Expiry date: □□□□

Please tick here if you do not wish to receive direct mail from other companies: ☐

Your name

Your address

Your signature

Now send this form to:


Future Leisure Books Offer
Future Publishing Ltd
Freepost
Somerton
Somerset TA11 7BR

For office use only:

ORDER CODE: FLB009A

WIN • WIN • WIN • WIN • WIN • WIN • WIN • WIN

Have the last word!



Well, the Final Copy, actually. Five lucky readers will get their hands on Final Copy II for free. This easy-to-use "word publisher" gives you all the power you need to create professional-looking documents.

Budding wordsmiths and designers will be interested in what's up for grabs in this month's bumper competition – five copies of the latest release of *Final Copy II*.

Produced in the States by leading software house SoftWood Inc., *Final Copy II* is distributed in the UK by Gordon Harwood Computers and retailers at £99.95.

Final Copy II has all the features you'd expect from a state-of-the-art word processor – multiple rulers and multiple columns, full IFF graphics support up to 4,096 colours, a 110,000-word dictionary and 826,000-reference thesaurus, ARexx support, and much more. (For details, see *Amiga Shopper* 25.) The page printed here with the picture of a tiger on was produced using *Final Copy II* and output on a 24-pin colour dot matrix printer. As you can see,

pictures can be imported, resized and cropped, and text can be run around or over the graphics.

One of *Final Copy II*'s best features is the ability to use scalable outline fonts. Support is provided for CompuGraphic, Adobe Type One PostScript and Nimbus Q PostScript fonts. These fonts are available on any Workbench-supported graphic printer. The minimum system configuration that you need to run *Final Copy II* is 1 Mb of RAM and two floppy drives (or a hard drive).

So, want to get your paws on a copy? Just answer the three easy-peasy questions on the right. The first five correct answers drawn on the closing date, Friday 9 July, win. Simple as that. (No multiple entries, no employees of Future Publishing or Gordon Harwood, and no arguments.)

Write your answers on a postcard (or the back of a sealed envelope),

include your name, address, postcode and details of your Amiga and any peripherals.

The address is:

Copy Deadline
Amiga Shopper
29 Monmouth Street
Bath BA1 2DL

Please state if you would rather not have your name included on a mailing list.



THE CHALLENGE • THE CHALLENGE

1. *Final Copy II* is distributed in the UK by:

- (a) Gyles Brandreth
- (b) Gordon Harwood
- (c) Teak Hardwood

2. "Tyger! tyger! burning bright
In the forests of the night"

are the first lines from a poem by:

- (a) William Blake
- (b) Rudyard Kipling
- (c) Tony Harrison

3. Which of the following is a serif font?

- (a) Franklin Gothic
- (b) Helvetica
- (c) Times

IN NEXT MONTH'S FACT-PACKED ISSUE

- Make money with your Amiga! We'll be giving you ideas for how you can turn your Amiga to profit in every conceivable area: video, word processing, desktop publishing, graphics, programming, music, database management and more. We'll be including a whole host of general business tips, dealing with such things as tax, national insurance, accounting and even getting hold of grants to help you out. Can you afford to miss it?
- A look at the new version of *Art Department Professional*.
- And a review of *Deluxe Music Construction Set II*.

Plus: regular columns on Amiga Answers, public domain, video, AmigaDOS, desktop publishing, programming, education, music, comms and much more

>>>> On sale Tuesday 6 July >>>>

MAG*SAVE

**AMIGA SHOPPER SELLS
LIKE PARTICULARLY HOT
PATISSERIE – SO DON'T**

MISS OUT: RESERVE IT AT YOUR LOCAL NEWSAGENT NOW!

DEAR NEWSAGENT, Please reserve/deliver me a copy of *Amiga Shopper* every month, beginning with the August issue, which goes on sale on Tuesday 6 July.

Name _____
Address _____
Phone _____

• NOTE TO NEWSAGENT: *Amiga Shopper* is published by Future Publishing (0225 442244) and is available from your local wholesaler.

• PS Oh, and if you do have any problems getting hold of your favourite *Amiga* mag, call Kate Elston on 0225 442244 and she'll help you out.

The Best Selling Word Processor and Database just became even better...

VALUE!

Since its launch, Pen Pal has become the most popular package of its type

Not surprising when you consider the extensive features at your fingertips, combined with user friendly simplicity, it was bound to be a winner! In a comprehensive Word Processor test, Amiga Format commented "There is little to fault Pen Pal, it deserves to do well" - quite a prediction it seems! Format have since said that it's "Still the best value for money..." If you're not a Pen Pal user yet, we hope you soon will be, because at just £49.95... the best just became better, even better value!

Pen Pal

A superb package, with immense power, to fulfil all your Word Processing needs, and... with an integrated Database too! It's all so easy to use, you'll rarely need to refer to the extensive 250 page lay-flat spiral bound manual. Users frequently tell us that they've never found a program they get on with so well.

THE WORD PROCESSOR: You can... Open multiple documents simultaneously; search and replace; cut, copy and paste; check your spelling with a 110,000+ word dictionary; import your favourite IFF/HAM graphics, from programs such as DPaint, or Clip Art files in various sizes and colours; automatically flow text around graphics in any Workbench compatible font (there are over 200 available styles) in different sizes and colours to suit your design... Even as you type!

Full Page View with position, edit and creation of graphic objects and extremely useful forms designer. All this from a word processor and... Much, Much, More! As you can see from the documents shown on the left this is no ordinary program!

THE DATABASE: With 32 fields per record, 32,000 records per database and a fast sort of 1000 records in less than 5 seconds, this is a *real* database. Mail merging into the Word processor couldn't be simpler, with easy creation of templates for letters or reports, into which information can be merged.



AND... Remember, Pen Pal comes with full support for the new or experienced user completely free! Friendly help for all registered owners is just a phone call away.

SoftWood - Quality software for your Amiga

With Pen Pal you're not just getting a one off product! SoftWood are acknowledged as the World's leading software company who develop just for Amiga and no other system. Once you're a registered SoftWood product owner your investment is protected as you'll have access to unlimited free technical support [others charge you] and preferential upgrades to other SoftWood titles, both existing and future. Exciting new products are being developed right now. Pen Pal - your first step on the SoftWood ladder of Amiga software

Pen Pal is available from all good Amiga software Dealers or from SoftWood. Call for your list of stockists.

SoftWood Products Europe
PO Box 19 Alfreton
Derbyshire DE55 7RW England
Tel: 0773 836781 Fax: 0773 831010
Pen Pal is compatible with any Amiga from 4500 latest A1200/A4000 ranges with a minimum of 1 Mb. available free



Power Computing's innovative 4MB 32-bit memory expansion for the Amiga 1200 is now available. The PC1204 includes these many features:

Zero Wait State - Unlike some other expansions the PC1204 never leaves the processor waiting around for data, which means that your A1200 can run at its maximum speed.

Ultra Fast FPU - An optional maths co-processor speeds up intensive calculations. A 50MHz chip will speed up operations by up to fifty times.

Real-Time Battery Backed Clock - Allows files to be date-stamped with the correct time and date so that you know exactly when they were created.

Low Power - High density RAMs means low power consumption.

Easy To Fit - Fitted in minutes without the need to remove the computer's case.

Optional FPU Disable Switch - Disable the FPU instantly for software that will not run with a maths co-processor installed.

	Power PC1204	A leading competitor
Speed Vs standard A600	4.84 times faster	4.79 times faster
Speed Vs standard A1200	2.19 times faster	2.17 times faster
CPU MIPS	2.96	2.93

PC1204 4MB with clock, no FPU Processor **£185.95**

PC1204 4MB with clock, 20MHz 68881 FPU **£259.95**

PC1204 4MB with clock, 25MHz 68882 FPU **£279.95**

PC1204 4MB with clock, 33MHz 68882 FPU **£289.95**

PC1204 4MB with clock, 40MHz 68882 FPU **£299.95**

PC1204 4MB with clock, 50MHz 68882 FPU **£339.95**



The PC1204 4MB Memory Expansion for the Commodore Amiga 1200.

The XL 1.76MB Drive for the Commodore Amiga.



Power Computing's XL 1.76MB Drive* for any Commodore Amiga is now available. The XL Drive includes these many features:

Formats to 1.76MB - Using high density disks you can fit a massive 1.76MB on each disk.

Acts as a standard drive - Insert an 880K Amiga disk and the drive behaves like any other Amiga drive.

Fully compatible - Will read and write disks written on an Amiga 4000 internal high density drive.

Compatible with PC disks* - Also read and write high density PC disks using a suitable device driver.

Compact size - No larger than a standard 880K floppy disk drive.

High quality design - Uses a high quality Sony high density mechanism.

Free - Box of 10 3.5" Polaroid high density disks.

Comes complete with disable switch and through port.

XL DRIVE

XL Drive £129.95


*Requires Kickstart 2 or above *Requires Workbench 2.1 or above

48Hr delivery **£2.50**, 24Hr delivery **£4.50**

Parcel Post delivery **£1** (Orders under £50 & UK mainland only)

Specifications and prices subject to change without notice

All Trademarks acknowledged. VAT included



Goods are sold subject to our standard terms and conditions of sale and are available on request

Power Computing Ltd
Unit 8 Railton Road Woburn Road Industrial Estate
Kempston Bedford MK42 7PN
Tel 0234 843388 Fax 0234 840234